

TECAWORK™
Ecogreen



**THINK FORWARD.
FEEL BETTER.**

TECAWORK™ ECOGREEN
EG 225 – 225 g/m²

100% GREEN FIBERS

Manufactured from 100% TENCEL™ Lyocell fibers from sustainable sourced wood and 100% mechanically recycled polyester from PET bottles.

ULTIMATE WEARING EXPERIENCE

The fabric's high TENCEL™ Lyocell content provides an unparalleled softness and an excellent moisture management control.

STRONG WITH LONG-LASTING LOOKS

High mechanical properties and excellent colour retention capabilities, even after repeated industrial laundering.



TECHNICAL DATA*	TECAWORK™ ECOGREEN	TEST METHOD
Quality	EG 225	
Width	153 cm (+2/-1 cm)*	ISO 22198: 2006
Weight	225 g/m ² (± 5%)*	ISO 3801: 1977
Composition	65/35% rPet/TENCEL™ Lyocell	ISO 1833: 1977
Construction	2/1 Twill S	ISO 3572: 1976
Available finishes	Easy-Care	

Physical performance		
Tensile strength	1200 N x 800 N (± 10%)*	ISO 13934-1: 1999
Pilling	4*	ISO 12945-2: 2000 (5000 rubs) After 5x cleaning cycles at 75 °C ISO 15797: 2018
Dimensional change	<2%*	ISO 5077: 2007 After 5x cleaning cycles at 75 °C ISO 15797: 2018
Tear strength	35 N x 30 N (± 10%)	NEN-EN-ISO 13937-2: 2000

Care labelling		
Domestic laundering		NEN-EN-ISO 6330, 6N 60 °C: 2013
Industrial laundering	75 °C - ISO 15797 White: Colour:	Visit our website for the laundrying recommendations www.tencatefabrics.com Qualification label - ISO 30023

CERTIFICATION		
	Öko-Tex Standard 100, class 2	Centexbel, no. 1803034

* All values subject to final certification and specification

COLOURS					

Ten Cate Protect B.V.
is certified according:



Member of the E.T.S.A.



This fabric comes with an EPD® (Environmental Product Declaration); an independently verified and registered document that communicates information about the life-cycle environmental impact of products.

All mentioned data must be considered as indicative values. To the best of our knowledge all information contained herein is accurate. TenCate Protective Fabrics Europe declines any form of liability related to the use of the attached specimen that shall be regarded as a sample only and therefore not meant to be used in any form of garment making.