

Mill/Convertor	Media Name	Media Catalogue/Profile	Finish	GSM	Basis Weight	Brightness	Opacity	Caliper	Recycled %	Pack Type
American Eagle	Eagle Offset	American_Eagle_Offset_50lb_75gsm_PS	Uncoated	75	50# Text	92	89	3.9	-	Profile
American Eagle	Eagle Offset	American_Eagle_Offset_60lb_Text_ProS_TIC150	Uncoated	90	60# Text	92	93	4.6	-	Profile
Case Paper	Primalith Matte PS 9pt	Case_Primalith_Matte_9pt_Cover_236gsm_PS	Matte Coated	236	80# Cover / 9 point	92	-	9.3	10% PCW	Profile
Catalyst	Consoweb Gloss	Catalyst_ConsoWeb_Gloss_Text_40lb_59gsm_ProS_TIC115	Gloss Coated	59	40# Text	73	89	-	10% - 30% PCW on request	Profile
Crown Van Gelder	LetsGo Universal Silk	CVG_LetsGo_Universal_Silk_60lb_90gsm_ProS_TIC150	Inkjet Treated	90	60# Text	-	-	-	-	Profile
Domtar	Cougar Jet	Domtar_CougarJet_70lb_104gsm_ProS_TIC200	Treated	104	70# Text	98	95	5.2	-	Profile
Domtar	Husky Opaque	Domtar_Husky_Opaque_60lb_90gsm_PS	Uncoated	90	60# Text	94	93	4.6	-	Profile
Domtar	HuskyJet	Domtar_HuskyJet_50lb_75gsm_ProS_TIC200	Treated	75	50# Text	94	89	4	-	Profile
Domtar	HuskyJet	Domtar_HuskyJet_60lb_90gsm_ProS_TIC200	Treated	90	60# Text	94	93	4.6	-	Profile
Domtar	Lynx Digital Text Smooth	Domtar_Lynx_Digital_Text_Smooth_60lb_ProS_TIC200	Uncoated	90	60# Text	96	95	4.6	-	Profile
Domtar	Lynx Digital Text Smooth	Domtar_Lynx_Digital_Text_Smooth_70lb_ProS_105gsm_Clipped_limit75_TIC90	Uncoated	105	70# Text	96	96	5.2	-	Profile
Domtar	LynxJet	Domtar_LynxJet_60lb_89gsm_ProS_TIC200	Treated	89	60# Text	96	94.5	4.3	-	Profile
Domtar	Scripture Opaque	Domtar_Scripture_Opaque_23lb_35gsm_PS	Uncoated	34	23# Text	-	-	-	-	Profile
Domtar	Titanium Jet	Domtar_TitaniumJet_27lb_40gsm_ProS_TIC200	Treated	40	27# Text	90	85	2.13	-	Profile
Finch	Mailstream XP 92	Finch_Mailstream_XP_92_70lb_text_ProS_TIC200	Inkjet Treated	104	70# Text	-	-	-	10% & 30% PCW on request	Profile
Finch	Offset Super Smooth	Finch_Offset_SuperSmooth_HST_50lb_Text_ProS_TIC150	Uncoated	74	50# Text	96	-	-	-	Profile
Finch	Offset White	Finch_Offset_60lb_ACCO_PAPER_ProS_TIC150	Uncoated	90	60# Text	-	-	-	-	Profile
Finch	Opaque Jet	Finch_Opaque_Jet_60lb_89gsm_ProS_TIC150	Treated	89	60# Text	96	93	4.3	10% & 30% PCW on request	Profile
Finch	Opaque Reply Card	Finch_Opaque_ReplyCard_BrightWhite_115lb_9pt_Cover_ProS_TIC150	Uncoated	147	115# Cover / 9 point	96	97	9.2	30% PCW	Profile
Finch	Opaque Smooth Bright White	Finch_Opaque_Smooth_Bright_White_60lb_89gsm_ProS_TIC150	Uncoated	89	60# Text	96	95	4.3	30% PCW	Profile
Finch	Opaque Smooth Cover	Finch_Op_Smth_Cvr_65lb_169gsm_PS_PRM_TIC180_40M_V1.icc	Uncoated	169	65lb Cover	96	100	-	available on request	Smart Pack
Inland Empire	Centennial Recycled	Inland_Empire_Centennial_Recycled_35lb_52gsm_ProS_TIC150	Uncoated	52	35# Text	78	-	3.3	10% - 30% PCW	Profile
International Paper	Accent Opaque Imagelok	IP_Accent_Opaque_ImageLok_60lb_90gsm_ProS_TIC200	Treated	90	60# Text	97	94	4.6	-	Profile
International Paper	Accent Opaque Smooth	IP_Accent_Opaque_Smooth_60lb_89gsm_ProS_TIC200	Treated	89	60# Text	97	94	4.6	-	Profile
International Paper	Accent Opaque Smooth	IP_Accent_Opaque_Smooth_70lb_104gsm_ProS_TIC200	Treated	104	70# Text	97	95	5.3	-	Profile
International Paper	Accent Opaque Smooth	IP_Accent_Opaque_Smooth_80lb_118gsm_ProS_TIC200	Treated	118	80# Text	97	96	6.1	-	Profile
International Paper	Accent Opaque Smooth	IP_Accent_Opaque_Smooth_9pt_216gsm_ProS_TIC200	Treated	216	9 point	97	-	-	-	Profile
International Paper	Accent Opaque Super Smooth Imagelok	IP_Accent_Opaque_SS_ImageLok_60lb_89gsm_ProS_TIC200	Treated	89	60# Text	97	94	4.6	-	Profile
International Paper	Accent Opaque Super Smooth Imagelok	IP_Accent_Opaque_Super_Smooth_ImageLok_70lb_104gsm_thINK	Treated	104	70# Text	97	95	5.3	-	Smart Pack
International Paper	Accent Opaque Super Smooth Imagelok	IP_Accent_Opaque_SS_ImageLok_80lb_118gsm_ProS_TIC200	Treated	118	80# Text	97	96	6.1	-	Profile
International Paper	Accent Opaque Super Smooth Imagelok	IP_Accent_Opaque_SS_ImageLok_9pt_213gsm_ProS_TIC200	Treated	213	9 point	97	-	-	-	Profile
International Paper	Hard Cover Opaque	IP_HardCover_Opaque_FSCPG_60lb_89gsm_ProS_TIC200	Treated	89	60# Text	-	-	-	-	Profile
Kallima	Web Coated Cover C1S Plus	Kallima_CoatedCover_C1S_Plus_FSC_9pt_190gsm_ProS_TIC150	Gloss Coated	190	9 point	90	-	-	10% PCW on request	Profile
Midwest	Offset	Midwest_Offset_Text_50lb_ProS_TIC150	Uncoated	75	50# Text	92	90	3.7	10% & 100% PCW on request	Profile
Midwest	Offset	Midwest_Offset_Text_60lb_ProS_TIC150	Uncoated	90	60# Text	92	92	4.4	10% & 100% PCW on request	Profile
Mitsubishi	Value Inkjet	Mitsubishi_Value_IJ_24lb_90gsm_ProS_TIC150	Treated	90	24# Bond	93	95	4.5	-	Profile
Mohawk	Everyday Digital	Mohawk_Everyday_Digital_60lb_89gsm_PS	Treated	89	60# Text	98	-	-	10% PCW	Profile
Mohawk	Everyday Digital	Mohawk_Everyday_Digital_70lb_Text_104gsm_ProS_TIC150	Treated	104	70# Text	98	-	-	10% PCW	Profile
Mohawk	Options Smooth Cover	Mohawk_Options_100_PC_White_80lb_Cover_ProS_TIC200	Uncoated	216	80# Cover / 9 point	96	-	9.6	100% PCW	Profile
Mohawk	Superfine Smooth UltraWhite	Mohawk_SuperFine_Smooth_UltraWhite_60lb_90gsm_ProS_TIC200	Uncoated	90	60# Text	-	-	-	-	Profile
Mohawk	Superfine Smooth UltraWhite	Mohawk_Superfine_Ultrawhite_100lb_Cover_270gsm_ProS_TIC200	Uncoated	270	100# Cover / 12 point	98	99	12	-	Profile

Mohawk	Via Bright White Smooth	Mohawk_VIA_Smooth_Bright_White_80lb_Cover_ProS_TIC200	Uncoated	214	80# Cover	-	-	-	30% PCW	Profile
Mondi	NeuJet Silk	Mondi_NeuJet_Silk_45lb_Text_67gsm_ProS_TIC130	Treated	67	45# Text	-	-	-	-	Profile
Pixelle Specialty Solutions	Natures Book	Glatfelter_Natures_Book_Smooth_30_PCW_60lb_88gsm_ProS_TIC130	Smooth	89	60# Text	74	94	-	30% PCW	Profile
Pixelle Specialty Solutions	Old Forge Wove	Pixelle_Specialty_Solutions_Old_Forge_Wove_24lb_90gsm_ProS_TIC200	Uncoated	90	24# Bond	-	-	-	-	Profile
Pixelle Specialty Solutions	Basic	Pixelle_Specialty_Solutions_Pixelle_Basic_10_PCW_24lb_90gsm_ProS_TIC200	Uncoated	90	24# Bond	92	93	4.6	-	Profile
Pixelle Specialty Solutions	Enhanced	PSS_Pixelle_Enhanced_28lb_105gsm_PS	Treated	104	28# Bond	92	95	5.4	-	Profile
Pixelle Specialty Solutions	Superior Matte	Glatfelter_Pixelle_Superior_Matte_65lb_96gsm_ProS_TIC150	Matte Coated	96	65# Text	96	96	4.8	-	Profile
Pixelle Specialty Solutions	Transform Laser MOCR	PSS_Transform_Laser_MOCR_28lb_104gsm_PS	Uncoated	104	28# Bond	92	91	5.4	10% - 100% PCW on request	Profile
Resolute	Brite 76 Satin	Resolute_Brite_76_Satin_45lb_66gsm_ProS_TIC120	Satin	66	45# Text	-	-	-	-	Profile
Resolute	Gloss	Resolute_Gloss_50lb_ProS_TIC120	Gloss Coated	74	50# Text	-	-	-	-	Profile
Resolute	SCA	Resolute_SCA_40lb_59gsm_ProS_TIC150	Gloss Coated	59	40# Text	68	90	-	-	Profile
Rolland	Enviro Book Antique	Rolland_EnviroBook_Antique_55lb_81gsm_ProS_TIC150	Uncoated	81	55# Text	90	92	4.8	100% PCW	Profile
Sappi	Flo Gloss	Sappi_Flo_Gloss_Web_70lb_105gsm_ProS_TIC150	Gloss Coated	105	70# Text	83	93	3.5	10% PCW on request	Profile
Sappi	Flo Matte	Sappi_Flo_Matte_Cover_65lb_176gsm_ProS_TIC150	Matte Coated	176	65# Cover	-	-	-	10% PCW on request	Profile
Sappi	Opus Dull Web	Sappi_Opus_Dull_Web_80lb_118gsm_ProS_TIC150	Dull	118	80# Text	92	95	4.2	10% PCW on request	Profile
Sappi	Opus Gloss Web	Sappi_Opus_Gloss_Web_80lb_Text_118gsm_thINK	Gloss Coated	118	80# Text	92	94	4	10% PCW on request	Smart Pack
Sappi	Opus Gloss Web	Sappi_Opus_GLS_Web_7pt_190gsm_PS	Gloss Coated	190	7 point	92	98	7.1	10% PCW on request	Profile
Sappi	Opus Gloss Web	Sappi_Opus_PS_Web_Gloss_Cover_78lb_8Pt_210gsm_thINK	Gloss Coated	210	78# Cover / 8 point	92	94	4	10% PCW on request	Smart Pack
Sappi	Opus Gloss Web	Sappi_Opus_GLS_Web_9pt_235gsm_PS	Gloss Coated	235	9 point	92	98	9.2	10% PCW on request	Profile
Sappi	Opus Matte Web	Sappi_Opus_Matte_Web_60lb_90gsm_ProS_TIC120	Matte Coated	90	60# Text	92	91.5	3.2	10% PCW on request	Profile
Sappi	Opus Matte Web	Sappi_Opus_Matte_80lb_118gsm_PS	Matte Coated	118	80# Text	92	95	4.4	10% PCW on request	Profile
Sappi	Opus Matte Web	Sappi_Opus_Matte_Web_65lb_Cover_176gsm_40m_ProS_TIC110	Matte Coated	176	65# Cover	92	97.5	7.3	10% PCW on request	Profile
Sappi	Opus PS Web Dull	Sappi_Opu_PS_Dull_Web_9pt_87lb_Cover_235gsm_ProS_TIC150	Dull	235	87# Cover / 9 point	92	97	9	10% PCW on request	Profile
Sappi	Opus PS Gloss Web	Sappi_Opus_PS_Web_Gloss_Cover_70lb_7Pt_190gsm_thINK	Gloss Coated	190	7 point	92	98	7.1	10% PCW on request	Smart Pack
Sappi	Opus PS Gloss Web	Sappi_Opus_Gloss_Web_87lb_Cover_9pt_235gsm_thINK	Gloss Coated	235	9 point	92	98	8	10% PCW on request	Smart Pack
Sappi	Somerset Gloss	Sappi_Somerset_Gloss_Web_60lb_89gsm_ProS_TIC150	Gloss Coated	89	60# Text	88	92	2.9	10% PCW on request	Profile
Sappi	Somerset Gloss	Sappi_Somerset_GlossWeb_7pt_185gsm_ProS_TIC120	Gloss Coated	185	7 point	88	98	7.2	10% PCW on request	Profile
Sappi	Somerset Gloss	Sappi_Somerset_GlossWeb_80lb_Cover_216gsm_ProS_TIC100	Gloss Coated	216	80# Cover	88	98	7.3	10% PCW on request	Profile
Sappi	Somerset Matte	Sappi_Somerset_Matte_Web_80lb_Cover_216gsM_thINK	Matte Coated	216	80# Cover / 9 point	88	98.5	9.4	10% PCW on request	Smart Pack
The Navigator Company	Navigator Inkjet Premium	Soporset_Navigator_InkJet_Premium_60lb_ProS_TIC150	Uncoated	90	60# Text	-	-	-	-	Profile
The Navigator Company	Navigator Offset Premium	Soperset_Navigator_Offset_Premium_60lb_PS	Uncoated	90	60# Text	-	-	-	-	Profile
UPM	Finesse Matte	UPM_Finesse_Matte_115gsm_ProS_TIC150	Matte Coated	115	80# Text	125	92	-	-	Profile
Verso	Focus Gloss	Verso_Focus_Gloss_80lb_118gsm_ProS_TIC110	Gloss Coated	118	80# Text	84	95	-	available on request	Profile
Verso	Influence Gloss	Verso_Influence_Gloss_60lb_89gsm_thINK	Gloss Coated	90	60# Text	88	91.5	-	available on request	Smart Pack
Verso	Influence Gloss	Verso_Influence_GLS_80lb_118gsm_PS	Gloss Coated	118	80# Text	88	94	-	available on request	Profile
Verso	Influence Gloss	Verso_Influence_Gloss_Cover_80lb_9Pt_216gsm_thINK	Gloss Coated	216	80# Cover / 9 point	88	98	-	available on request	Smart Pack
Verso	Influence Gloss	Verso_Influence_Gloss_70lb_104gsm_ProS_TIC150	Gloss Coated	104	70# Text	88	96	-	available on request	Profile
Verso	Influence Matte	Verso_Influence_Matte_70lb_104gsm_ProS_TIC150	Matte Coated	104	70# Text	88	93	-	available on request	Profile
Verso	Influence Matte	Verso_Influence_80lb_MatteCover_9pt_216gsm_ProS_TIC150	Matte Coated	216	80# Cover / 9 point	88	98	9	available on request	Profile
Verso	Productolith PTS C1S	Verso_Productolith_PTS_C1S_12pt_256gsm_PS	Gloss Coated	256	12 point	92	99	12	available on request	Profile
Verso	Liberty Matte	Verso_Liberty_Matte_60lb_89gsm_thINK	Matte Coated	89	60# Text	84	92.5	-	available on request	Smart Pack
Verso	Sterling Ultra Dull	Verso_Sterling_Ultra_Cover_Dull_9pt_237gsm_thINK	Dull	222	9 point	90	98	-	available on request	Smart Pack

Verso	Sterling Ultra Dull	Verso_Sterling_Ultra_Dull_Offset_Text_Web_70lb_104gsm_thINK	Dull	104	70# Text	90	93	-	available on request	Smart Pack
Verso	Sterling Ultra Dull	Verso_Sterling_Ultra_Dull_Text_Web_100lb_148gsm_ProS_TIC150	Dull	148	100# Text	90	95	-	available on request	Profile
Verso	Sterling Ultra Gloss	Verso_Sterling_UL_GLS_Web_80lb_118gsm_PS	Gloss Coated	118	80# Text	90	94	-	available on request	Profile
Verso	Sterling Ultra Gloss	Verso_Sterling_Ultra_Gloss_100lb_148gsm_thINK	Gloss Coated	148	100# Text	90	99	-	available on request	Smart Pack
Verso	Sterling Ultra Gloss	Verso_Sterling_Ultra_Gloss_Cover_80lb_7Pt_216gsm_thINK	Gloss Coated	216	80# Cover / 7 point	90	98	-	available on request	Smart Pack
Verso	Sterling Ultra Gloss	Verso_Sterling_UL_GLS_Web_9pt_240gsm_PS	Gloss Coated	240	9 point	90	98	-	available on request	Profile
Verso	Sterling Ultra Matte	Verso_STERLING_ULTRA_MATTE_TEXT_WEB_70lb_104gsm_ProS_TIC110	Matte Coated	104	70# Text	90	94	-	available on request	Profile
Verso	Sterling Ultra Matte	Verso_Sterling_UL_Matte_Web_80lb_118gsm_PS	Matte Coated	118	80# Text	90	95	-	available on request	Profile
Verso	Sterling Ultra Matte	Verso_Sterling_UL_Matte_9pt_212gsm_PS	Matte Coated	212	9 point	90	99	9	available on request	Profile