



The No Leak Skylight™




Sun Tunnel® Skylights

Leading light into any space




Transform your home in a single afternoon

Bright, Natural Light



Quick
and easy
to install



How a Sun Tunnel works:

1. Sunlight is captured on the roof.
2. Light travels through highly reflective tunnel.
3. Light is distributed in room.

Why Skylights?

The VELUX Sun Tunnel Skylight is an ideal solution for bringing natural light into interior rooms such as **hallways, bathrooms, kitchens, laundry rooms, top of stairs, closets, etc.** It's great for any room that would benefit from natural light, but does not require ventilation or a view to the outside.

Benefits

Save on energy bills, and give your home a healthy, more inviting feeling throughout the day. Optional accessories can be added to help customize the way light affects your room. Quick and easy installation since there are no structural changes to your home.

Available sizes:




How to Choose Your Sun Tunnel Skylight

Step 1: Pick your model by size and roof orientation



Roof Orientation	Light Coverage		
	< 150 sq. ft	150-200 sq. ft	200-325 sq. ft
All exposures	TMR 010 VR TMF 014	TMR 010/014 VR TMF 014	TMR 014 VR
South exposures	TGR 010 TGF 014 TLR 014	TGR 010/014 TLR 014 TGF 014/022	TGR 014 TCC 022
Flat roof	TCR 014 TCC 022 (up to 400 sq. ft.)		

Step 2: Determine quantity of Sun Tunnels needed



Small/square spaces

- If <150 sq. ft 1 unit required
- If 200 sq. ft + consider rigid or multiple units



Narrow/rectangular spaces

- Consider multiple units

Step 3: Sun Tunnel accessories



ZTR - Rigid tunnel extensions
For longer tunnel runs 2', 4' and 6' tunnel extension pieces are available in 2' increments.

ZTF - Flexible tunnel extensions
12' flexible tunnel replaces the standard 8' flexible tunnel.



ZTC - Energy Kit

Contains a clear upper tunnel cap and a clear lower tunnel cap that increases the energy efficiency.



ZTE - Elbow

A durable and easy to operate double gore elbow that can be used to manoeuvre around obstacles.

Optional accessories



ZTB 4004
Micro Fresnel

ZTB - Decorative diffuser upgrade options




ZTB 4005 Triple Wave
ZTB 4006 Brushed Metal
ZTB 4007 Prismatic
ZTB 4008 Bubbles
ZTB 4009 Neutral Light

Lighting options



ZTL - Electric night light kit

Allows you to use the Sun Tunnel skylight as a night time light source. Compatible with 26 watt CFL and LED bulbs. Available for all models.



ZTZ 213 - Universal solar powered night light

When the sun goes down, let a moon-like glow light your way! Provides constant soft, soothing light all night long.

Meet your improved Sun Tunnel



Redesigned Edge Glow Ceiling Ring

- Brighter
- More energy efficient
- Adds more visual appeal

VELUX®

Bringing light to life™



Call or visit our website to find a trained and certified member of the **VELUX Installer Program** in your area.

Head Office
VELUX Canada Inc.
2740 Sherwood Heights Dr.
Oakville, ON
L6J 7V5

Western Office
VELUX Canada Inc.
#2130-550 Sherling Place
Port Coquitlam, BC
V3B 0J6

Phone: 1 800-888-3589
Fax: 1 800-898-3589

Web: velux.ca
Email: velux-cdn@velux.com



Codes and Approvals

- NFRC Certified
- Hallmark Certified
- Energy Star® Approved in all Canadian Zones
- Tested to: AAMA/WDMA/CSA 101/ I.S.2/A440.05
- Tested to: AAMA/WDMA 101/I.S.2/ NAFS-02



SUITABILITY: Determining the suitability and compliance with local or other applicable building codes or standards, of all building components, including the use of any VELUX products, and the design and installation of any flashing, is the responsibility of the buyer, user, architect, contractor, installer, and/or other construction professional. VELUX will not be liable for any problem or damage relating to inappropriate or faulty building design or construction, maintenance, installation, or selection of products. Skylights, Roof Windows and Sun Tunnels are only one element of a structure; VELUX does not warrant that third party certification of a building or project to any specific standard will be achieved through the use of any VELUX product.

Contact VELUX to discuss the best suited skylight for your application at 1 800-888-3589.