



poquet auto

Vehicle Information

Date:	June 22, 2020
Vehicle:	2016 Land Rover Range Rover Utility 4D 4WD 3.0L V6 Supercharged
VIN:	SALGR2PF4GA318260
Weight:	0

New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$84,950	\$6,010	\$995	\$91,955
NADA New Vehicle Values				
High	N/A	N/A	N/A	N/A

Optional Equipment

	Invoice	MSRP
RADIO: 825 WATT MERIDIAN PREMIUM SURROUND SOUND -inc: 19 speakers including subwoofer Code: 025LN	\$1739.00	\$1850.00
SLIDING PANORAMIC ROOF W/POWER BLIND Code: 041CZ	\$1645.00	\$1750.00
VISION ASSIST PACK -inc: configurable mood lighting, Blind Spot Monitor w/Closing Vehicle Sensing, reverse traffic detection, Adaptive Xenon Headlamps w/High Beam Assist, All Terrain Progress Control, Terrain Response 2 Auto, Auto Dimming Exterior Mirrors, Surround Camera System, Front Fog Lights Code: 041CB	\$2265.40	\$2410.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
SANTORINI BLACK Code: 1AG	\$0.00	\$0.00
EBONY/EBONY/EBONY/EBONY, GRAINED LEATHER SEAT TRIM Code: TKB	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 380w Regular Amplifier
- Audio Theft Deterrent
- Automatic Equalizer
- Digital Signal Processor
- Radio w/Seek-Scan, MP3 Player, Clock, Speed Compensated Volume Control, Steering Wheel Controls, Voice Activation, Radio Data System, Weatherband and DVD-Audio
- Radio: 380 Watt Meridian Audio w/8" Touchscreen -inc: USB/iPod port w/full iPod integration, 13 speakers, virtual 10 disc CD changer, satellite and HD radio, InControl Apps, Bluetooth telephone connectivity w/audio streaming and InControl Remote & Protect
- Real-Time Traffic Display
- Window Grid And Roof Mount Diversity Antenna

EXTERIOR

- Aluminum Panels
- Black Side Windows Trim and Black Front Windshield Trim
- Body-Colored Door Handles



- Body-Colored Front Bumper w/1 Tow Hook
- Body-Colored Power w/Tilt Down Heated Side Mirrors w/Power Folding and Turn Signal Indicator
- Body-Colored Rear Step Bumper w/1 Tow Hook
- Clearcoat Paint
- Colored Grille
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Fixed Rear Window w/Variable Intermittent Wiper and Defroster
- Front Windshield -inc: Electrically Heated Glass and Sun Visor Strip
- Fully Automatic Projector Beam High Intensity Low/High Beam Daytime Running Auto-Leveling Headlamps w/Washer and Delay-Off
- Laminated Glass
- LED Brakelights
- Metal-Look Bodyside Insert and Body-Colored Bodyside Cladding
- Perimeter/Approach Lights
- Power Liftgate/Tailgate Rear Cargo Access
- Rear Fog Lamps
- Speed Sensitive Rain Detecting Variable Intermittent Wipers w/Heated Jets
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P235/65VR19 AS BSW
- Wheels: 19" 5 Split Spoke Alloy - Style 501

INTERIOR

- 2 Seatback Storage Pockets
- 40-20-40 Folding Split-Bench Front Facing Manual Reclining Tumble Forward Rear Seat
- 5 12V DC Power Outlets
- Air Filtration
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim and Carpet Trunk Lid/Rear Cargo Door Trim
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Door Mirrors and Steering Wheel
- Driver And Front Passenger Armrests Front Center Armrest w/Storage and Rear Center Armrest w/Pass-Thru w/Storage
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Driver Seat
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Cargo Access, Windows and Sunroof/Convertible Roof
- Folding Cargo Cover
- Front And Rear Map Lights
- Front Cupholder
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 5 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Altimeter, Oil Level, Trip Odometer and Trip Computer
- Grained Leather Seat Trim
- Heated Front Bucket Seats -inc: 10-way driver and passenger seat, electric lumbar, cushion tilt and drivers seat memory
- Heated Leather/Metal-Look Steering Wheel w/Auto Tilt-Away
- HomeLink Garage Door Transmitter
- HVAC -inc: Underseat Ducts, Residual Heat Recirculation, Headliner/Pillar Ducts and Console Ducts
- Illuminated Locking Glove Box
- Instrument Panel Covered Bin, Driver / Passenger And Rear Door Bins
- Integrated Navigation System w/Voice Activation
- Interior Lock Disable
- Interior Trim -inc: Genuine Wood Instrument Panel Insert, Genuine Wood Door Panel Insert, Genuine Wood/Metal-Look Console Insert, Aluminum/Metal-Look Interior Accents and Leather Upholstered Dashboard
- Manual Anti-Whiplash w/Tilt Front Head Restraints and Manual w/Tilt Rear Head Restraints
- Metal-Look Gear Shifter Material
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Down
- Power Door Locks w/Autolock Feature
- Power Fuel Flap Locking Type
- Power Rear Windows and Fixed 3rd Row Windows
- Power Tilt/Telescoping Steering Column
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Rear HVAC w/Separate Controls
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, 4 Door Curb/Courtesy, Illuminated Entry and Panic Button
- Remote Releases -inc: Proximity Cargo Access and Keyfob Rear Window
- Seats w/Leatherette Back Material



- Smart Device Integration
- Systems Monitor
- Trip Computer
- Trunk/Hatch Auto-Latch
- Valet Function
- Voice Activated Dual Zone Front Automatic Air Conditioning w/Steering Wheel Controls
- Voice Recorder

MECHANICAL

- 1 Skid Plate
- 150 Amp Alternator
- 22.5 Gal. Fuel Tank
- 4-Corner Auto-Leveling Suspension
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist, Hill Descent Control, Hill Hold Control and Electric Parking Brake
- 90-Amp/Hr 800CCA Maintenance-Free Battery
- Automatic w/Driver Control Height Adjustable Automatic Ride Control Adaptive Suspension
- Double Wishbone Front Suspension w/Air Springs
- Dual Stainless Steel Exhaust
- Electric Power-Assist Speed-Sensing Steering
- Electronic Transfer Case
- Engine Oil Cooler
- Engine: 3.0L V6 Supercharged -inc: intelligent stop/start
- Front And Rear Anti-Roll Bars
- Full-Time Four-Wheel Drive
- Gas-Pressurized Shock Absorbers
- GVWR: 6,945 lbs
- Multi-Link Rear Suspension w/Air Springs
- Permanent Locking Hubs
- TBD Axle Ratio
- Towing Equipment -inc: Trailer Sway Control
- Transmission w/Driver Selectable Mode
- Transmission: 8-Speed Automatic -inc: steering wheel mounted paddle shift and 2-speed electronically controlled transfer gearbox

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera w/Washer
- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Front And Rear Parking Sensors
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Power Rear Child Safety Locks
- Side Impact Beams
- Terrain Response Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Tire Specific Low Tire Pressure Warning

Technical Specifications

Brakes

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 13.8in
- Rear Brake Rotor Diam x Thickness 13.8in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 78.1in
- Cargo Area Length @ Floor to Seat 2 43.3in
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline 50.8in
- Cargo Box (Area) Height 32.4in
- Cargo Box Width @ Floor N/Ain
- Cargo Box Width @ Top, Rear N/Ain
- Cargo Box Width @ Wheelhousings 44.1in
- Cargo Volume N/Aft³
- Cargo Volume to Seat 1 71.7ft³



- Cargo Volume to Seat 2 32.1ft³
- Cargo Volume to Seat 3 32.1ft³
- Ext'd Cab Cargo Volume N/Aft³
- Tailgate Width N/Ain

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (2nd) 800
- Cold Cranking Amps @ 0Å° F (3rd) N/A
- Cold Cranking Amps @ 0Å° F (Primary) 800
- Maximum Alternator Capacity (amps) 150

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO₂ Emissions @ 15K mi/year 9.2

Engine

- Displacement 3.0 L/184
- Engine Oil Cooler Regular Duty
- Engine Order Code
- Engine Type Intercooled Supercharger Premium Unleaded V-6
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 340 @ 6500
- SAE Net Torque @ RPM 332 @ 3500

Exterior Dimensions

- Body Length 0.00ft
- Cab to Axle N/Ain
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front N/Ain
- Ground Clearance, Rear N/Ain
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor N/Ain
- Height, Overall 72.3in
- Length, Overall 196.8in
- Length, Overall w/rear bumper N/Ain
- Liftover Height N/Ain
- Min Ground Clearance 8.7in
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 66.5in
- Track Width, Rear 66.3in
- Wheelbase 115in
- Width, Max w/o mirrors 78.1in

Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A
- Sect Modulus Rails Only N/Ain³

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Aux Fuel Tank Location N/A
- Fuel Tank Capacity, Approx 22.5gal
- Fuel Tank Location N/A

Interior Dimensions



Licensed to J.D. Power

- Front Head Room 39.3in
- Front Hip Room N/Ain
- Front Leg Room 42.5in
- Front Shoulder Room 60.7in
- Passenger Capacity 5
- Second Head Room 39.2in
- Second Hip Room N/Ain
- Second Leg Room 40.2in
- Second Shoulder Room 59.4in

Mileage

- Cruising Range - City 382.50mi
- Cruising Range - Hwy 517.50mi
- EPA Fuel Economy Est - City 17MPG
- EPA Fuel Economy Est - Hwy 23MPG
- Fuel Economy Est-Combined 19MPG

Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 40.4ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Axle Capacity - Front 3307lbs
- Axle Capacity - Rear 3814lbs
- Axle Ratio (:1) - Front N/A
- Axle Ratio (:1) - Rear N/A
- Axle Type - Front Independent
- Axle Type - Rear Independent
- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Spring Capacity - Front N/Albs
- Spring Capacity - Rear N/Albs
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front Double Wishbone
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Capacity N/Albs
- Front Tire Order Code
- Front Tire Size P235/65VR19
- Rear Tire Capacity N/Albs
- Rear Tire Order Code
- Rear Tire Size P235/65VR19
- Revolutions/Mile @ 45 mph - Front N/A
- Revolutions/Mile @ 45 mph - Rear N/A
- Revolutions/Mile @ 45 mph - Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code
- Spare Tire Size Compact

Trailer

- Dead Weight Hitch - Max Tongue Wt. 772lbs
- Dead Weight Hitch - Max Trailer Wt. 7716lbs
- Maximum Trailering Capacity 7716lbs
- Wt Distributing Hitch - Max Tongue Wt. 772lbs
- Wt Distributing Hitch - Max Trailer Wt. 7716lbs

Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Eighth Gear Ratio (:1) 0.67
- Fifth Gear Ratio (:1) 1.29
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 4.70



Licensed to J.D. Power

- Fourth Gear Ratio (:1) 1.67
- Reverse Ratio (:1) 3.32
- Second Gear Ratio (:1) 3.13
- Seventh Gear Ratio (:1) 0.84
- Sixth Gear Ratio (:1) 1.00
- Third Gear Ratio (:1) 2.10
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Power Take Off N/A
- Trans Type 8
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A
- Transfer Case Model Electronic
- Transfer Case Power Take Off No

Weight Information

- As Spec'd Curb Weight N/Albs
- As Spec'd Payload N/Albs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Gross Axle Weight Rating N/Albs
- Gross Axle Wt Rating - Front N/Albs
- Gross Axle Wt Rating - Rear N/Albs
- Gross Combined Wt Rating 14661lbs
- Gross Vehicle Weight Rating 6945.00lbs
- Maximum Payload Capacity N/Albs
- Option Weight - Front 0.00lbs
- Option Weight - Rear 0.00lbs
- Payload Weight Front 0lbs
- Payload Weight Rear 0lbs
- Reserve Axle Capacity - Front N/Albs
- Reserve Axle Capacity - Rear N/Albs
- Reserve Axle Capacity N/Albs
- Standard Weight - Front 0lbs
- Standard Weight - Rear 0lbs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 19 X 8in
- Rear Wheel Material Aluminum
- Rear Wheel Size 19 X 8in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin