



poquet auto

Vehicle Information

Date: July 10, 2020
Vehicle: 2016 Audi Q3 Utility 4D Premium Plus AWD 2.0L I4 Turbo
VIN: WA1EFCFS9GR020519
Weight: 3,682

New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$35,800	\$975	\$925	\$37,700
NADA New Vehicle Values				
High	N/A	N/A	N/A	N/A

Optional Equipment

	Invoice	MSRP
POWER TAILGATE Code: 4E9	\$372.00	\$400.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
MONSOON GRAY METALLIC Code: 0C0C	\$536.00	\$575.00
BLACK, LEATHER SEATING SURFACES Code: FZ	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 2 LCD Monitors In The Front
- Audio Theft Deterrent
- Radio w/Seek-Scan, MP3 Player, Clock, Speed Compensated Volume Control, Steering Wheel Controls, Voice Activation and Radio Data System
- Radio: Audi Concert-inc: CD player (MP3 capable), AM/FM radio, auxiliary input jack, SiriusXM satellite radio, 12-station presets, speed-dependent volume control, Audi music interface w/30-pin iPod cable, Audi sound system w/10 speakers including front center speaker and subwoofer in rear, 180 watts, 6-channel amplifier, Bluetooth wireless technology preparation for compatible mobile phones and Bluetooth streaming audio for compatible devices
- Regular Amplifier
- Window Grid Diversity Antenna

EXTERIOR

- Aluminum Side Windows Trim, Black Front Windshield Trim and Black Rear Window Trim
- Black Grille w/Chrome Surround
- Body-Colored Bodyside Cladding and Body-Colored Wheel Well Trim
- Body-Colored Door Handles
- Body-Colored Front Bumper
- Body-Colored Power Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Gray Rub Strip/Fascia Accent
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Express Open/Close Sliding And Tilting Glass 1st And 2nd Row Sunroof w/Power Sunshade
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front And Rear Fog Lamps
- Front License Plate Bracket
- Fully Automatic Projector Beam High Intensity Low/High Beam Daytime Running Auto-Leveling Headlamps w/Delay-Off



Licensed to J.D. Power

- Galvanized Steel/Aluminum Panels
- LED Brakelights
- Liftgate Rear Cargo Access
- Lip Spoiler
- Perimeter/Approach Lights
- Rain Detecting Variable Intermittent Wipers w/Heated Jets
- Roof Rack Rails Only
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P235/50R18 AS
- Wheels: 7.0" x 18" 5-Arm Turbine Design

INTERIOR

- 2 12V DC Power Outlets
- 2 Seatback Storage Pockets
- 60-40 Folding Bench Front Facing Fold Forward Seatback Rear Seat
- Air Filtration
- Analog Display
- Ashtray
- Cargo Area Concealed Storage
- Carpet Floor Trim
- Compass
- Cruise Control
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Driver / Passenger And Rear Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Driver Seat
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate, Windows and Sunroof/Convertible Roof
- Front And Rear Map Lights
- Front Cigar Lighter(s)
- Front Cupholder
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console and 2 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Oil Level, Trip Odometer and Trip Computer
- Heated Front Seats -inc: 12-way power front seats including 4-way power lumbar adjustment
- HVAC -inc: Underseat Ducts and Console Ducts
- Illuminated Locking Glove Box
- Interior Trim -inc: Aluminum Instrument Panel Insert, Aluminum Door Panel Insert, Aluminum Console Insert and Aluminum Interior Accents
- Leather Gear Shift Knob
- Leather Seating Surfaces
- Leather Steering Wheel
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Passenger Seat -inc: Fold Flat
- Perimeter Alarm
- Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Fuel Flap Locking Type
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, 4 Door Curb/Courtesy, Illuminated Entry and Panic Button
- Remote Releases -Inc: Power Cargo Access
- Roll-Up Cargo Cover
- Sliding Front Center Armrest and Rear Center Armrest w/Pass-Thru w/Storage
- Systems Monitor
- Trip Computer
- Underhood And Cargo Space Lights
- Valet Function

MECHANICAL

- 1058# Maximum Payload
- 140 Amp Alternator
- 16.9 Gal. Fuel Tank
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Descent Control, Hill Hold Control and Electric Parking Brake
- 68-Amp/Hr Maintenance-Free Battery w/Run Down Protection
- Axle Ratio: TBD
- Brake Actuated Limited Slip Differential



Licensed to J.D. Power

- Electric Power-Assist Speed-Sensing Steering
- Engine Auto Stop-Start Feature
- Engine Oil Cooler
- Engine: 2.0 TFSI 4 Cylinder 200 HP
- Front And Rear Anti-Roll Bars
- Full-Time All-Wheel Drive
- Gas-Pressurized Shock Absorbers
- GVWR: 4,894 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Single Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Strut Front Suspension w/Coil Springs
- Transmission w/Driver Selectable Mode, Sequential Shift Control and Oil Cooler
- Transmission: 6-Speed Tiptronic Automatic

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Front And Rear Parking Sensors
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams
- SIDEGUARD Curtain 1st And 2nd Row Airbags

Technical Specifications

Brakes

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.6in
- Rear Brake Rotor Diam x Thickness 11.1in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Floor N/Ain
- Cargo Box Width @ Top, Rear N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume N/Aft³
- Cargo Volume to Seat 1 48.2ft³
- Cargo Volume to Seat 2 16.7ft³
- Cargo Volume to Seat 3 16.7ft³
- Ext'd Cab Cargo Volume N/Aft³
- Tailgate Width N/Ain

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (2nd) N/A
- Cold Cranking Amps @ 0Å° F (3rd) N/A
- Cold Cranking Amps @ 0Å° F (Primary) N/A
- Maximum Alternator Capacity (amps) 140

Emissions



Licensed to J.D. Power

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 7.7 (Est)

Engine

- Displacement 2.0 L/121
- Engine Oil Cooler Regular Duty
- Engine Order Code
- Engine Type Intercooled Turbo Premium Unleaded I4
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 200 @ 5100
- SAE Net Torque @ RPM 207 @ 1700

Exterior Dimensions

- Body Length 0.00ft
- Cab to Axle N/Ain
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front N/Ain
- Ground Clearance, Rear N/Ain
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor N/Ain
- Height, Overall 62.6in
- Length, Overall 172.8in
- Length, Overall w/rear bumper N/Ain
- Liftover Height 30.8in
- Min Ground Clearance 6.7in
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 61.1in
- Track Width, Rear 61.2in
- Wheelbase 102.5in
- Width, Max w/o mirrors 72.1in

Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A
- Sect Modulus Rails Only N/Ain³

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Aux Fuel Tank Location N/A
- Fuel Tank Capacity, Approx 16.9gal
- Fuel Tank Location N/A

Interior Dimensions

- Front Head Room 37in
- Front Hip Room 58in
- Front Leg Room 40in
- Front Shoulder Room 55.8in
- Passenger Capacity 5
- Second Head Room 37.4in
- Second Hip Room 56.1in
- Second Leg Room 31.1in
- Second Shoulder Room 53.6in

Mileage

- Cruising Range - City 338.00mi
- Cruising Range - Hwy 473.20mi
- EPA Fuel Economy Est - City 20MPG
- EPA Fuel Economy Est - Hwy 28MPG
- Fuel Economy Est-Combined 23MPG



Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 38.7ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Axle Capacity - Front N/Albs
- Axle Capacity - Rear N/Albs
- Axle Ratio (:1) - Front N/A
- Axle Ratio (:1) - Rear N/A
- Axle Type - Front Independent
- Axle Type - Rear Independent
- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Spring Capacity - Front N/Albs
- Spring Capacity - Rear N/Albs
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front Strut
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Capacity N/Albs
- Front Tire Order Code
- Front Tire Size P235/50HR18
- Rear Tire Capacity N/Albs
- Rear Tire Order Code
- Rear Tire Size P235/50HR18
- Revolutions/Mile @ 45 mph - Front N/A
- Revolutions/Mile @ 45 mph - Rear N/A
- Revolutions/Mile @ 45 mph - Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code
- Spare Tire Size Compact

Trailer

- Dead Weight Hitch - Max Tongue Wt. N/Albs
- Dead Weight Hitch - Max Trailer Wt. N/Albs
- Maximum Trailering Capacity N/Albs
- Wt Distributing Hitch - Max Tongue Wt. N/Albs
- Wt Distributing Hitch - Max Trailer Wt. N/Albs

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Fifth Gear Ratio (:1) 0.86
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 3.95
- Fourth Gear Ratio (:1) 1.16
- Reverse Ratio (:1) 3.42
- Second Gear Ratio (:1) 2.30
- Sixth Gear Ratio (:1) 0.69
- Third Gear Ratio (:1) 1.55
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Power Take Off N/A
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A
- Transfer Case Model None
- Transfer Case Power Take Off No

Weight Information

- As Spec'd Curb Weight N/Albs
- As Spec'd Payload N/Albs



Licensed to J.D. Power

- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Gross Axle Weight Rating N/Albs
- Gross Axle Wt Rating - Front N/Albs
- Gross Axle Wt Rating - Rear N/Albs
- Gross Combined Wt Rating N/Albs
- Gross Vehicle Weight Rating 4894.00lbs
- Maximum Payload Capacity N/Albs
- Option Weight - Front 0.00lbs
- Option Weight - Rear 0.00lbs
- Payload Weight Front 0lbs
- Payload Weight Rear 0lbs
- Reserve Axle Capacity - Front N/Albs
- Reserve Axle Capacity - Rear N/Albs
- Reserve Axle Capacity N/Albs
- Standard Weight - Front 0lbs
- Standard Weight - Rear 0lbs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 7in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 7in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin