

Vehicle Information

Date:	June 26, 2020
Vehicle:	2017 Hyundai Santa Fe Utility 4D Sport AWD 2.4L I4
VIN:	5NMZTDLB3HH042385
Weight:	3,794

New Cars/Trucks Values

Powered by Chrome Data Base MSRP NADA New Vehicle Values	Base \$27,100	Options N/A	Destination \$950	Adjusted Value \$28,050
High	N/A	N/A	N/A	N/A
Optional Equipment			Invoice	MSRP
OPTION GROUP 01			\$0.00	\$0.00
-inc: standard equipment Code: 01-0 STANDARD PAINT			\$0.00	\$0.00
Code: -PAINT			ψ0.00	ψ0.00
PLATINUM GRAPHITE			\$0.00	\$0.00
Code: ABT			* •••••	Aa a a
BEIGE, STAIN-RESISTANT CLOTH SE -inc: Yes Essentials fabric Code: VYN-1	EATING SURFACES		\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- Integrated Roof Antenna
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control and Steering Wheel Controls
- Radio: AM/FM/SiriusXM/CD/MP3 Audio System inc: 6 speakers, 5-inch color LCD display, rearview camera, free SiriusXM activation w/3 month trial subscription, iPod/USB/aux input jacks and Bluetooth hands-free phone system,
- Streaming Audio

EXTERIOR

- Black Bodyside Cladding and Black Wheel Well Trim
- Black Rear Bumper w/Metal-Look Rub Strip/Fascia Accent
- Body Colored Front Bumper w/Black Rub Strip/Fascia Accent and Metal-Look Bumper Insert
- Body-Colored Power Heated Side Mirrors w/Convex Spotter and Manual Folding
- Chrome Door Handles
- Chrome Grille
- Chrome Side Windows Trim
- Clearcoat Paint
 Compact Spare Tire Stored Underbody w/Crankdown
- Compact Spare III
 Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Front Windshield inc: Sun Visor Strip
- Fully Automatic Projector Beam Halogen Daytime Running Headlamps w/Delay-Off
- Fully Galvanized Steel Panels
- Liftgate Rear Cargo Access
- Lip Spoiler
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. ©2020 J.D.Power





- Tires: P235/65 R17
- Variable Intermittent Wipers w/Heated Wiper Park
- Wheels: 17" x 7" Alloy

INTERIOR

- 2 Seatback Storage Pockets
- 4 12V DC Power Outlets
- 40-20-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat
- Air Filtration
- Analog Display
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cloth Door Trim Insert
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Driver Seat
- Fade-To-Off Interior Lighting
- FOB Controls inc: Trunk/Hatch/Tailgate
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 4 12V DC Power Outlets
- Gauges inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HVAC -inc: Underseat Ducts and Headliner/Pillar Ducts
- Instrument Panel Bin, Driver / Passenger And Rear Door Bins
- Interior Trim inc: Simulated Wood Instrument Panel Insert, Metal-Look Door Panel Insert and Metal-Look Interior Accents
- Locking Glove Box
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Air Conditioning
- Manual Tilt/Telescoping Steering Column
- Multi Adjustable Bucket Seats inc: driver's seat manual adjustable lumbar support
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -Inc: Power Fuel
- Stain-Resistant Cloth Seating Surfaces -inc: Yes Essentials fabric
- Systems Monitor
- Trip Computer
- Urethane Gear Shift Knob

MECHANICAL

- 140 Amp Alternator
- 17.4 Gal. Fuel Tank
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Descent Control and Hill Hold Control
- 54-Amp/Hr Maintenance-Free Battery w/Run Down Protection
- Automatic Full-Time All-Wheel Drive
- Axle Ratio 3.648
- Electric Power-Assist Speed-Sensing Steering
- Electronic Transfer Case
- Engine: 2.4L GDI DOHC 16-Valve I4
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 5,027 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Single Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Transmission w/Driver Selectable Mode
- Transmission: 6-Speed Automatic w/SHIFTRONIC -inc: lock-up torque converter and manual shift mode

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor





- Back-Up Camera
- Curtain 1st And 2nd Row Airbags
- Driver Knee Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.6in
 Rear Brake Rotor Diam x Thickness 11.9in
- Rear Brake Rotor Diam x Thickness 1
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
 Sarga Area Width @ Pabling N (Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 71.5ftÅ³
- Cargo Volume to Seat 2 35.4ftÅ³
- Cargo Volume to Seat 3 35.4ftÅ³

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ O° F (Primary) N/A
- Maximum Alternator Capacity (amps) 140

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.0

Engine

- Displacement 2.4 L/144
- Engine Order Code
- Engine Type Regular Unleaded I-4
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 185 @ 6000
- SAE Net Torque @ RPM 178 @ 4000

Exterior Dimensions

- Height, Overall 66.1in
- Length, Overall 185in
- Liftover Height N/Ain
- Min Ground Clearance 7.3in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 64.3in
- Track Width, Rear 64.7in
- Wheelbase 106.3in
- Width, Max w/o mirrors 74in



NADA New Cars/Trucks

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 17.4gal

Interior Dimensions

- Front Head Room 39.6in
- Front Hip Room 56.7in
- Front Leg Room 41.3in
- Front Shoulder Room 59.4in ٠
- Passenger Capacity 5
- Passenger Volume 108ftÅ³ ٠ Second Head Room 39.1in •
- Second Hip Room 55.4in
- Second Leg Room 39.4in ٠
- Second Shoulder Room 58.3in

Mileage

- Cruising Range City 348.00mi
- Cruising Range Hwy 452.40mi ٠
- EPA Fuel Economy Est City 20MPG
- EPA Fuel Economy Est Hwy 26MPG ٠
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent Combined N/A EPA MPG Equivalent - Hwy N/A •
- Fuel Economy Est-Combined 22MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A .
- Steering Type Rack-Pinion .
- Turning Diameter Curb to Curb 35.8ft •
- Turning Diameter Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm .
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain •
- Suspension Type Front (Cont.) Strut •
- Suspension Type Front Strut ٠
- Suspension Type Rear (Cont.) Multi-Link • Suspension Type - Rear Multi Link

Tires

- Front Tire Order Code
- Front Tire Size P235/65TR17
- **Rear Tire Order Code** .
- Rear Tire Size P235/65TR17 •
- Spare Tire Order Code
- Spare Tire Size Compact

Trailering

- Dead Weight Hitch Max Tongue Wt. 280lbs
- Dead Weight Hitch Max Trailer Wt. 2800lbs
- Maximum Trailering Capacity 2800lbs .
- Wt Distributing Hitch · Max Tongue Wt. 280lbs
- Wt Distributing Hitch - Max Trailer Wt. 2800lbs

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) 3.65 •
- First Gear Ratio (:1) 4.64
- Fourth Gear Ratio (:1) 1.39
- Reverse Ratio (:1) 3.38



- Second Gear Ratio (:1) 2.83
- Sixth Gear Ratio (:1) 0.77 •
- Third Gear Ratio (:1) 1.84
- Trans Description Cont. Again •
- Trans Description Cont. Automatic w/OD
 Trans Order Code
- ٠ Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A • • Transfer Case Gear Ratio (:1), Low N/A

Vehicle

• EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 3794lbs
- Curb Weight Front N/Albs
 Curb Weight Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs ٠
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 X 7in
- **Rear Wheel Material Aluminum** •
- Rear Wheel Size 17 X 7in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin