

poquet auto

Vehicle Information

Date: July 2, 2020

Vehicle: 2017 Volvo XC90 Utility 4D T6 R-Design AWD 2.0L 14 Turbo

VIN: YV4A22PM6H1143041

Weight: 4,804

New Cars/Trucks Values

Powered by Chrome Data Base MSRP	Base \$56,250	Options \$10,195	Destination \$995	Adjusted Value \$67,440
NADA New Vehicle Values	ψου,2ου	Ψ10,100	φοσο	ψοι, — το
High	N/A	N/A	N/A	N/A
Optional Equipment			luvelee	MCDD
			Invoice	MSRP
4-CORNER AIR SUSPENSION W/FOUR-C ACTIVE CHASSIS			\$1692.00	\$1800.00
Code: 1000				
CLIMATE PACKAGE			\$752.00	\$800.00
-inc: Heated Windshield, Heated Rear Se MC2EO	ats, Heated Windshield Wash	ner Nozzles Code:		
CONVENIENCE PACKAGE			\$1739.00	\$1850.00
 -inc: Pilot Assist Driver Assistance Syster park assist, Digital Compass, Grocery Ba HomeLink, Lane Keeping Aid Code: MC2 	g Holder, 12V Power Outlet in			
RADIO: BOWERS & WILKINS PREMIUM SOUND W/CD PLAYER			\$3008.00	\$3200.00
Code: -553				
VISION PACKAGE			\$1833.00	\$1950.00
 -inc: Blind Spot Information System (BLIS) Mirrors, Automatically Dimming Exterior M fisheye view Code: MC2EJ 				
MONOTONE PAINT			\$0.00	\$0.00
Code: -PAINT				
OSMIUM GREY METALLIC			\$559.00	\$595.00
Code: 714-R				
CHARCOAL, NUBUCK/NAPPA LEATHER SEATING SURFACES			\$0.00	\$0.00
Code: RB0R				

Standard Equipment

ENTERTAINMENT

- A/V Remote
- Audio Theft Deterrent
- Bluetooth Wireless Phone Connectivity
- Digital Signal Processor
- Graphic Equalizer
- Performance Speakers
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control and Radio Data System
- Radio: High Performance Audio System -inc: Sensus Connect w/integrated 9" color touchscreen, Bluetooth connectivity, Sirius satellite radio w/6-month subscription, auxiliary audio input, USB input, 330-watt amp, (10) speakers, Apple CarPlay and USB hub



- Real-Time Traffic Display
- Regular Amplifier
- Streaming Audio
- Window Grid Diversity Antenna

EXTERIOR

- Aluminum Side Windows Trim
- Black Grille w/Metal-Look Surround
- Body-Colored Bodyside Cladding and Body-Colored Wheel Well Trim
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent
- Body-Colored Rear Bumper w/Body-Colored Rub Strip/Fascia Accent
- Compact Spare Tire Stored Underbody w/Crankdown
- Composite/Galvanized Steel Panels
- · Cornering Lights
- Deep Tinted Glass
- Express Open/Close Sliding And Tilting Laminated Glass 1st And 2nd Row Sunroof w/Power Sunshade
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front And Rear Fog Lamps
- Front License Plate Bracket
- · Front Windshield inc: Sun Visor Strip
- Fully Automatic Aero-Composite Led Low/High Beam Daytime Running Auto-Leveling Directionally Adaptive Auto High-Beam Headlamps w/Washer and Delay-Off
- LED Brakelights
- Lip Spoiler
- Metal-Look Power Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Monotone Paint
- Perimeter/Approach Lights
- Power Liftgate Rear Cargo Access
- Rain Detecting Variable Intermittent Wipers
- Roof Rack Rails Only
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P275/45R20
- Wheels: 20" 5-Spoke Tech Matte Grey Diamond Cut

INTERIOR

- 2-Way Power Driver Seat -inc: Power Cushion Extension
- 2-Way Power Passenger Seat inc: Power Cushion Extension
- 3 12V DC Power Outlets
- 40-20-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat w/Manual Fore/Aft
- Air Filtration
- · Anti-Whiplash Fixed Front Head Restraints and Manual Adjustable Rear Head Restraints
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- Fixed Bucket Bucket Simulated Suede/Leather 3rd Row Seat Front, Manual Fold Into Floor, 2 Power and Adjustable Head Restraints
- FOB Controls -inc: Cargo Access
- Front And Rear Map Lights
- Front Center Armrest w/Storage and Rear Center Armrest
- Front Cupholder
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage and 3 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Heated Front Bucket Seats inc: 10-way power driver seat w/memory, power lumbar and 10-way power passenger seat
- HVAC inc: Underseat Ducts, Headliner/Pillar Ducts and Console Ducts
- Illuminated Locking Glove Box
- Instrument Panel Bin, Refrigerated/Cooled Box Located In The Console, Driver / Passenger And Rear Door Bins
- Integrated Navigation System w/Voice Activation
- . Interior Trim inc: Aluminum Instrument Panel Insert, Aluminum Door Panel Insert, Aluminum Console Insert and Aluminum Interior Accents
- Leather Gear Shifter Material
- Leatherette Door Trim Insert
- Manual Tilt/Telescoping Steering Column
- Mobile Hotspot Internet Access
- Nubuck/Nappa Leather Seating Surfaces
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down



- Licensed to J.D. Pov
- Power Door Locks w/Autolock Feature
- Power Fuel Flap Locking Type
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Rear HVAC w/Separate Controls
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases Inc: Proximity Cargo Access
- Roll-Up Cargo Cover
- Smart Device Integration
- Smart Device Remote Engine Start
- Sport Leather/Metal-Look Steering Wheel
- Tracker System
- Trip Computer
- Trunk/Hatch Auto-Latch
- Valet Function
- Voice Activated Dual Zone Front And Rear Automatic Air Conditioning

MECHANICAL

- 18.8 Gal. Fuel Tank
- 210 Amp Alternator
- 3.33 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist, Hill Descent Control and Electric Parking Brake
- 80-Amp/Hr 800CCA Maintenance-Free Battery w/Run Down Protection
- Double Wishbone Front Suspension w/Coil Springs
- Electric Power-Assist Speed-Sensing Steering
- Engine Auto Stop-Start Feature
- Engine Oil Cooler
- Engine: 2.0L 16V I4 Supercharged Turbo Drive-E
- Front And Rear Anti-Roll Bars
- Full-Time All-Wheel
- Gas-Pressurized Shock Absorbers
- GVWR: 5.798 lbs
- Multi-Link Rear Suspension w/Transverse Leaf Springs
- Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Sport Tuned Suspension
- Transmission w/Driver Selectable Mode and Geartronic Sequential Shift Control w/Steering Wheel Controls
- Transmission: 8-Speed Geartronic Automatic -inc: start/stop and adaptive shift

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- City Safety
- Curtain 1st, 2nd And 3rd Row Airbags
- Driver Knee Airbag
- DSTC/RSC Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Lane Departure Warning
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point and Pretensioners
- Power Rear Child Safety Locks
- Rear Parking Sensors
- Side Impact Beams
- Volvo On-Call Emergency Sos

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 13.2in
- Rear Brake Rotor Diam x Thickness 12.1in
- Rear Drum Diam x Width in



Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 80.3in
- Cargo Area Length @ Floor to Seat 2 49.6in
- Cargo Area Length @ Floor to Seat 3 21.8in
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height 35in
- Cargo Box Width @ Wheelhousings 47.4in
- Cargo Volume to Seat 1 65.5ftÂ³
- Cargo Volume to Seat 2 35.6ft³
- Cargo Volume to Seat 3 12.6ft³

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ O° F (Primary) 800
- Maximum Alternator Capacity (amps) 210

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.0

Engine

- Displacement 2.0 L/120
- Engine Order Code
- Engine Type Turbo/Supercharger Premium Unleaded I4
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 316 @ 5700
- SAE Net Torque @ RPM 295 @ 2200

Exterior Dimensions

- Height, Overall 69.9in
- Length, Overall 194.9in
- Liftover Height 30.8in
- Min Ground Clearance 9.4in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 66in
- Track Width, Rear 66.1in
- Wheelbase 117.5in
- Width, Max w/o mirrors 79.1in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 18.8gal

Interior Dimensions

- Front Head Room 38.9in
- Front Hip Room 56in
- Front Leg Room 40.9in
- Front Shoulder Room 57.7in
- Passenger Capacity 7
- Passenger Volume 103.8ft³
- Second Head Room 38.5in
- Second Hip Room 56.5in
- Second Leg Room 37in
- Second Shoulder Room 56.5in
- Third Head Room 36.3in
- Third Hip Room 44.9in
 Third Law Boom 21.0in
- Third Leg Room 31.9in
- Third Shoulder Room 46.9in

Mileage

Cruising Range - City 376.00mi



- Cruising Range Hwy 470.00mi
- EPA Fuel Economy Est City 20MPG
- EPA Fuel Economy Est Hwy 25MPG
- EPA MPG Equivalent City N/A
- EPA MPG Equivalent Combined N/A
- EPA MPG Equivalent Hwy N/A
- Fuel Economy Est-Combined 22MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 39.7ft
- Turning Diameter Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain
- Suspension Type Front (Cont.) Double Wishbone
- Suspension Type Front Double Wishbone
- Suspension Type Rear (Cont.) Multi-Link
- Suspension Type Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P275/45HR20
- Rear Tire Order Code
- Rear Tire Size P275/45HR20
- Spare Tire Order Code
- Spare Tire Size Compact

Trailering

- Dead Weight Hitch Max Tongue Wt. 500lbs
- Dead Weight Hitch Max Trailer Wt. 5000lbs
- Maximum Trailering Capacity 5000lbs
- Wt Distributing Hitch Max Tongue Wt. 500lbs
- Wt Distributing Hitch Max Trailer Wt. 5000lbs

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel
- Eighth Gear Ratio (:1) 0.67
- Fifth Gear Ratio (:1) 1.22
- Final Drive Axle Ratio (:1) 3.33
- First Gear Ratio (:1) 5.25
- Fourth Gear Ratio (:1) 1.46
- Reverse Ratio (:1) 4.01
- Second Gear Ratio (:1) 3.03
- Seventh Gear Ratio (:1) 0.81
- Sixth Gear Ratio (:1) 1.00
- Third Gear Ratio (:1) 1.95
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 8
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

• EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 4394lbs
- Curb Weight Front N/Albs
- Curb Weight Rear N/Albs



- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 X 9in
 Rear Wheel Material Aluminum
- Rear Wheel Size 20 X 9in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin