



poquet auto

Vehicle Information

Date:	July 23, 2020
Vehicle:	2018 Acura RDX Utility 4D AWD 3.5L V6
VIN:	5J8TB4H31JL000801
Weight:	3,902

New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$37,500	\$900	\$995	\$39,395
NADA New Vehicle Values				
High	N/A	N/A	N/A	N/A

Optional Equipment

	Invoice	MSRP
SILVER CROSSBARS (DIO) REQUIRES roof rails for crossbars Code: -CRSSBR	\$0.00	\$250.00
SILVER ROOF RAILS (DIO) Code: -RAILS0	\$0.00	\$650.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
MODERN STEEL METALLIC Code: GY	\$0.00	\$0.00
EBONY, LEATHERETTE-TRIMMED INTERIOR Code: EN-0	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 1 LCD Monitor In The Front
- 360w Regular Amplifier
- Audio Theft Deterrent
- Integrated Roof Antenna
- Radio w/Seek-Scan, In-Dash Mounted Single CD, Clock, Steering Wheel Controls and Radio Data System
- Radio: Acura Premium Audio System-inc: 7 speakers, SMS text message function, Bluetooth HandsFreeLink wireless telephone interface, SiriusXM satellite radio, Pandora capability, USB audio interface w/iPod integration, Bluetooth streaming audio, MP3/auxiliary input jack, Speed-Sensitive Volume Compensation (SVC) and HomeLink

EXTERIOR

- Body-Colored Door Handles
- Body-Colored Front Bumper
- Body-Colored Power w/Tilt Down Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Deep Tinted Glass
- Express Open/Close Sliding And Tilting Glass 1st Row Sunroof w/Sunshade
- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Front Windshield-inc: Sun Visor Strip
- Fully Automatic Projector Beam Led Low/High Beam Daytime Running Headlamps w/Delay-Off
- Galvanized Steel/Aluminum Panels
- LED Brakelights



Licensed to J.D. Power

- Lip Spoiler
- Metal-Look Grille w/Chrome Surround
- Power Liftgate Rear Cargo Access
- Speed Sensitive Variable Intermittent Wipers
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P235/60R18 High-Performance AS
- Wheels: 18" x 7.5" Aluminum-Alloy

INTERIOR

- 2 12V DC Power Outlets
- 2 Seatback Storage Pockets
- 60-40 Folding Bench Front Facing Fold Forward Seatback Rear Seat
- 8-Way Driver Seat
- Air Filtration
- Analog Display
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Driver / Passenger And Rear Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Cargo Access, Windows and Sunroof/Convertible Roof
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 2 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Heated Front Sport Bucket Seats -inc: 10-way power driver's seat w/power lumbar support and 4-way power front passenger's seat
- HVAC -inc: Underseat Ducts and Console Ducts
- Illuminated Locking Glove Box
- Interior Trim -inc: Metal-Look Instrument Panel Insert and Chrome/Metal-Look Interior Accents
- Leather Gear Shifter Material
- Leather Steering Wheel
- Leatherette Door Trim Insert
- Leatherette-Trimmed Interior
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Memory Settings -inc: Driver Seat and Door Mirrors
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, 4 Door Curb/Courtesy, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -inc: Power Cargo Access and Mechanical Fuel
- Seats w/Leatherette Back Material
- Systems Monitor
- Trip Computer
- Trunk/Hatch Auto-Latch
- Valet Function

MECHANICAL

- 130 Amp Alternator
- 16 Gal. Fuel Tank
- 4.25 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
- 72-Amp/Hr 550CCA Maintenance-Free Battery
- Automatic Full-Time All-Wheel
- Electric Power-Assist Speed-Sensing Steering
- Engine: 3.5L SOHC V6 24V i-VTEC
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: TBD
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs



- Quasi-Dual Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Transmission: 6-Speed Automatic -inc: Sequential SportShift paddle shifters and grade logic control

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning
- Vehicle Stability Assist Electronic Stability Control (ESC)

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.3in
- Rear Brake Rotor Diam x Thickness 12in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 61.3ft³
- Cargo Volume to Seat 2 26.1ft³
- Cargo Volume to Seat 3 26.1ft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (Primary) 550
- Maximum Alternator Capacity (amps) 130

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.0

Engine

- Displacement 3.5 L/212
- Engine Order Code
- Engine Type Premium Unleaded V-6
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 279 @ 6200
- SAE Net Torque @ RPM 252 @ 4900

Exterior Dimensions

- Height, Overall 65in
- Length, Overall 184.4in
- Liftover Height N/Ain



Licensed to J.D. Power

- Min Ground Clearance 5.4in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 63.1in
- Track Width, Rear 63.4in
- Wheelbase 105.7in
- Width, Max w/o mirrors 73.7in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 16gal

Interior Dimensions

- Front Head Room 38.7in
- Front Hip Room 55.7in
- Front Leg Room 42in
- Front Shoulder Room 58.7in
- Passenger Capacity 5
- Passenger Volume 103.5ft³
- Second Head Room 38.1in
- Second Hip Room 53.8in
- Second Leg Room 38.3in
- Second Shoulder Room 57.2in

Mileage

- Cruising Range - City 304.00mi
- Cruising Range - Hwy 432.00mi
- EPA Fuel Economy Est - City 19MPG
- EPA Fuel Economy Est - Hwy 27MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 22MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 38.9ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P235/60VR18
- Rear Tire Order Code
- Rear Tire Size P235/60VR18
- Spare Tire Order Code
- Spare Tire Size

Trailer

- Dead Weight Hitch - Max Tongue Wt. 150lbs
- Dead Weight Hitch - Max Trailer Wt. 1500lbs
- Maximum Trailering Capacity 1500lbs
- Wt Distributing Hitch - Max Tongue Wt. 150lbs
- Wt Distributing Hitch - Max Trailer Wt. 1500lbs

Transmission

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report.

NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power.

©2020 J.D.Power



Licensed to J.D. Power

- Clutch Size N/Ain
- Drivetrain All Wheel
- Fifth Gear Ratio (:1) 0.75
- Final Drive Axle Ratio (:1) 4.25
- First Gear Ratio (:1) 3.36
- Fourth Gear Ratio (:1) 1.06
- Reverse Ratio (:1) 2.27
- Second Gear Ratio (:1) 2.09
- Sixth Gear Ratio (:1) 0.56
- Third Gear Ratio (:1) 1.48
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 3902lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 7.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 7.5in
- Spare Wheel Material
- Spare Wheel Size in