



poquet auto

## Vehicle Information

Date:	August 5, 2020
Vehicle:	2017 Nissan Rogue Utility 4D SV AWD 2.5L I4
VIN:	JN8AT2MV4HW016051
Weight:	3,571

## New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$26,590	\$160	\$995	<b>\$27,745</b>
NADA New Vehicle Values				
High	N/A	N/A	N/A	<b>N/A</b>

## Optional Equipment

	Invoice	MSRP
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
[B92] BLACK SPLASH GUARDS (SET OF 4) (PIO) Automatically added to dealer orders in the following states if not ordered with factory installed splash guards or factory installed splash guards are not offered as an orderable option: Alaska, Idaho, Montana, Oregon, Rhode Island, Washington and Wisconsin. Code: SGD	\$138.00	\$160.00
GLACIER WHITE Code: QAK	\$0.00	\$0.00
CHARCOAL, CLOTH SEAT TRIM Code: G-0	\$0.00	\$0.00

## Standard Equipment

### ENTERTAINMENT

- 2 LCD Monitors In The Front
- Integrated Roof Antenna
- Radio w/Seek-Scan, MP3 Player, Clock and Steering Wheel Controls
- Radio: AM/FM/CD/AUX-inc: 6 speakers, 5" color center display audio system, USB connection port for iPod interface and other compatible devices, Bluetooth hands-free phone system, streaming audio via Bluetooth, SiriusXM Satellite Radio, and hands-free text messaging assistant
- Streaming Audio

### EXTERIOR

- Black Bodyside Cladding and Black Wheel Well Trim
- Black Grille w/Chrome Surround
- Body-Colored Front Bumper
- Body-Colored Power Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent
- Chrome Door Handles
- Chrome Side Windows Trim and Black Rear Window Trim
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Fully Automatic Aero-Composite Halogen Daytime Running Headlamps w/Delay-Off
- Galvanized Steel/Aluminum/Composite Panels
- LED Brakelights



Licensed to J.D. Power

- Liftgate Rear Cargo Access
- Lip Spoiler
- Roof Rack Rails Only
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P225/65R17 AS
- Variable Intermittent Wipers
- Wheels: 17" Aluminum-Alloy

## INTERIOR

- 3 12V DC Power Outlets
- 40-20-40 Folding Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat w/Manual Fore/Aft
- Air Filtration
- Analog Display
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cloth Seat Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver / Passenger And Rear Door Bins
- Driver And Passenger Heated-Cushion, Driver And Passenger Heated-Seatback
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Driver Seat
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Remote Engine Start
- Front Center Armrest w/Storage and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 3 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Glove Box
- HVAC -inc: Underseat Ducts and Console Ducts
- Interior Trim -inc: Metal-Look Door Panel Insert and Chrome/Metal-Look Interior Accents
- Leather/Metal-Look Gear Shifter Material
- Leather/Metal-Look Steering Wheel
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Power 1st Row Windows w/Driver 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Doors And Push Button Start
- Quick Comfort Heated Front Bucket Seats -inc: 6-way power driver's seat w/power lumbar support, 4-way adjustable front passenger seat and front seatback storage
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -inc: Mechanical Fuel
- Seats w/Cloth Back Material
- Systems Monitor
- Trip Computer

## MECHANICAL

- 110 Amp Alternator
- 14.5 Gal. Fuel Tank
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control
- 5.694 Axle Ratio
- Automatic Full-Time All-Wheel
- Battery w/Run Down Protection
- Electric Power-Assist Speed-Sensing Steering
- Engine: 2.5L DOHC 16-Valve I4 -inc: ECO mode
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 4,553 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Single Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Transmission w/Sequential Shift Control



- Transmission: Xtronic CVT Automatic-inc: sport mode switch,

## SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- and Rear Cross Traffic Alert (RCTA)
- Blind Spot Warning (BSW) Blind Spot
- Curtain 1st, 2nd And 3rd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Outboard Front Lap And Shoulder Safety Belts-inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- RearView Monitor Back-Up Camera
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

## Technical Specifications

### Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or ) Yes
- Disc - Rear (Yes or ) Yes
- Drum - Rear (Yes or )
- Front Brake Rotor Diam x Thickness 11.8in
- Rear Brake Rotor Diam x Thickness 11.7in
- Rear Drum Diam x Width in

### Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 42.9in
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline 51.2in
- Cargo Box (Area) Height 37.9in
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 70ft<sup>3</sup>
- Cargo Volume to Seat 2 39.3ft<sup>3</sup>
- Cargo Volume to Seat 3 39.3ft<sup>3</sup>

### Cooling System

- Total Cooling System Capacity N/Aqts

### Electrical

- Cold Cranking Amps @ 0Å° F (Primary) N/A
- Maximum Alternator Capacity (amps) 110

### Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 6.5

### Engine

- Displacement 2.5 L/152
- Engine Order Code
- Engine Type Regular Unleaded I-4
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 170 @ 6000
- SAE Net Torque @ RPM 175 @ 4400

### Exterior Dimensions

- Height, Overall 68.4in
- Length, Overall 184.5in
- Liftover Height N/Ain



Licensed to J.D. Power

- Min Ground Clearance 8.2in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 62.8in
- Track Width, Rear 62.8in
- Wheelbase 106.5in
- Width, Max w/o mirrors 72.4in

## Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 14.5gal

## Interior Dimensions

- Front Head Room 41.6in
- Front Hip Room 54in
- Front Leg Room 43in
- Front Shoulder Room 56.6in
- Passenger Capacity 5
- Passenger Volume 105.8ft<sup>3</sup>
- Second Head Room 38.5in
- Second Hip Room 52.1in
- Second Leg Room 37.9in
- Second Shoulder Room 55.9in
- Third Head Room in
- Third Hip Room in
- Third Leg Room in
- Third Shoulder Room in

## Mileage

- Cruising Range - City 362.50mi
- Cruising Range - Hwy 464.00mi
- EPA Fuel Economy Est - City 25MPG
- EPA Fuel Economy Est - Hwy 32MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 27MPG

## Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb N/Aft
- Turning Diameter - Wall to Wall N/Aft

## Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

## Tires

- Front Tire Order Code
- Front Tire Size P225/65HR17
- Rear Tire Order Code
- Rear Tire Size P225/65HR17
- Spare Tire Order Code
- Spare Tire Size Compact

## Trailer

- Dead Weight Hitch - Max Tongue Wt. 100lbs
- Dead Weight Hitch - Max Trailer Wt. 1000lbs
- Maximum Trailering Capacity 1000lbs



Licensed to J.D. Power

- Wt Distributing Hitch - Max Tongue Wt. 100lbs
- Wt Distributing Hitch - Max Trailer Wt. 1000lbs

## Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel
- Final Drive Axle Ratio (:1) 5.69
- First Gear Ratio (:1) N/A
- Reverse Ratio (:1) 5.60
- Trans Description Cont. Again
- Trans Description Cont. CVT w/OD
- Trans Order Code
- Trans Type 1
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

## Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

## Weight Information

- Base Curb Weight 3571lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

## Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 X 7in
- Rear Wheel Material Aluminum
- Rear Wheel Size 17 X 7in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin