



poquet auto

Vehicle Information

Date: August 7, 2020
Vehicle: 2020 Mitsubishi Outlander Utility 4D SEL 4WD 2.4L I4
VIN: JA4AZ3A39LZ035103
Weight: 3,472

New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$29,495	N/A	\$1,195	\$30,690
NADA New Vehicle Values				
High	\$27,570	N/A	\$1,195	\$28,765

Optional Equipment

	Invoice	MSRP
BASE Code: A0B	\$0.00	\$0.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
COSMIC BLUE METALLIC Code: D14-0	\$0.00	\$0.00
BLACK, LEATHER SEAT TRIM Code: 17J	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 2 LCD Monitors In The Front
- Automatic Equalizer
- Integrated Roof Antenna
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control and Radio Data System
- Radio: AM/FM 8.0" Smartphone Link Display Audio inc: 6 speakers, Apple CarPlay, Android Auto, front USB port, HD Radio, SiriusXM satellite radio w/3 month All Access trial, Bluetooth wireless technology and steering wheel audio controls w/voice recognition

EXTERIOR

- Body-Colored Door Handles
- Body-Colored Front Bumper w/Metal-Look Rub Strip/Fascia Accent and Black Bumper Insert
- Body-Colored Power Heated Side Mirrors w/Power Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Metal-Look Rub Strip/Fascia Accent and Black Bumper Insert
- Chrome Bodyside Insert, Rocker Panel Extensions and Black Wheel Well Trim
- Chrome Grille
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Fog Lamps
- Fully Automatic Aero-Composite Halogen Daytime Running Auto High-Beam Headlamps
- Galvanized Steel/Aluminum Panels
- LED Brakelights
- Power Liftgate Rear Cargo Access
- Roof Rack Rails Only
- Spare Tire Mobility Kit



Licensed to J.D. Power

- Speed Sensitive Rain Detecting Variable Intermittent Wipers w/Heated Wiper Park
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P225/55R18 All-Season
- Wheels: 18" x 7J Two-Tone Alloy

INTERIOR

- 2 12V DC Power Outlets
- 2 Seatback Storage Pockets
- 60-40 Folding Split-Bench Front Facing Manual Reclining Tumble Forward Rear Seat w/Manual Fore/Aft
- Air Filtration
- Cargo Area Concealed Storage
- Cargo Features -inc: Spare Tire Mobility Kit
- Cargo Space Lights
- Carpet Floor Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Driver / Passenger And Rear Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Driver Seat
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- Fixed 50-50 Split-Bench 3rd Row Seat Front, Manual Fold Into Floor and 2 Fixed Head Restraints
- FOB Controls -inc: Cargo Access
- Front Center Armrest w/Storage and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 2 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Heated Front Bucket Seats -inc: 8-way power adjustable front seats w/driver seat power lumbar support
- HomeLink Garage Door Transmitter
- HVAC -inc: Underseat Ducts and Console Ducts
- Illuminated Locking Glove Box
- Interior Trim -inc: Simulated Carbon Fiber Instrument Panel Insert, Piano Black Door Panel Insert, Meta-look/Piano Black Console Insert and Chrome/Meta-look Interior Accents
- Leather Gear Shifter Material
- Leather Seat Trim
- Leather/Piano Black Steering Wheel
- Leatherette Door Trim Insert
- Manual Adjustable Front Head Restraints and Fixed Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Passenger Seat -inc: Fold Flat
- Perimeter Alarm
- Power 1st Row Windows w/Driver 1-Touch Up/Down
- Power Door Locks
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -inc: Power Cargo Access and Mechanical Fuel
- Seats w/Leatherette Back Material
- Systems Monitor
- Trip Computer
- Trunk/Hatch Auto-Latch
- Valet Function

MECHANICAL

- 1 Skid Plate
- 130 Amp Alternator
- 15.8 Gal. Fuel Tank
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Hold Control and Electric Parking Brake
- 70-Amp/Hr 620CCA Maintenance-Free Battery w/Run Down Protection
- Auto Locking Hubs
- Automatic Full-Time Four-Wheel Drive
- Axle Ratio: 6.026
- Electric Power-Assist Speed-Sensing Steering
- Electronic Transfer Case
- Engine: 2.4L MIVEC SOHC 16-valve I4
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 4,861 lbs



Licensed to J.D. Power

- Multi-Link Rear Suspension w/Coil Springs
- Single Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Strut Front Suspension w/Coil Springs
- Transmission w/Driver Selectable Mode and Oil Cooler
- Transmission: Continuously Variable (CVT)

SAFETY

- ABS And Driveline Traction Control
- Active Stability Control (ASC) Electronic Stability Control (ESC)
- Airbag Occupancy Sensor
- Back-Up Camera
- Blind Spot Warning (BSW) Blind Spot
- Curtain 1st And 2nd Row Airbags
- Driver Knee Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Forward Collision Mitigation (FCM) and Rear Cross Traffic Alert (RCTA)
- Lane Departure Warning (LDW) Lane Departure Warning
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 11.6in
- Rear Brake Rotor Diam x Thickness 11.9in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 63.3ft³
- Cargo Volume to Seat 2 34.2ft³
- Cargo Volume to Seat 3 10.3ft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (Primary) 620
- Maximum Alternator Capacity (amps) 130

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 6.8

Engine

- Displacement 2.4 L/144
- Engine Order Code
- Engine Type Regular Unleaded I-4
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 166 @ 6000
- SAE Net Torque @ RPM 162 @ 4200



Licensed to J.D. Power

Exterior Dimensions

- Height, Overall 67.3in
- Length, Overall 184.8in
- Lifter Height N/Ain
- Min Ground Clearance 8.5in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 60.6in
- Track Width, Rear 60.6in
- Wheelbase 105.1in
- Width, Max w/o mirrors 71.3in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 15.8gal

Interior Dimensions

- Front Head Room 40.6in
- Front Hip Room 52.6in
- Front Leg Room 40.9in
- Front Shoulder Room 56.4in
- Passenger Capacity 7
- Passenger Volume 128.2ft³
- Second Head Room 38.4in
- Second Hip Room 51.9in
- Second Leg Room 37.3in
- Second Shoulder Room 56in
- Third Head Room 35.7in
- Third Hip Room 39.4in
- Third Leg Room 28.2in
- Third Shoulder Room 50.4in

Mileage

- Cruising Range - City 379.20mi
- Cruising Range - Hwy 458.20mi
- EPA Fuel Economy Est - City 24MPG
- EPA Fuel Economy Est - Hwy 29MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 26MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 34.8ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P225/55HR18
- Rear Tire Order Code
- Rear Tire Size P225/55HR18
- Spare Tire Order Code
- Spare Tire Size



Licensed to J.D. Power

Trailer

- Dead Weight Hitch - Max Tongue Wt. 150lbs
- Dead Weight Hitch - Max Trailer Wt. 1500lbs
- Maximum Trailering Capacity 1500lbs
- Wt Distributing Hitch - Max Tongue Wt. 150lbs
- Wt Distributing Hitch - Max Trailer Wt. 1500lbs

Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Final Drive Axle Ratio (:1) 6.03
- First Gear Ratio (:1) 2.63 - 0.38
- Reverse Ratio (:1) 1.96
- Trans Description Cont. Again
- Trans Description Cont. CVT w/OD
- Trans Order Code
- Trans Type 1
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 3472lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 7in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 7in
- Spare Wheel Material
- Spare Wheel Size in