

Vehicle Information

| Date: | July 28, 2020 |
|----------|--|
| Vehicle: | 2017 Jeep Cherokee Utility 4D Overland 4WD 3.2L V6 |
| VIN: | 1C4PJMJS2HW608601 |
| Weight: | 4,046 |

New Cars/Trucks Values

| Powered by Chrome Data | Base | Options | Destination | Adjusted Value |
|--|---------------------------------|----------------------|-------------|----------------|
| Base MSRP | \$37,695 | \$5,615 | \$1,095 | \$44,405 |
| NADA New Vehicle Values | | | | |
| High | N/A | N/A | N/A | N/A |
| Optional Equipment | | | luur la s | MODD |
| | Invoice | MSRP | | |
| HEAVY DUTY PROTECTION GROUP | \$268.00 | \$295.00 | | |
| -inc: Front Suspension Skid Plate, Fuel Ta Size Spare Tire, Transmission Skid Plate | | ody Skid Plate, Full | | |
| POWER FRONT/FIXED REAR FULL S | \$1597.00 | \$1755.00 | | |
| Code: GWJ | | | | |
| TECHNOLOGY GROUP | \$1497.00 | \$1645.00 | | |
| -inc: Adaptive Cruise Control w/Stop & Go Headlamp Control, Parallel & Perp Park A Full Speed FWD Collision Warn Plus, Lan | Assist w/Stop, Rain Sensitive V | Windshield Wipers, | | |
| TONNEAU COVER | | | \$132.00 | \$145.00 |
| Code: CSD | | | | |
| TRAILER TOW PREP | \$314.00 | \$345.00 | | |
| -inc: 180 Amp Alternator, 7 & 4 Pin Wiring Cooling, Trailer Tow Wiring Harness Code | | e, Heavy Duty Engine | | |
| WIRELESS CHARGING PAD | | | \$205.00 | \$225.00 |
| Code: RFX | | | | |
| 3.52 AXLE RATIO | \$0.00 | \$0.00 | | |
| Code: DMD-R | | | | |
| QUICK ORDER PACKAGE 27M | \$0.00 | \$0.00 | | |
| -inc: Engine: 3.2L V6 24V VVT w/ESS, Tr selection of this pkg, the cost of powertrain | | | | |
| ENGINE: 3.2L V6 24V VVT W/ESS | \$0.00 | \$0.00 | | |
| -inc: Pentastar (STD) Code: EHK-R | | | | |
| STANDARD PAINT | | | \$0.00 | \$0.00 |
| Code: -PAINT | | | | |
| DEEP CHERRY RED CRYSTAL PEAR | \$0.00 | \$0.00 | | |
| Code: PRP | | | | |
| BROWN/PEARL, PREMIUM LEATHER | \$0.00 | \$0.00 | | |
| Build Out: 04/11/2017 Code: YLUW | | | | |
| TRANSMISSION: 9-SPEED 4WD AUT | \$1097.00 | \$1205.00 | | |

NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power.

©2020 J.D.Power



Invoice MSRP

-inc: 2 speed PTU, Electronic Range Select, Active Drive II Badge, 3.52 Axle Ratio, Jeep Active Drive II, Hill Descent Control Code: DFJ-R

Standard Equipment

ENTERTAINMENT

- 10 Performance Speakers
- 2 LCD Monitors In The Front
- Integrated Roof Antenna
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Aux Audio Input Jack, Steering Wheel Controls, Voice Activation, Radio Data System and Uconnect External Memory
 Control
- Radio: Uconnect 3C Nav w/8.4" Display
- Regular Amplifier
- Siriusxm Traffic Real-Time Traffic Display
- Streaming Audio

EXTERIOR

- Black Grille w/Chrome Surround
- Body-Colored Bodyside Cladding and Body-Colored Fender Flares
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Chrome Rub Strip/Fascia Accent and Metal-Look Bumper Insert
- Body-Colored Power Heated Side Mirrors w/Manual Folding
- Body-Colored Rear Bumper w/Metal-Look Rub Strip/Fascia Accent
- Chrome Side Windows Trim
- Compact Spare Tire Mounted Inside Under Cargo
- Composite/Galvanized Steel Panels
- Cornering Lights
- Deep Tinted Glass
- Exterior Mirrors Courtesy Lamps
- Exterior Mirrors w/Supplemental Signals
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Fog Lamps
- Front License Plate Bracket
- Fully Automatic Projector Beam High Intensity Low/High Beam Daytime Running Headlamps w/Delay-Off
- Laminated Glass
- LED Brakelights
- Lip Spoiler
- Power Liftgate Rear Cargo Access
- Roof Rack Rails Only
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P225/60R18 BSW Touring
- Variable Intermittent Wipers w/Heated Wiper Park
- Wheels: 18" x 7" Polished Aluminum

INTERIOR

- 1 Seatback Storage Pocket
- 12-Way Power Driver Seat -inc: Power Recline, Height Adjustment, Fore/Aft Movement, Cushion Tilt and Power 4-Way Lumbar Support
- 12 Way Power Passenger Seat inc: Power Recline, Height Adjustment, Fore/Aft Movement, Cushion Tilt and Power 4 Way Lumbar Support
- 3 12V DC Power Outlets
- 3 12V DC Power Outlets and 1 AC Power Outlet
- 60-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Leather Rear Seat w/Manual Fore/Aft
- Air Filtration
- Cargo Area Concealed Storage
- Cargo Net
- Cargo Space Lights
- Carpet Floor Trim
- Compass
- Covered Dashboard Storage, Driver And Passenger Door Bins
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Driver And Passenger Heated Cushion, Driver And Passenger Heated Seatback and Ventilated Front Seats
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Dual Zone Front Automatic Air Conditioning
- Fade-To-Off Interior Lighting
- FOB Controls inc: Cargo Access and Remote Engine Start
- Front And Rear Map Lights
- Front Center Armrest and Rear Center Armrest

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. ©2020 J.D.Power



- Front Seats w/Leatherette Back Material and Power 4-Way Driver Lumbar
- Full Carpet Floor Covering Berber inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage, 3 12V DC Power Outlets and 1 AC Power Outlet
- Garage Door Transmitter
- Gauges inc: Speedometer, Odometer, Voltmeter, Engine Coolant Temp, Tachometer, Oil Temperature, Transmission Fluid Temp, Trip Odometer and Trip Computer
- Heated Leather/Genuine Wood Steering Wheel
- HVAC -inc: Underseat Ducts and Console Ducts
- Illuminated Front Cupholder
- Illuminated Locking Glove Box
- Integrated Navigation System w/Voice Activation
- Interior Trim inc: Deluxe Sound Insulation, Metal-Look Instrument Panel Insert, Simulated Wood Door Panel Insert, Metal-Look Console Insert, Chrome/Metal-Look Interior Accents and Leather Upholstered Dashboard
- Leather Gear Shifter Material
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Memory Settings inc: Driver Seat, Door Mirrors and Audio
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Premium Leather Trimmed Bucket Seats
 Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Remote Releases -Inc: Power Fuel
- Sentry Key Engine Immobilizer
- Smart Device Integration
- Smart Device Remote Engine Start
- Systems Monitor
- Trip Computer
- Uconnect Access Mobile Hotspot Internet Access
- Valet Function
- Vinyl Door Trim Insert

MECHANICAL

- 1000# Maximum Payload
- 15.8 Gal. Fuel Tank
- 160 Amp Alternator
- 3.25 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Hold Control and Electric Parking Brake
- 50 State Emissions
- 700CCA Maintenance-Free Battery w/Run Down Protection
- Automatic Full-Time Four-Wheel Drive
- Auxiliary Transmission Oil Cooler
- Electric Power-Assist Speed-Sensing Steering
- Electronic Transfer Case
- Engine Auto Stop-Start Feature
- Engine Oil Cooler
- Engine: 3.2L V6 24V VVT w/ESS -inc: Pentastar
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 5,500 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Off Road Suspension
- · Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Strut Front Suspension w/Coil Springs
- Towing Equipment inc: Trailer Sway Control
- Transmission w/Driver Selectable Mode and Sequential Shift Control
- Transmission: 9-Speed 948TE Automatic inc: 1 speed PTU

SAFETY

- Airbag Occupancy Sensor
- Blind Spot
- Curtain 1st And 2nd Row Airbags
- Driver And Passenger Knee Airbag and Rear Side-Impact Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Outboard Front Lap And Shoulder Safety Belts inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- ParkSense Rear Parking Sensors
- ParkView Back-Up Camera
- Rear Child Safety Locks



- Rear Collision Warning
- Selec-Terrain ABS And Driveline Traction Control
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning
- Uconnect Access Emergency Sos

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 13in
- Rear Brake Rotor Diam x Thickness 12.6in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline 41.4in
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings 36.1in
- Cargo Volume to Seat 1 54.9ftÅ³
- Cargo Volume to Seat 2 24.6ftÂ³
- Cargo Volume to Seat 3 24.6ftÂ³

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Ű F (Primary) 700
- Maximum Alternator Capacity (amps) 180

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.4

Engine

- Displacement 3.2 L/198
- Engine Order Code EHK
- Engine Type Regular Unleaded V-6
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 271 @ 6500
- SAE Net Torque @ RPM 239 @ 4400

Exterior Dimensions

- Height, Overall 67.3in
- Length, Overall 182in
- Liftover Height 30.9in
- Min Ground Clearance 8.8in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 62.7in
- Track Width, Rear 62.7in
- Wheelbase 106.3in
- Width, Max w/o mirrors 73.2in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 15.8gal



NADA New Cars/Trucks

Interior Dimensions

- Front Head Room 37.9in
- Front Hip Room 53.8in
- Front Leg Room 41.1in . • Front Shoulder Room 57.6in
- **Passenger Capacity 5** ٠
- ٠ Passenger Volume 104.4ftÅ³
- Second Head Room 38.5in
- Second Hip Room 49.9in .
- Second Leg Room 40.3in
- Second Shoulder Room 55.1in •

Mileage

- Cruising Range City 284.40mi
- Cruising Range Hwy 410.80mi ٠
- EPA Fuel Economy Est City 18MPG
- EPA Fuel Economy Est Hwy 26MPG . • EPA MPG Equivalent - City N/A
- EPA MPG Equivalent Combined N/A •
- ٠ EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 21MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- **Steering Type Rack-Pinion**
- Turning Diameter Curb to Curb 38ft •
- Turning Diameter Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Stabilizer Bar Diameter Front N/Ain ٠
- Stabilizer Bar Diameter Rear N/Ain .
- Suspension Type Front (Cont.) Strut .
- Suspension Type Front Strut
- Suspension Type Rear (Cont.) Multi-Link
- Suspension Type Rear Multi Link .

Tires

- Front Tire Order Code TWS
- Front Tire Size P225/60TR18
- **Rear Tire Order Code TWS** ٠
- Rear Tire Size P225/60TR18 .
- Spare Tire Order Code TBB . •
- Spare Tire Size Full-Size

Trailering

- Dead Weight Hitch Max Tongue Wt. 200lbs
 Dead Weight Hitch Max Trailer Wt. 2000lbs
- Maximum Trailering Capacity 2000lbs ٠
- Wt Distributing Hitch Max Tongue Wt. 200lbs
- Wt Distributing Hitch Max Trailer Wt. 2000lbs

Transmission

- Clutch Size N/Ain
- **Drivetrain Four Wheel Drive** •
- Eighth Gear Ratio (:1) 0.58 ٠
- Fifth Gear Ratio (:1) 1.00 ٠
- Final Drive Axle Ratio (:1) 3.52
- First Gear Ratio (:1) 4.70 .
- Fourth Gear Ratio (:1) 1.38 •
- Ninth Gear Ratio (:1) N/A
- Reverse Ratio (:1) 3.81 .
- Second Gear Ratio (:1) 2.84
- Seventh Gear Ratio (:1) 0.70 ٠
- Sixth Gear Ratio (:1) 0.81 •



- Third Gear Ratio (:1) 1.91
- **Trans Description Cont. Again** ٠
- Trans Description Cont. Automatic w/OD •
- Trans Order Code DFJ •
- Trans Type 9 •
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

• EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 4046lbs
 Curb Weight Front N/Albs
- ٠ Curb Weight - Rear N/Albs
- Curb Weight N/Albs
 Maximum Payload Capacity N/Albs • Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 7in
- Rear Wheel Material Aluminum
- ٠ Rear Wheel Size 18 X 7in
- **Spare Wheel Material Steel** ٠
- Spare Wheel Size Full-Sizein