



poquet auto

Vehicle Information

Date: July 30, 2020
Vehicle: 2019 Jeep Grand Cherokee Utility 4D Limited 4WD 3.6L V6
VIN: 1C4RJFBG1KC590714
Weight: 4,746

New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$41,445	\$1,295	\$1,495	\$44,235
NADA New Vehicle Values				
High	\$37,040	\$1,157	\$1,495	\$39,692

Optional Equipment

	Invoice	MSRP
POWER SUNROOF Code: GWA	\$1153.00	\$1295.00
3.45 REAR AXLE RATIO (STD) Code: DLK	\$0.00	\$0.00
QUICK ORDER PACKAGE 2BH -inc: Engine: 3.6L V6 24V VVT UPG 1w/ESS, Transmission: 8-Speed Automatic (850RE) Code: 2BH	\$0.00	\$0.00
ENGINE: 3.6L V6 24V VVT UPG 1 W/ESS (STD) Code: ERC	\$0.00	\$0.00
GVWR: 6,500 LBS (STD) Code: Z6K	\$0.00	\$0.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
BRIGHT WHITE CLEARCOAT Code: PW7	\$0.00	\$0.00
LT FROST BEIGE/BLACK, LEATHER TRIMMED BUCKET SEATS Code: CJXL	\$0.00	\$0.00
NORMAL DUTY SUSPENSION (STD) Code: SDA	\$0.00	\$0.00
TIRES: 265/60R18 BSW AS LRR (STD) Code: TDC-R	\$0.00	\$0.00
TRANSMISSION: 8-SPEED AUTOMATIC (850RE) (STD) Code: DFT	\$0.00	\$0.00
WHEELS: 18" X 8.0" TECH GRAY ALUMINUM (STD) Code: WBC-R	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT



Licensed to J.D. Power

- 2 LCD Monitors In The Front
- 6 Speakers
- Graphic Equalizer
- Integrated Roof Antenna
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Aux Audio Input Jack, Steering Wheel Controls, Voice Activation, Radio Data System and Uconnect External Memory Control
- Radio: Uconnect 4C Nav w/8.4" Display
- Siriusxm Traffic Real-Time Traffic Display

EXTERIOR

- Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent and Chrome Bumper Insert
- Body-Colored Grille w/Chrome Accents
- Body-Colored Rear Step Bumper w/Black Rub Strip/Fascia Accent and Chrome Bumper Insert
- Chrome Door Handles
- Chrome Exterior Mirrors
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Front Fog Lamps
- Fully Automatic Aero-Composite Halogen Daytime Running Headlamps w/Delay-Off
- Galvanized Steel/Aluminum Panels
- Laminated Glass
- LED Brakelights
- Lip Spoiler
- Perimeter/Approach Lights
- Power Liftgate Rear Cargo Access
- Power w/Tilt Down Heated Auto Dimming Side Mirrors w/Manual Folding and Turn Signal Indicator
- Rocker Panel Extensions and Black Wheel Well Trim
- Roof Rack Rails Only
- Speed Sensitive Variable Intermittent Wipers
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: 265/60R18 BSW AS LRR
- Wheels: 18" x 8.0" Tech Gray Aluminum

INTERIOR

- 12-Way Power Driver Seat -inc: Power Recline, Height Adjustment, Fore/Aft Movement, Cushion Tilt and Power 4-Way Lumbar Support
- 12-Way Power Passenger Seat -inc: Power Recline, Height Adjustment, Fore/Aft Movement, Cushion Tilt and Power 4-Way Lumbar Support
- 2 Seatback Storage Pockets
- 3 12V DC Power Outlets
- 3 12V DC Power Outlets and 1 AC Power Outlet
- 60/40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Leather Rear Seat
- 8.4" Touchscreen Display
- Air Filtration
- Cargo Area Concealed Storage
- Cargo Features -inc: Cargo Tray/Organizer
- Cargo Space Lights
- Carpet Floor Trim
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Driver And Passenger Heated-Cushion, Driver And Passenger Heated-Seatback
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Cargo Access and Remote Engine Start
- Front And Rear Map Lights
- Front Center Armrest w/Storage and Rear Center Armrest
- Front Seats w/Power 4-Way Driver Lumbar
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage, 3 12V DC Power Outlets and 1 AC Power Outlet
- Garage Door Transmitter
- Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Oil Temperature, Transmission Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer
- Heated Leather/Metal-Look Steering Wheel
- HVAC -inc: Console Ducts
- Illuminated Front Cupholder
- Illuminated Locking Glove Box
- Instrument Panel Covered Bin, Driver / Passenger And Rear Door Bins
- Interior Trim -inc: Simulated Wood/Metal-Look Instrument Panel Insert, Simulated Wood Door Panel Insert, Metal-Look Console Insert and Chrome/Metal-Look Interior Accents
- Leather Trimmed Bucket Seats
- Leather/Metal-Look Gear Shifter Material
- Leatherette Door Trim Insert



Licensed to J.D. Power

- Manual Anti-Whiplash Adjustable Front Head Restraints and Fixed Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Memory Settings -inc: Driver Seat, Door Mirrors and Audio
- Mobile Hotspot Internet Access
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Fuel Flap Locking Type
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Remote Releases -inc: Power Fuel
- Sentry Key Engine Immobilizer
- Smart Device Integration
- Smart Device Remote Engine Start
- Systems Monitor
- Tracker System
- Trip Computer
- Valet Function
- Voice Activated Dual Zone Front Automatic Air Conditioning w/Front Infrared

MECHANICAL

- 1380# Maximum Payload
- 180 Amp Alternator
- 24.6 Gal. Fuel Tank
- 3.45 Rear Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Descent Control and Hill Hold Control
- 50 State Emissions
- 650CCA Maintenance-Free Battery w/Run Down Protection
- Automatic Full-Time Four-Wheel Drive
- Electric Power-Assist Steering
- Electronic Transfer Case
- Engine Auto Stop-Start Feature
- Engine Oil Cooler
- Engine: 3.6L V6 24V VVT UPG I w/ESS
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 6,500 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Normal Duty Suspension
- Permanent Locking Hubs
- Short And Long Arm Front Suspension w/Coil Springs
- Single Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Towing Equipment -inc: Trailer Sway Control
- Transmission w/Driver Selectable Mode and Sequential Shift Control
- Transmission: 8-Speed Automatic (850RE)

SAFETY

- Airbag Occupancy Sensor
- Blind Spot Monitoring System Blind Spot
- Curtain 1st And 2nd Row Airbags
- Driver Knee Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- ParkSense with Stop Rear Parking Sensors
- ParkView Back-Up Camera
- Rear Child Safety Locks
- Selec-Terrain ABS And Driveline Traction Control
- Side Impact Beams
- SiriusXM Guardian Emergency Sos
- Tire Specific Low Tire Pressure Warning

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes



Licensed to J.D. Power

- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 13in
- Rear Brake Rotor Diam x Thickness 13in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 68.3ft³
- Cargo Volume to Seat 2 36.3ft³
- Cargo Volume to Seat 3 36.3ft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (Primary) 650
- Maximum Alternator Capacity (amps) 180

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO₂ Emissions @ 15K mi/year 8.5

Engine

- Displacement 3.6 L/220
- Engine Order Code ERC
- Engine Type Regular Unleaded V-6
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 293 @ 6400
- SAE Net Torque @ RPM 260 @ 4000

Exterior Dimensions

- Height, Overall 69.3in
- Length, Overall 189.8in
- Lifter Height 32.4in
- Min Ground Clearance 8.6in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 63.9in
- Track Width, Rear 64.1in
- Wheelbase 114.8in
- Width, Max w/o mirrors 76.5in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 24.6gal

Interior Dimensions

- Front Head Room 39.9in
- Front Hip Room 57in
- Front Leg Room 40.3in
- Front Shoulder Room 58.7in
- Passenger Capacity 5
- Passenger Volume 105.4ft³
- Second Head Room 39.2in
- Second Hip Room 56.2in
- Second Leg Room 38.6in
- Second Shoulder Room 58in

Mileage

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report.

NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power.

©2020 J.D.Power



Licensed to J.D. Power

- Cruising Range - City 442.80mi
- Cruising Range - Hwy 615.00mi
- EPA Fuel Economy Est - City 18MPG
- EPA Fuel Economy Est - Hwy 25MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 21MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 37.1ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Short And Long Arm
- Suspension Type - Front Short And Long Arm
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code TDC
- Front Tire Size P265/60TR18
- Rear Tire Order Code TDC
- Rear Tire Size P265/60TR18
- Spare Tire Order Code
- Spare Tire Size Compact

Trailer

- Dead Weight Hitch - Max Tongue Wt. 350lbs
- Dead Weight Hitch - Max Trailer Wt. 3500lbs
- Maximum Trailering Capacity 3500lbs
- Wt Distributing Hitch - Max Tongue Wt. 350lbs
- Wt Distributing Hitch - Max Trailer Wt. 3500lbs

Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Eighth Gear Ratio (:1) 0.67
- Fifth Gear Ratio (:1) 1.28
- Final Drive Axle Ratio (:1) 3.45
- First Gear Ratio (:1) 4.71
- Fourth Gear Ratio (:1) 1.67
- Reverse Ratio (:1) 3.29
- Second Gear Ratio (:1) 3.14
- Seventh Gear Ratio (:1) 0.84
- Sixth Gear Ratio (:1) 1.00
- Third Gear Ratio (:1) 2.11
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code DFT
- Trans Type 8
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

- EPA Classification Standard Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 4746lbs
- Curb Weight - Front N/Albs



Licensed to J.D. Power

- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 8in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 8in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin