



poquet auto

Vehicle Information

Date: September 18, 2020
Vehicle: 2018 Mitsubishi Outlander Sport Utility 4D SE AWD 2.4L I4
VIN: JA4AR3AWXJU020310
Weight: 3,252

New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$24,495	\$970	\$1,095	\$26,560
NADA New Vehicle Values				
High	N/A	N/A	N/A	N/A

Optional Equipment

	Invoice	MSRP
BASE Code: A07	\$0.00	\$0.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
ACCESSORY ALLOY FUEL DOOR (PIO) Code: FY	\$140.00	\$160.00
CHROME PACKAGE -inc: Side View Mirror Covers, Chrome Door Handle Covers (PIO) Code: G2	\$315.00	\$370.00
LED ILLUMINATION PACKAGE -inc: blue LED floor illumination, blue LED tailgate light and interior lights (PIO) Code: G5	\$389.00	\$440.00
RALLY RED METALLIC Code: P26	\$0.00	\$0.00
BLACK, COMBINATION SOFT-TOUCH SEAT TRIM Code: 91X	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 1 LCD Monitor In The Front
- Automatic Equalizer
- Digital Signal Processor
- Integrated Roof Antenna
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Aux Audio Input Jack, Voice Activation and Radio Data System
- Radio: AM/FM 7.0" Smartphone Link Display Audio -inc: 6 speakers, Bluetooth technology, dual USB ports, Apple CarPlay, Android Auto, steering wheel controls, SiriusXM Satellite Radio w/3-month subscription and digital HD Radio
- Rockford Fosgate Speakers

EXTERIOR

- Auto Off Aero-Composite Halogen Daytime Running Headlamps
- Black Grille w/Chrome Accents
- Black Side Windows Trim
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent and Chrome Bumper Insert
- Body-Colored Power Heated Side Mirrors w/Manual Folding and Turn Signal Indicator



Licensed to J.D. Power

- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Composite/Galvanized Steel Panels
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Fog Lamps
- LED Brakelights
- Liftgate Rear Cargo Access
- Lip Spoiler
- Rocker Panel Extensions and Black Wheel Well Trim
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P225/55R18 AS
- Variable Intermittent Wipers
- Wheels: 18" x 7" 2-Tone Alloy

INTERIOR

- 1 Seatback Storage Pocket
- 2 12V DC Power Outlets
- 60-40 Folding Bench Front Facing Fold Forward Seatback Rear Seat
- Air Filtration
- Automatic Air Conditioning
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cloth Door Trim Insert
- Combination Soft-Touch Seat Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Driver And Passenger Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Driver Seat
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Cargo Access
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage and 2 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Heated Front Bucket Seats -inc: 6-way manually adjustable driver's seat and 4-way manually adjustable passenger's seat
- HVAC -inc: Underseat Ducts
- Illuminated Glove Box
- Interior Trim -inc: Simulated Carbon Fiber Instrument Panel Insert, Vinyl/Metal-Look Console Insert and Chrome/Metal-Look Interior Accents
- Leather Gear Shifter Material
- Leather/Piano Black Steering Wheel
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Power 1st Row Windows w/Driver 1-Touch Up/Down
- Power Door Locks
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -inc: Mechanical Fuel
- Seats w/Cloth Back Material
- Systems Monitor
- Trip Computer
- Valet Function

MECHANICAL

- 130 Amp Alternator
- 15.8 Gal. Fuel Tank
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
- 6.026 Axle Ratio
- Auto Locking Hubs
- Electric Power-Assist Speed-Sensing Steering



Licensed to J.D. Power

- Electronic Transfer Case
- Engine: 2.4L MIVEC DOHC 16-valve 4-Cylinder
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 4,343 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Part And Full-Time Four-Wheel Drive
- Single Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Transmission: Continuously Variable (CVT) -inc: Sportronic

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Curtain 1st And 2nd Row Airbags
- Driver Knee Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 11.6in
- Rear Brake Rotor Diam x Thickness 11.9in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 49.5ft³
- Cargo Volume to Seat 2 21.7ft³
- Cargo Volume to Seat 3 21.7ft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (Primary) N/A
- Maximum Alternator Capacity (amps) 130

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO₂ Emissions @ 15K mi/year 7.0

Engine

- Displacement 2.4 L/144
- Engine Order Code
- Engine Type Regular Unleaded I-4
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 168 @ 6000



- SAE Net Torque @ RPM 167 @ 4200

Exterior Dimensions

- Height, Overall 64.8in
- Length, Overall 171.9in
- Liftover Height N/Ain
- Min Ground Clearance 8.5in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 60.6in
- Track Width, Rear 60.6in
- Wheelbase 105.1in
- Width, Max w/o mirrors 71.3in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 15.8gal

Interior Dimensions

- Front Head Room 39.4in
- Front Hip Room 52.1in
- Front Leg Room 41.6in
- Front Shoulder Room 56.2in
- Passenger Capacity 5
- Passenger Volume 97.5ft³
- Second Head Room 37.9in
- Second Hip Room 51.6in
- Second Leg Room 36.3in
- Second Shoulder Room 55.5in

Mileage

- Cruising Range - City 363.40mi
- Cruising Range - Hwy 442.40mi
- EPA Fuel Economy Est - City 23MPG
- EPA Fuel Economy Est - Hwy 28MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 25MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 34.8ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P225/55HR18
- Rear Tire Order Code
- Rear Tire Size P225/55HR18
- Spare Tire Order Code
- Spare Tire Size Compact

Trailer



Licensed to J.D. Power

- Dead Weight Hitch - Max Tongue Wt. N/Albs
- Dead Weight Hitch - Max Trailer Wt. N/Albs
- Maximum Trailering Capacity N/Albs
- Wt Distributing Hitch - Max Tongue Wt. N/Albs
- Wt Distributing Hitch - Max Trailer Wt. N/Albs

Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Fifth Gear Ratio (:1) N/A
- Final Drive Axle Ratio (:1) 6.03
- First Gear Ratio (:1) 2.35 - 0.45
- Fourth Gear Ratio (:1) N/A
- Reverse Ratio (:1) 1.75
- Second Gear Ratio (:1) N/A
- Sixth Gear Ratio (:1) N/A
- Third Gear Ratio (:1) N/A
- Trans Description Cont. Again
- Trans Description Cont. CVT w/OD
- Trans Order Code
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 3252lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 7in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 7in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin