



poquet auto

Vehicle Information

Date:	September 18, 2020
Vehicle:	2019 Mitsubishi Eclipse Cross Utility 4D SE AWD 1.5L I4 Turbo
VIN:	JA4AT5AA6KZ014137
Weight:	3,516

New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$26,695	N/A	\$1,095	\$27,790
NADA New Vehicle Values				
High	N/A	N/A	N/A	N/A

Optional Equipment

	Invoice	MSRP
BASE	\$0.00	\$0.00
Code: E01		
STANDARD PAINT	\$0.00	\$0.00
Code: -PAINT		
MERCURY GRAY METALLIC	\$0.00	\$0.00
Code: U17		
GRAY, HIGH-GRADE FABRIC SEAT TRIM	\$0.00	\$0.00
-inc: contrast stitching, Code: 84P		

Standard Equipment

ENTERTAINMENT

- 1 LCD Monitor In The Front
- Automatic Equalizer
- Digital Signal Processor
- Integrated Roof Antenna
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Voice Activation and Radio Data System
- Radio: AM/FM 7.0" Smartphone Link Thin-Display Audio -inc: touchpad controller, 6 speakers, Bluetooth technology, dual USB ports, Apple CarPlay and Android Auto compatibility, steering wheel controls, SiriusXM Satellite Radio w/3-month subscription, digital HD Radio and Mitsubishi Connect w/Safeguard and remote services and 24-month trial subscription
- Rockford Fosgate Speakers

EXTERIOR

- Black Grille w/Chrome Surround
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent
- Body-Colored Power Heated Side Mirrors w/Power Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent
- Chrome Side Windows Trim
- Clearcoat Paint
- Colored Bodyside Insert, Black Bodyside Cladding, Rocker Panel Extensions and Black Wheel Well Trim
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Fog Lamps
- Fully Automatic Projector Beam Halogen Daytime Running Headlamps w/Delay-Off
- Galvanized Steel/Aluminum Panels



- LED Brakelights
- Liftgate Rear Cargo Access
- Lip Spoiler
- Perimeter/Approach Lights
- Rain Detecting Variable Intermittent Wipers
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P225/55R18 AS
- Wheels: 18" x 7.0J Two-Tone Alloy

INTERIOR

- 1 Seatback Storage Pocket
- 2 12V DC Power Outlets
- 60-40 Folding Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat w/Manual Fore/Aft
- Air Filtration
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Driver / Passenger And Rear Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Driver Seat
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Cargo Access
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage and 2 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Heated Front Bucket Seats -inc: 6-way manually adjustable driver's seat and 4-way manually adjustable passenger's seat
- High-Grade Fabric Seat Trim -inc: contrast stitching,
- HVAC -inc: Underseat Ducts
- Illuminated Glove Box
- Interior Trim -inc: Metal-Look Instrument Panel Insert, Piano Black Door Panel Insert, Metal-Look/Piano Black Console Insert and Chrome/Metal-Look Interior Accents
- Leather/Metal-Look Gear Shifter Material
- Leather/Piano Black Steering Wheel
- Leatherette Door Trim Insert
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Power 1st Row Windows w/Driver 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -inc: Mechanical Fuel
- Seats w/Cloth Back Material
- Tracker System
- Trip Computer

MECHANICAL

- 110 Amp Alternator
- 15.8 Gal. Fuel Tank
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Hold Control and Electric Parking Brake
- 6.386 Axle Ratio
- Automatic Full-Time Four-Wheel Drive
- Battery w/Run Down Protection
- Electric Power-Assist Speed-Sensing Steering
- Engine: 1.5L Direct-Injection Turbo
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 4,630 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Single Stainless Steel Exhaust



- Strut Front Suspension w/Coil Springs
- Transmission w/Driver Selectable Mode
- Transmission: 8-Speed CVT w/Sport Mode-inc: Sportronic

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- and Rear Cross Traffic Alert (RCTA)
- Back-Up Camera
- Curtain 1st And 2nd Row Airbags
- Driver Knee Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Emergency Sps
- Lane Change Assist (LCA) Blind Spot
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 11.6in
- Rear Brake Rotor Diam x Thickness 11.9in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 48.9ft³
- Cargo Volume to Seat 2 22.6ft³
- Cargo Volume to Seat 3 22.6ft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (Primary) N/A
- Maximum Alternator Capacity (amps) 110

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 7.0

Engine

- Displacement 1.5 L/91
- Engine Order Code
- Engine Type Intercooled Turbo Regular Unleaded I4
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 152 @ 5500
- SAE Net Torque @ RPM 184 @ 3500

Exterior Dimensions



Licensed to J.D. Power

- Height, Overall 66.5in
- Length, Overall 173.4in
- Lifter Height N/Ain
- Min Ground Clearance 8.5in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 60.6in
- Track Width, Rear 60.6in
- Wheelbase 105.1in
- Width, Max w/o mirrors 71.1in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 15.8gal

Interior Dimensions

- Front Head Room 39.5in
- Front Hip Room 53in
- Front Leg Room 40.9in
- Front Shoulder Room 56.2in
- Passenger Capacity 5
- Passenger Volume 94.6ft³
- Second Head Room 37.3in
- Second Hip Room 52in
- Second Leg Room 35.3in
- Second Shoulder Room 55.1in

Mileage

- Cruising Range - City 395.00mi
- Cruising Range - Hwy 410.80mi
- EPA Fuel Economy Est - City 25MPG
- EPA Fuel Economy Est - Hwy 26MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 25MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 35ft
- Turning Diameter - Wall to Wall N/Aft

Suspension


- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P225/55HR18
- Rear Tire Order Code
- Rear Tire Size P225/55HR18
- Spare Tire Order Code
- Spare Tire Size Compact

Trailer

- Dead Weight Hitch - Max Tongue Wt. 150lbs
- Dead Weight Hitch - Max Trailer Wt. 1500lbs
- Maximum Trailer Capacity 1500lbs
- Wt Distributing Hitch - Max Tongue Wt. 150lbs



Licensed to J.D. Power

- Wt Distributing Hitch - Max Trailer Wt. 1500lbs

Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Eighth Gear Ratio (:1) 0.40
- Fifth Gear Ratio (:1) N/A
- Final Drive Axle Ratio (:1) 6.39
- First Gear Ratio (:1) 2.63 - 0.66
- Fourth Gear Ratio (:1) N/A
- Reverse Ratio (:1) 1.96
- Second Gear Ratio (:1) N/A
- Seventh Gear Ratio (:1) 0.52
- Sixth Gear Ratio (:1) N/A
- Third Gear Ratio (:1) N/A
- Trans Description Cont. Again
- Trans Description Cont. CVT w/OD
- Trans Order Code
- Trans Type 8
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 3516lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 7in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 7in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin