

List Prices

Section 912
Horizontal Split Case
Fire Pumps
Electric Motor Drive

PRICES SUBJECT TO CHANGE WITHOUT NOTICE
WE RESERVE THE RIGHT TO CORRECT PRICING ERRORS
REFER TO ENCOMPASS FOR MOST CURRENT PRICING AND SELECTION TABLES



AURORA®

List Price Sheet
Horizontal Split Case Fire Pump
Electric Motor Drive

STANDARD ELECTRIC PACKAGE PRICING INCLUDES:

PUMP:

UL Listed and FM Approved Horizontally mounted split-case bronze-fitted pump with packing and lantern rings, * coupling, coupling guard and base, set of suction and discharge gauges, casing relief valve and automatic air release valve. Package price includes a certified performance test with calibrated lab driver

. . . or . . .

UL Listed and FM Approved Vertically mounted split case bronze fitted pump with packing and lantern rings, * coupling cast iron ring base and motor support, set of suction and discharge gauges, and casing relief valve.
Package price includes a certified performance test with calibrated lab driver.

MOTOR:

Horizontal motor is factory choice, open drip proof, T-frame, 200-230, 3 phase, 60 hertz. Horsepower selections are based on full utilization of the 1.15 service factor on both UL listed and FM approved Fire Pump systems.

. . . or . . .

Vertical motor is factory choice, open drip proof, HP-frame, 200-230-460 volts, 3 phase, 60 hertz. Horsepower selections are based on full utilization of the 1.15 service factor on both UL listed and FM approved Fire Pump systems. Vertical motors are not factory mounted to the pump unit.

While these pump systems are usually acceptable to IRI (Industrial Risk Insurers), the local IRI or FM office having jurisdiction may allow little or no overload. It is recommended that all aspects of the project, including motor selection, be discussed with the local insuring authority prior to quoting. Since final approval rests entirely with the local insurance authority, we cannot assume responsibility for their acceptance of the motor selections shown.

CONTROLLER:

Factory choice controller included is UL listed and FM approved, across the line start, in standard enclosure, furnished with standard withstand rating of 42,000 amps symmetrical at low voltage and 30,000 amps symmetrical at high voltage. Standard automatic controllers are supplied with pressure switch with a range of 0-300 PSI for fresh water. Final pressure switch setting must be made at the time of field installation. Optional pressure switch with a 0-600 PSI range can be supplied when ordered.

*Lantern rings are not furnished when suction pressure exceeds 30 PSI.

LIST PRICE SHEET
HORIZONTAL SPLITCASE FIRE PUMP
PUMP AND BASE COMPONENTS
 ELECTRIC MOTOR DRIVE

SINGLE STAGE SPLIT CASE

AP FIRE PUMP HORIZONTAL SPLIT CASE	MOTOR FRAME SIZE	SUG. LIST PRICE (Pump, Base, Coupling Guard, Suc/Dis Gauges,Casing Relief Valve, Cert. Test)	AP FIRE PUMP HORIZONTAL SPLIT CASE	MOTOR FRAME SIZE	SUG. LIST PRICE (Pump, Base, Coupling Guard, Suc/Dis Gauges,Casing Relief Valve, Cert. Test)	
2.5-481-10B	215T	5,881	4-491-8A	286TS	9,173	
	254T	5,967		324TS	9,271	
	256T	5,967		326TS	9,401	
	284TS	5,967		364TS	9,401	
	286TS	5,998		364TS	11,002	
	324TS	6,013	365TS	11,187		
	326TS	6,126	404TS	11,319		
	364TS	6,126	405TS	11,843		
365TS	6,296	444TS	11,863			
3-481-10	215T	6,057	4-491-11A	445TS	11,830	
	254T	6,241		447TS	13,000	
	256T	6,241		449TS	13,574	
	284TS	6,219		500	14,822	
	286TS	6,249		5000	14,822	
	324TS	6,428		324TS	12,283	
	326TS	6,539	364TS	11,998		
	364TS	6,471	365TS	12,184		
365TS	6,593	404TS	12,317			
3-491-9A	254T	8,632	4-491-11C	405TS	12,838	
	256T	8,662		444TS	12,857	
	284TS	8,662		445TS	12,824	
	286TS	8,887		447TS	13,970	
	324TS	8,948		449TS	14,535	
	326TS	8,794		500	15,714	
	364TS	8,905		5000	15,714	
	365TS	9,040		324TS	11,351	
3-491-9C	254T	9,865	4-491-14C	326TS	11,351	
	256T	9,899		364TS	11,987	
	284TS	9,899		365TS	12,439	
	286TS	10,156		326TS	14,219	
	324TS	10,227	4-492-18	364TS	14,405	
	326TS	10,051		365TS	14,713	
	364TS	10,177		404TS	15,236	
	365TS	10,332		365TS	7,647	
4-481-11A	256T	6,043	5-481-11B	404TS	7,985	
	284T 284TS	6,124		405TS	7,961	
	286T 286TS	6,243		444TS	8,288	
	324T	6,243		445TS	8,365	
	326TS	6,243		447TS	9,648	
256T	6,147	449TS		10,279		
284TS	6,146	500		11,665		
286TS	6,268	5000		11,665		
324TS	6,127	5-481-11C	364TS	6,422		
326TS	6,243		365TS	6,547		
364TS	6,201		404TS	6,837		
365TS	6,336		405TS	6,812		
404TS	6,567		444TS	7,309		
405TS	6,898		445TS	7,309		
444TS	6,907		447TS	8,407		
445TS	7,440		449TS	8,947		
447TS	8,496		500	10,139		
449TS	9,294		5000	10,139		
4-481-11D	256T		6,491	5-481-15	286T 286TS	7,226
	284TS		6,490		324T 324TS	7,287
	286TS	6,619	326T 326TS		7,287	
	324TS	6,471	364TS		7,198	
	326TS	6,592	365TS		7,659	
	364TS	6,547	404TS		7,784	
	365TS	6,691	405TS		7,921	
	404TS	6,936	5-481-15A		286T 286TS	8,577
	405TS	7,286		324T 324TS	8,637	
	444TS	7,293		326T 326TS	8,637	
	445TS	7,856		364T 364TS	9,008	
	447TS	8,974		365TS	9,008	
449TS	9,816	404TS		9,133		
324T 324TS	7,926	405TS		9,270		
326T	7,926	444T 444TS		9,809		
326TS	7,926	445T 445TS		10,349		
364TS	8,022	447T 447TS		11,429		
365TS	8,367	449T 449TS		11,969		
404TS	8,854	500 5000		12,508		
405TS	8,854					

LIST PRICE SHEET
HORIZONTAL SPLITCASE FIRE PUMP
PUMP AND BASE COMPONENTS
 ELECTRIC MOTOR DRIVE

SINGLE STAGE SPLIT CASE

AP FIRE PUMP HORIZONTAL SPLIT CASE	MOTOR FRAME SIZE	SUG. LIST PRICE (Pump, Base, Coupling Guard, Suc/Dis Gauges,Casing Relief Valve, Cert. Test)	AP FIRE PUMP HORIZONTAL SPLIT CASE	MOTOR FRAME SIZE	SUG. LIST PRICE (Pump, Base, Coupling Guard, Suc/Dis Gauges,Casing Relief Valve, Cert. Test)
4-471-10B	364TS	\$20,685	8-471-20A	444TS	31,094
	365TS	\$20,619		445T/TS	32,217
	404TS	\$20,619		447T/TS	33,121
	405TS	\$20,619		449T/TS	33,121
	444TS	\$20,619		L447T	33,497
	L447TS	\$20,685		L449T	33,121
	L449TS	\$20,685		500	33,497
4-471-10C	286TS	\$20,372	5000	33,121	
	324TS	\$20,372	8-471-20B	445T/TS	32,362
	326TS	\$20,372		447T/TS	33,265
	364TS	\$20,434		449T/TS	33,265
	365TS	\$20,537		L447T	33,265
	404TS	\$20,619		L449T	33,265
	405TS	\$20,619		500	33,641
	444TS	\$20,685		5000	33,265
	L447TS	\$20,685	10-471-16A	444T/TS	27,431
	L449TS	\$20,685		445T/TS	28,554
	405TS	\$17,728		447T/TS	29,457
444TS	\$17,805	449T/TS		29,457	
445TS	\$17,805	L447T		29,834	
447TS	\$17,805	L449T		29,457	
449T/TS	\$17,955	500		29,834	
500	\$19,160	5000	29,457		
5000	\$20,077	10-471-20A	445T/TS	34,687	
365TS	\$16,763		447T/TS	35,591	
404TS	\$17,059		449T/TS	35,591	
405TS	\$17,059		L447T	35,591	
444TS	\$17,135		L449T	35,591	
445TS	\$17,135		500	36,570	
449T	\$17,583		5000	35,607	
5-471-12B	449TS	\$17,583	10-471-20B	445T/TS	34,687
	447TS	\$17,285		447T/TS	35,591
	449T/TS	\$17,285		449T/TS	35,591
	444TS	\$20,588		L447T	35,591
	445TS	\$20,588		L449T	35,591
	447TS	\$20,739		500	35,968
	449T	\$20,739		5000	35,607
5-471-12C	449TS	\$20,739	10-471-26A	447T/TS	47,677
	L447TS	\$20,739		449T	47,677
	L449TS	\$20,739		449TS	47,677
	404TS	\$19,919		L447T	46,010
	405TS	\$20,588		L449T	47,677
	444TS	\$20,588		500	48,054
	445TS	\$20,588		5000	47,677
6-471-12B	447TS	\$20,739	12-471-16A	445T/TS	33,822
	449T	\$20,739		447T/TS	34,726
	449TS	\$20,739		449T/TS	34,726
	500	\$21,945		L447T	35,328
	5000	\$22,861		L449T	34,726
	404TS	\$20,588		500	35,328
	405TS	\$20,588		5000	34,726
6-471-12C	444TS	\$20,588	12-471-16B	445T/TS	34,129
	445TS	\$20,588		447T/TS	35,032
	447TS	\$20,739		449T/TS	35,032
	449T	\$20,739		L447T	35,635
	449TS	\$20,368		L449T	35,032
	L447TS	\$20,739		500	35,635
	L449TS	\$20,739		5000	35,032
	405TS	\$20,588	12-471-16C	447T/TS	35,032
	444TS	\$20,588		449T/TS	35,032
	445TS	\$20,588		L447T	35,032
	447TS	\$20,739		L449T	35,032
449T	\$20,739	500		35,635	
449TS	\$20,739	5000		35,032	
L447TS	\$20,739	12-471-20A		447T/TS	39,231
L449TS	\$20,739		449T/TS	39,231	
404T/TS	\$20,643		L447T	39,231	
405T/TS	\$20,643		L449T	39,231	
444T/TS	\$20,643		500	39,832	
445T/TS	\$21,916		5000	39,231	
447T/TS	\$21,916		12-471-20B	447T/TS	39,327
449T/TS	\$21,916	449T/TS		39,327	
500	\$22,744	L447T		37,661	
586T	\$23,122	L449T		39,327	
587T	\$23,122	500		39,931	
L447T	\$23,122	5000		39,327	
L449T	\$21,916	12-471-26A		5000	43,853
404T/TS	\$26,120		500	43,487	
405T/TS	\$26,120		447T/TS	59,728	
444T/TS	\$26,120		449T/TS	59,728	
445T/TS	\$26,120		L447T	59,728	
449T/TS	\$26,120		L449T	59,728	
L447T	\$26,120		500	59,728	
6-471-12D	L449T	\$20,739	14-471-20A	5000	61,033
	5009/10	\$21,568		447T/TS	59,728
	L447TS	\$21,568		449T/TS	59,728
	L449TS	\$20,739		L447T	59,728
	404T/TS	\$20,643		L449T	59,728
	405T/TS	\$20,643		500	59,728
	444T/TS	\$20,643		5000	61,033
	445T/TS	\$21,916	8-471-13A	447T/TS	39,327
	447T/TS	\$21,916		449T/TS	39,327
	449T/TS	\$21,916		L447T	37,661
	500	\$22,744		L449T	39,327
586T	\$23,122	500		39,931	
587T	\$23,122	5000		39,327	
L447T	\$23,122	8-471-16A		5000	43,853
L449T	\$21,916		500	43,487	
404T/TS	\$26,120		447T/TS	59,728	
405T/TS	\$26,120		449T/TS	59,728	
444T/TS	\$26,120		L447T	59,728	
445T/TS	\$26,120		L449T	59,728	
449T/TS	\$26,120		500	59,728	
L447T	\$26,120	5000	61,033		
6-471-16A	L449T	\$20,739	8-471-16A	447T/TS	59,728
	404T/TS	\$20,643		449T/TS	59,728
	405T/TS	\$20,643		L447T	59,728
	444T/TS	\$20,643		L449T	59,728
	445T/TS	\$21,916		500	59,728
	447T/TS	\$21,916		5000	61,033
	449T/TS	\$21,916		8-471-16A	447T/TS
	500	\$22,744	449T/TS		59,728
	586T	\$23,122	L447T		59,728
	587T	\$23,122	L449T		59,728
	L447T	\$23,122	500		59,728
L449T	\$21,916	5000	61,033		
404T/TS	\$26,120	8-471-16A	447T/TS		59,728
405T/TS	\$26,120		449T/TS	59,728	
444T/TS	\$26,120		L447T	59,728	
445T/TS	\$26,120		L449T	59,728	
449T/TS	\$26,120		500	59,728	
L447T	\$26,120		5000	61,033	
L449T	\$20,739		8-471-16A	447T/TS	59,728
404T/TS	\$20,643	449T/TS		59,728	
405T/TS	\$20,643	L447T		59,728	
444T/TS	\$20,643	L449T		59,728	
445T/TS	\$21,916	500		59,728	
447T/TS	\$21,916	5000		61,033	
449T/TS	\$21,916	8-471-16A		447T/TS	59,728
500	\$22,744		449T/TS	59,728	
586T	\$23,122		L447T	59,728	
587T	\$23,122		L449T	59,728	
L447T	\$23,122		500	59,728	
L449T	\$21,916		5000	61,033	
404T/TS	\$26,120		8-471-16A	447T/TS	59,728
405T/TS	\$26,120	449T/TS		59,728	
444T/TS	\$26,120	L447T		59,728	
445T/TS	\$26,120	L449T		59,728	
449T/TS	\$26,120	500		59,728	
L447T	\$26,120	5000		61,033	
L449T	\$20,739	8-471-16A		447T/TS	59,728
404T/TS	\$20,643		449T/TS	59,728	
405T/TS	\$20,643		L447T	59,728	
444T/TS	\$20,643		L449T	59,728	
445T/TS	\$21,916		500	59,728	
447T/TS	\$21,916		5000	61,033	
449T/TS	\$21,916		8-471-16A	447T/TS	59,728
500	\$22,744	449T/TS		59,728	
586T	\$23,122	L447T		59,728	
587T	\$23,122	L449T		59,728	
L447T	\$23,122	500		59,728	
L449T	\$21,916	5000		61,033	
404T/TS	\$26,120	8-471-16A		447T/TS	59,728
405T/TS	\$26,120		449T/TS	59,728	
444T/TS	\$26,120		L447T	59,728	
445T/TS	\$26,120		L449T	59,728	
449T/TS	\$26,120		500	59,728	
L447T	\$26,120		5000	61,033	
L449T	\$20,739		8-471-16A	447T/TS	59,728
404T/TS	\$20,643	449T/TS		59,728	
405T/TS	\$20,643	L447T		59,728	
444T/TS	\$20,643	L449T		59,728	
445T/TS	\$21,916	500		59,728	
447T/TS	\$21,916	5000		61,033	
449T/TS	\$21,916	8-471-16A		447T/TS	59,728
500	\$22,744		449T/TS	59,728	
586T	\$23,122		L447T	59,728	
587T	\$23,122		L449T	59,728	
L447T	\$23,122		500	59,728	
L449T	\$21,916		5000	61,033	
404T/TS	\$26,120		8-471-16A	447T/TS	59,728
405T/TS	\$26,120	449T/TS		59,728	
444T/TS	\$26,120	L447T		59,728	
445T/TS	\$26,120	L449T		59,728	
449T/TS	\$26,120	500		59,728	
L447T	\$26,120	5000		61,033	
L449T	\$20,739	8-471-16A		447T/TS	59,728
404T/TS	\$20,643		449T/TS	59,728	
405T/TS	\$20,643		L447T	59,728	
444T/TS	\$20,643		L449T	59,728	
445T/TS	\$21,916		500	59,728	
447T/TS	\$21,916		5000	61,033	
449T/TS	\$21,916		8-471-16A	447T/TS	59,728
500	\$22,744	449T/TS		59,728	
586T	\$23,122	L447T		59,728	
587T	\$23,122	L449T		59,728	
L447T	\$23,122	500		59,728	
L449T	\$21,916	5000		61,033	
404T/TS	\$26,120	8-471-16A		447T/TS	59,728
405T/TS	\$26,120		449T/TS	59,728	
444T/TS	\$26,120		L447T	59,728	
445T/TS	\$26,120		L449T	59,728	
449T/TS	\$26,120		500	59,728	
L447T	\$26,120		5000	61,033	
L449T	\$20,739		8-471-16A	447T/TS	59,728
404T/TS	\$20,643	449T/TS		59,728	
405T/TS	\$20,643	L447T		59,728	
444T/TS	\$20,643	L449T		59,728	
445T/TS	\$21,916	500		59,728	
447T/TS	\$21,916	5000		61,033	
449T/TS	\$21,916	8-471-16A		447T/TS	59,728
500	\$22,744		449T/TS	59,728	
586T	\$23,122		L447T	59,728	
587T	\$23,122		L449T	59,728	
L447T	\$23,122		500	59,728	
L449T	\$21,916		5000	61,033	
404T/TS	\$26,120		8-471-16A	447T/TS	59,728
405T/TS	\$26,120	449T/TS		59,728	
444T/TS	\$26,120	L447T		59,728	
445T/TS	\$26,120	L449T		59,728	
449T/TS	\$26,120	500		59,728	
L447T	\$26,120	5000		61,033	
L449T	\$20,739	8-471-16A		447T/TS	59,728
404T/TS	\$20,643		449T/TS	59,728	
405T/TS	\$20,643		L447T	59,728	
444T/TS	\$20,643		L449T	59,728	
445T/TS	\$21,916		500	59,728	
447T/TS	\$21,916		5000	61,033	
449T/TS	\$21,916		8-471-16A	447T/TS	59,728
500	\$22,744	449T/TS		59,728	
586T	\$23,122	L447T		59,728	
587T	\$23,122	L449T		59,728	
L447T	\$23,122	500		59,728	
L449T	\$21,916	5000		61,033	
404T/TS	\$26,120	8-471-16A		447T/TS	59,728
405T/TS	\$26,120		449T/TS	59,728	
444T/TS	\$26,120		L447T	59,728	
445T/TS	\$26,120		L449T	59,728	
449T/TS	\$26,120		500	59,728	
L447T	\$26,120		5000	61,033	
L449T	\$20,739		8-471-16A	447T/TS	59,728
404T/TS	\$20,643	449T/TS		59,728	
405T/TS	\$20,643	L447T		59,728	
444T/TS	\$20,643	L449T		59,728	
445T/TS	\$21,916	500		59,728	
447T/TS	\$21,916	5000		61,033	
449T/TS	\$21,916	8-471-16A		447T/TS	59,728
500	\$22,744		449T/TS	59,728	
586T	\$23,122		L447T	59,728	
587T	\$23,122		L449T	59,728	
L447T	\$23,122		500	59,728	
L449T	\$21,916		5000		

LIST PRICE SHEET
HORIZONTAL SPLITCASE FIRE PUMP
PUMP AND BASE COMPONENTS
 ELECTRIC MOTOR DRIVE

SINGLE STAGE SPLIT CASE

AP FIRE PUMP HORIZONTAL SPLIT CASE	MOTOR FRAME SIZE	SUG. LIST PRICE (Pump, Base, Coupling Guard, Suc/Dis Gauges,Casing Relief Valve, Cert. Test)	AP FIRE PUMP HORIZONTAL SPLIT CASE	MOTOR FRAME SIZE	SUG. LIST PRICE (Pump, Base, Coupling Guard, Suc/Dis Gauges,Casing Relief Valve, Cert. Test)
5-481-17	365TS	\$7,990	6-481-15B	364TS	\$11,205
	404TS	8,118		365TS	11,530
	405TS	8,245		404TS	12,013
	444TS	8,194		405TS	12,104
	445TS	9,656		444TS	12,125
	447TS	10,584		445TS	13,211
5-491-14A	449TS	11,046	6-481-18B	447TS	14,137
	326TS	13,995		449TS	14,600
	364TS	14,139		405TS	10,065
	365TS	14,648		444TS	10,161
	404TS	15,044	445TS	10,835	
5-491-18A/AU	405TS	15,101	6-481-18C	404TS	10,156
	365TS	15,868		405TS	10,929
	404TS	16,266		444TS	11,021
	405TS	16,510		445TS/200HP	12,148
	444TS	16,510		445TS/250HP	12,148
	445TS	16,913		447TS	13,076
	447TS	17,861		449TS	13,537
6-481-11	449TS	18,267	500	13,744	
	286T 286TS	7,104	5000	13,744	
	324T 324TS	7,164	580	14,079	
	364TS	7,221	404TS	11,934	
6-481-11HH	365TS	15,970	6-481-20	405TS	12,197
	404TS	16,061		444TS	12,334
	405TS	16,195		445TS/200HP	13,009
	444TS	16,337		445TS/250HP	13,009
	445TS/200 HP	17,041		447TS	13,936
	445TS-250 HP	17,041		449TS	14,398
	447TS-300 HP	18,360		500	14,603
	449TS	19,749		5000	14,603
	500	20,328		580	14,938
	5000	20,613		364TS	11,284
	580	20,660		365TS	11,469
	5800	20,660		404TS	11,601
6-481-14HH	404TS	16,988	6-491-12A	405TS	12,121
	405TS	17,545		444TS	12,139
	444TS	17,380		445TS	12,139
	445TS/200	17,845		447TS	13,237
	445TS/250	17,845		449TS	13,780
	447TS/300	19,234		500	14,842
	447TS/350	19,234		5000	14,842
	447TS/400	19,234		445TS	20,321
	449TS	20,165	447TS	20,595	
	500	21,202	449TS	21,994	
	5000	21,425	500	23,384	
	580	20,970	5000	23,645	
	5800	20,984	580	23,969	
6-481-15 6-481-15C	6800	21,424	8-481-12	326T	9,216
	326T 326TS	10,265		326TS	9,293
	364T 364TS	10,265		364TS	9,387
	365TS	10,584		365TS	9,552
	404TS	11,073		404TS	10,085
	405TS	11,159	405TS	10,389	
	444TS	11,186	8-481-17B	404TS/100HP	11,500
	445TS	11,531		405TS/125HP	11,802
	447TS	12,234		444TS/150HP	11,895
	449TS	12,576		445TS/200HP	13,009
	500	12,429		445TS/250HP	13,009
580	12,766	447TS/300HP		14,041	
		449TS		14,868	
		500	15,637		
		5000	15,733		
		580	15,972		

LIST PRICE SHEET
HORIZONTAL SPLITCASE FIRE PUMP
PUMP AND BASE COMPONENTS
 ELECTRIC MOTOR DRIVE

SINGLE STAGE SPLIT CASE

AP FIRE PUMP HORIZONTAL SPLIT CASE	MOTOR FRAME SIZE	SUG. LIST PRICE (Pump, Base, Coupling Guard, Suc/Dis Gauges,Casing Relief Valve, Cert. Test)
8-481-21	444TS	\$21,106
	445TS/200HP	22,343
	445TS/250HP	22,343
	447TS/300HP	24,659
	447TS/350HP	24,659
	447TS/400HP	24,659
	449TS	25,812
	500	26,299
	5000	26,756
	580	26,974
05800	27,262	
8-481-21A	445TS/250HP	22,343
	447TS/300HP	24,659
	447TS/350HP	24,659
	447TS/400HP	24,659
	449TS/450HP	25,157
	449TS/500HP	25,157
	5000	27,182
	580	27,325
05800	27,417	
8-481-24	445TS	35,246
	447TS	35,887
	449TS	36,924
	5000	38,694
	580	38,783
	5800	38,871
	6800	39,115
8-491-14A	404TS	18,023
	405TS	18,228
	444TS	18,228
	445TS	18,360
	447TS	19,593
	449TS	20,199
	500	20,373
580	20,732	
8-491-18A	444TS	20,878
	445TS	22,656
	447TS	22,930
	449TS	24,318
	500	25,859
	5000	25,912
	580	26,306
5800	26,779	
10-481-15C	445TS	26,595
	250-300HP	RTF
10-481-18 10-481-18D	444TS	23,129
	445TS	23,539
	447TS/300HP	24,876
	447TS/350HP	24,876
	447TS/400HP	24,876
	449TS/450HP	25,239
	449TS/500HP	25,239
	5000	27,077
	580	27,236
5800	27,473	
10-492-18	447TS	28,850
	449TS	30,206
	5000	31,900
	580	32,020
	5800	32,096
10-491-20	445TS	31,299
	447TS	31,299
	449TS	32,839
	5000	34,290
	580	34,311
	5800	34,324
	6800	34,505
7000	35,230	
12-481-18A	447TS	29,345
	449TS	30,522

AP FIRE PUMP HORIZONTAL SPLIT CASE	MOTOR FRAME SIZE	SUG. LIST PRICE (Pump, Base, Coupling Guard, Suc/Dis Gauges,Casing Relief Valve, Cert. Test)
TWO STAGE SPLIT CASE		
4-485-15	404TS	\$11,256
	405TS	11,551
	444TS	11,551
	445TS	12,059
	447TS	13,077
	449TS	13,585
5-485-12	404TS	15,254
	405TS	15,386
	444TS	15,391
	445TS	15,531
	447TS	16,483
	449TS	17,406
	500	18,740
	5000	19,027
580	19,076	
5800	19,196	
5-485-15	324TS	19,698
	326TS	19,893
	364TS	19,972
	365TS	20,169
	404TS	20,463
	405TS	20,614
	444TS	20,822
	445TS	21,353
447TS	22,414	
449TS	22,944	
6-485-12	405TS	16,579
	444TS	16,579
	445TS	17,240
	447TS	18,132
	449TS	19,288
	5000	20,847
	580	21,037
5800	21,067	
6800	21,471	
6-485-16 6-485-16B	404TS	25,708
	405TS	25,803
	444TS	26,013
	445TS	26,001
	447TS	26,001
	449TS	26,235
	500	27,959
	5000	28,161
	580	28,334
5800	28,433	
6800	28,744	
6-485-17A	364TS	20,261
	365TS	20,579
	404TS	21,277
	405TS	21,361
	444TS	21,418
	445TS	22,096
	447TS	23,431
	449TS	23,847
	500	25,238
	5000	25,325
580	25,532	

NOTE: This page is not for pump only pricing or replacement pump only pricing; price pump only from Section 912 page 21.

LIST PRICE SHEET
HORIZONTAL SPLIT CASE FIRE PUMP
ELECTRIC MOTOR COMPONENTS
230 VOLT OPEN DRIP PROOF 60 HERTZ

		USEM Motors 60 Hertz 230 Volt ODP 1800 RPM			WEG Motors 60 Hertz 230 Volt ODP 1800 RPM			Marathon Motors 60 Hertz 230 Volt ODP 1800 RPM		
HP	RPM	Frame	Part No	List 230 Volt ODP USEM	Frame	Part No	List 230 Volt ODP Weg	Frame	Part No	List 230 Volt ODP Mar
7.5	1800	213T	922-4091-80E-A	458				213T	922-4091-80E-M	1,044
10	1800	215T	922-4491-80E-A	560				215T	922-4491-80E-M	1,101
15	1800	254T	922-4891-80E-A	914	254T	922-4891-80E-V	986	254T	922-4891-80E-M	2,021
20	1800	256T	922-5291-80E-A	1,259	256T	922-5291-80E-V	987	256T	922-5291-80E-M	2,406
25	1800	284TS	922-5691-80E-A	1,454	284TS	922-5691-80E-V	1,202	284TS	922-5691-80E-M	2,049
30	1800	286TS	922-6091-80E-A	1,701	286TS	922-6091-80E-V	1,403	286TS	922-6091-80E-M	1,986
40	1800	324TS	922-6491-80E-A	2,214	324TS	922-6491-80E-V	1,770	324TS	922-6491-80E-M	2,471
50	1800	326TS	922-6891-80E-A	2,546	326TS	922-6891-80E-V	1,972	326TS	922-6891-80E-M	2,878
60	1800	364TS	922-7291-80E-A	3,770	364TS	922-7291-80E-V	2,560	364TS	922-7291-80E-M	3,374
75	1800	365TS	922-7691-80E-A	3,856	365TS	922-7691-80E-V	3,192	365TS	922-7691-80E-M	4,111
100	1800	404TS	922-8091-80E-A	4,208	404TS	922-8091-80E-V	3,673	404TS	922-8091-80E-M	5,241
125	1800	405TS	922-8488-80E-A	5,179				405TS	922-8488-80E-M	5,021
150	1800	444TS	922-8888-80E-A	6,458						
200	1800	445TS	922-9288-80E-A	7,479						
250	1800									
300	1800									
350	1800									
400	1800									
450	1800									
500	1800									

		USEM Motors 60 Hertz 230 Volt ODP 3600 RPM			WEG Motors 60 Hertz 230 Volt ODP 3600 RPM			Marathon Motors 60 Hertz 230 Volt ODP 3600 RPM		
HP	RPM	Frame	Part No	List 230 Volt ODP USEM	Frame	Part No	List 230 Volt ODP Weg	Frame	Part No	List 230 Volt ODP Mar
7.5	3600	184T	920-4091-80E-A	526				184T	920-4091-80E-M	940
10	3600	213T	920-4491-80E-A	660				213T	920-4491-80E-M	989
15	3600	215T	920-4891-80E-A	1,040	215T	920-4891-80E-V	847	215T	920-4891-80E-M	996
20	3600	254T	920-5291-80E-A	1,231	254T	920-5291-80E-V	948	254T	920-5291-80E-M	1,947
25	3600	256T	920-5691-80E-A	1,293	256T	920-5691-80E-V	1,154	256T	920-5691-80E-M	1,523
30	3600	284TS	920-6091-80E-A	1,853	284TS	920-6091-80E-V	1,317	284TS	920-6091-80E-M	2,056
40	3600	286TS	920-6491-80E-A	2,156	286TS	920-6491-80E-V	1,777	286TS	920-6491-80E-M	2,391
50	3600	324TS	920-6891-80E-A	2,208	324TS	920-6891-80E-V	2,170	324TS	920-6891-80E-M	2,672
60	3600	326TS	920-7291-80E-A	2,988	326TS	920-7291-80E-V	2,356	326TS	920-7291-80E-M	2,911
75	3600	364TS	920-7691-80E-A	3,841	364TS	920-7691-80E-V	3,083	364TS	920-7691-80E-M	4,098
100	3600	365TS	920-8091-80E-A	4,003	365TS	920-8091-80E-V	4,171	365TS	920-8091-80E-M	4,121
125	3600	404TS	920-8488-80E-A	4,910	404TS	920-8488-80E-V	4,939	404TS	920-8488-80E-M	4,805
150	3600	405TS	920-8888-80E-A	6,628	405TS	920-8888-80E-V	6,731	405TS	920-8888-80E-M	6,490
200	3600	444TS	920-9288-80E-A	8,364	444TS	920-9288-80E-V	8,400	444TS	920-9288-80E-M	8,194
250	3600	445TS	920-9688-802-A	9,441	445TS	920-9688-802-V	10,161			
300	3600									
350	3600									
400	3600									
450	3600									
500	3600									

NOTE: * SUITABLE FOR PART WIND START ON 230 VOLT ONLY
 FOR 460 VOLT PART WINDING START MOTORS SEE PAGE 13.1

LIST PRICE SHEET
HORIZONTAL SPLIT CASE FIRE PUMP
ELECTRIC MOTOR COMPONENTS
230 VOLT TEFC 60 HERTZ

		USEM Motors 60 Hertz 230 Volt TEFC 1800 RPM			WEG Motors 60 Hertz 230 Volt TEFC 1800 RPM			Marathon Motors 60 Hertz 230 Volt TEFC 1800 RPM		
HP	RPM	Frame	Part No	List 230 Volt TEFC USEM	Frame	Part No	List 230 Volt TEFC Weg	Frame	Part No	List 230 Volt TEFC Mar
7.5	1800	213T	922-4291-80E-A	461				213T	922-4291-80E-M	1,310
10	1800	215T	922-4691-80E-A	559				215T	922-4691-80E-M	1,410
15	1800	254T	922-5091-80E-A	1,095				254T	922-5091-80E-M	2,785
20	1800	256T	922-5491-80E-A	1,523				256T	922-5491-80E-M	1,636
25	1800	284TS	922-5891-80E-A	1,721				284TS	922-5891-80E-M	3,581
30	1800	286TS	922-6291-80E-A	1,935				286TS	922-6291-80E-M	3,054
40	1800	324TS	922-6691-80E-A	2,600				324TS	922-6691-80E-M	4,589
50	1800	326TS	922-7091-80E-A	3,077				326TS	922-7091-80E-M	4,872
60	1800	364TS	922-7491-80E-A	4,712				364TS	922-7491-80E-M	7,510
75	1800	365TS	922-7891-80E-A	4,843				365TS	922-7891-80E-M	7,657
100	1800	405TS	922-8291-80E-A	6,012				405TS	922-8291-80E-M	10,457
125	1800	444TS	922-8688-80E-A	8,113				444TS	922-8688-80E-M	12,987
150	1800	445TS	922-9088-80E-A	12,213						
200	1800	447TS	922-9488-80E-A	12,752						
250	1800									
300	1800									
350	1800									
400	1800									
450	1800									
500	1800									

		USEM Motors 60 Hertz 230 Volt TEFC 3600 RPM			WEG Motors 60 Hertz 230 Volt TEFC 3600 RPM			Marathon Motors 60 Hertz 230 Volt TEFC 3600 RPM		
HP	RPM	Frame	Part No	List 230 Volt TEFC USEM	Frame	Part No	List 230 Volt TEFC Weg	Frame	Part No	List 230 Volt TEFC Mar
7.5	3600	213T	920-4291-80E-A	761				213T	920-4291-80E-M	1,292
10	3600	215T	920-4691-80E-A	798				215T	920-4691-80E-M	1,365
15	3600	254T	920-5091-80E-A	1,408				254T	920-5091-80E-M	2,733
20	3600	256T	920-5491-80E-A	1,548				256T	920-5491-80E-M	2,777
25	3600	284TS	920-5891-80E-A	1,970				284TS	920-5891-80E-M	2,616
30	3600	286TS	920-6291-80E-A	2,059				286TS	920-6291-80E-M	2,741
40	3600	324TS	920-6691-80E-A	2,946				324TS	920-6691-80E-M	2,862
50	3600	326TS	920-7091-80E-A	3,893				326TS	920-7091-80E-M	3,149
60	3600	364TS	920-7491-80E-A	4,570				364TS	920-7491-80E-M	6,996
75	3600	365TS	920-7891-80E-A	5,551				365TS	920-7891-80E-M	7,090
100	3600	405TS	920-8291-80E-A	6,948				405TS	920-8291-80E-M	11,001
125	3600	444TS	920-8688-80E-A	9,455				444TS	920-8688-80E-M	12,450
150	3600	445TS	920-9088-80E-A	11,227						
200	3600	447TS	920-9488-80E-A	13,403						
250	3600									
300	3600									
350	3600									
400	3600									
450	3600									
500	3600									

NOTE: * SUITABLE FOR PART WIND START ON 230 VOLT ONLY
 FOR 460 VOLT PART WINDING START MOTORS REFER TO FACTORY

LIST PRICE SHEET
HORIZONTAL SPLIT CASE FIRE PUMP
ELECTRIC MOTOR COMPONENTS
 380 VOLT ODP 60 HERTZ

		USEM Motors 60 Hertz 380 Volt ODP 1800 RPM			WEG Motors 60 Hertz 380 Volt ODP 1800 RPM			Marathon Motors 60 Hertz 380 Volt ODP 1800 RPM		
HP	RPM	Frame	Part No	List 380 Volt ODP USEM	Frame	Part No	List 380 Volt ODP Weg	Frame	Part No	List 380 Volt ODP Mar
7.5	1800	213T	922-4014-802-A	504				213T	922-4014-802-M	1,044
10	1800	215T	922-4414-802-A	607				215T	922-4414-802-M	1,101
15	1800	254T	922-4814-802-A	1,005	254T	922-4814-802-V	1,008	254T	922-4814-802-M	2,124
20	1800	256T	922-5214-802-A	1,320	256T	922-5214-802-V	1,035	256T	922-5214-802-M	2,527
25	1800	284TS	922-5614-802-A	1,600	284TS	922-5614-802-V	1,250	284TS	922-5614-802-M	3,277
30	1800	286TS	922-6014-802-A	1,871	286TS	922-6014-802-V	1,451	286TS	922-6014-802-M	2,368
40	1800	324TS	922-6414-802-A	2,321	324TS	922-6414-802-V	1,818	364TS	922-6414-802-M	2,778
50	1800	326TS	922-6814-802-A	2,800	326TS	922-6814-802-V	2,019	365TS	922-6814-802-M	2,946
60	1800	364TS	922-7214-802-A	4,148	364TS	922-7214-802-V	2,787	404TS	922-7214-802-M	3,738
75	1800	365TS	922-7614-802-A	5,089	365TS	922-7614-802-V	3,238	405TS	922-7614-80-M	#N/A
100	1800	404TS	922-8014-802-A	4,860	404TS	922-8014-802-V	3,697	405TS	922-8014-802-M	4,463
125	1800	405TS	922-8414-802-A	5,322	405TS	922-8414-802-V	4,490	444TS	922-8414-802-M	4,394
150	1800	444TS	922-8814-802-A	7,235	444TS	922-8814-802-V	6,434	445TS	922-8814-802-M	10,809
200	1800	445TS	922-9214-802-A	8,441	445TS	922-9214-802-V	7,834	447TS	922-9214-802-M	15,220
250	1800	447TS	922-9614-802-A	10,635	445TS	922-9614-802-V	9,196	447TS	922-9614-802-M	15,450
300	1800	447TS	922-0514-802-A	11,402				447TS	922-0514-802-M	21,815
350	1800	449TS	922-1714-802-A	16,077				447TS	922-1714-802-M	21,553
400	1800	449TS	922-2914-802-A	18,791				449TS	922-2914-802-M	25,016
450	1800	5010S	922-4114-802-A	28,991				449TS	922-4114-802-M	33,030
500	1800	5010S	922-5314-802-A	31,738				449TS	922-5314-802-M	35,455

		USEM Motors 60 Hertz 380 Volt ODP 3600 RPM			WEG Motors 60 Hertz 380 Volt ODP 3600 RPM			Marathon Motors 60 Hertz 380 Volt ODP 3600 RPM		
HP	RPM	Frame	Part No	List 380 Volt ODP USEM	Frame	Part No	List 380 Volt ODP Weg	Frame	Part No	List 380 Volt ODP Mar
7.5	3600	184T	920-4014-802-A	547				184T	920-4014-802-M	940
10	3600	213T	920-4414-802-A	707				213T	920-4414-802-M	989
15	3600	215T	920-4814-802-A	1,143	215T	920-4814-802-V	855	215T	920-4814-802-M	1,508
20	3600	254T	920-5214-802-A	1,355	254T	920-5214-802-V	1,046	254T	920-5214-802-M	1,688
25	3600	256T	920-5614-802-A	1,423	256T	920-5614-802-V	1,261	256T	920-5614-802-M	1,454
30	3600	284TS	920-6014-802-A	2,038	284TS	920-6014-802-V	1,431	284TS	920-6014-802-M	2,036
40	3600	286TS	920-6414-802-A	2,372	286TS	920-6414-802-V	1,825	286TS	920-6414-802-M	2,473
50	3600	324TS	920-6814-802-A	2,430	324TS	920-6814-802-V	1,978	324TS	920-6814-802-M	2,853
60	3600	326TS	920-7214-802-A	3,261	326TS	920-7214-802-V	2,607	326TS	920-7214-802-M	3,155
75	3600	364TS	920-7614-802-A	4,225	364TS	920-7614-802-V	3,238	365TS	920-7614-802-M	3,492
100	3600	365TS	920-8014-802-A	4,427	365TS	920-8014-802-V	3,879	404TS	920-8014-802-M	4,818
125	3600	404TS	920-8414-802-A	4,824	404TS	920-8414-802-V	5,346	404TS	920-8414-802-M	4,968
150	3600	405TS	920-8814-802-A	6,312	405TS	920-8814-802-V	7,283	444TS	920-8814-802-M	6,500
200	3600	444TS	920-9214-802-A	10,516	444TS	920-9214-802-V	8,636	445TS	920-9214-802-M	10,534
250	3600	445TS	920-9614-802-A	10,385	445TS	920-9614-802-V	10,427	447TS	920-9614-802-M	10,695
300	3600	447TS	920-0514-802-A	13,584	445TS	920-0514-802-V	14,772	447TS	920-0514-802-M	24,049
350	3600	447TS	920-1714-802-A	23,238				449TS	920-1714-802-M	27,957
400	3600	449TS	920-2914-802-A	27,165				449TS	920-2914-802-M	33,915
450	3600	5012S	920-4114-802-A	36,600				449T	920-4114-802-M	33,131
500	3600	5012S	920-5314-802-A	38,256				449T	920-5314-802-M	34,850

LIST PRICE SHEET
HORIZONTAL SPLIT CASE FIRE PUMP
ELECTRIC MOTOR COMPONENTS
380 VOLT TEFC 60 HERTZ

		USEM 60 Hertz 380 Volt TEFC 1800 RPM			WEG Motors 60 Hertz 380 Volt TEFC 1800 RPM			Marathon Motors 60 Hertz 380 Volt TEFC 1800 RPM		
HP	RPM	Frame	Part No	List 380 Volt TEFC USEM	Frame	Part No	List 380 Volt TEFC Weg	Frame	Part No	List 380 Volt TEFC Mar
7.5	1800	213T	922-4214-802-A	506				213T	922-4214-802-M	1,310
10	1800	215T	922-4614-802-A	605				215T	922-4614-802-M	1,410
15	1800	254T	922-5014-802-A	1,205				254T	922-5014-802-M	2,942
20	1800	256T	922-5414-802-A	1,456				256T	922-5414-802-M	3,057
25	1800	284TS	922-5814-802-A	1,802				284TS	922-5814-802-M	3,782
30	1800	286TS	922-6214-802-A	2,128				286TS	922-6214-802-M	3,228
40	1800	324TS	922-6614-802-A	2,724				324TS	922-6614-802-M	4,850
50	1800	326TS	922-7014-802-A	2,820				326TS	922-7014-802-M	5,148
60	1800	364TS	922-7414-802-A	5,184				364TS	922-7414-802-M	7,936
75	1800	365TS	922-7814-802-A	5,326				365TS	922-7814-802-M	8,091
100	1800	405TS	922-8214-802-A	6,945				405TS	922-8214-802-M	11,048
125	1800	444TS	922-8614-802-A	9,370				444TS	922-8614-802-M	13,722
150	1800	445TS	922-9014-802-A	10,454				445TS	922-9014-802-M	15,979
200	1800	447TS	922-9414-802-A	13,490				447TS	922-9414-802-M	17,235
250	1800	449TS	922-9814-802-A	22,948				447TS	922-9814-802-M	18,080
300	1800	449TS	922-0914-802-A	23,393				447TS	922-0914-802-M	29,642
350	1800	449TS	922-2114-802-A	25,704				449TS	922-2114-802-M	31,145
400	1800	449TS	922-3314-802-A	26,241						
450	1800	5010S	922-4514-802-A	40,895						
500	1800	5010S	922-5714-802-A	47,761						

		USEM Motors 60 Hertz 380 Volt TEFC 3600 RPM			WEG Motors 60 Hertz 380 Volt TEFC 3600 RPM			Marathon Motors 60 Hertz 380 Volt TEFC 3600 RPM		
HP	RPM	Frame	Part No	List 380 Volt TEFC USEM	Frame	Part No	List 380 Volt TEFC Weg	Frame	Part No	List 380 Volt TEFC Mar
7.5	3600	213T	920-4214-802-A	807				213T	920-4214-802-M	1,292
10	3600	215T	920-4614-802-A	844				215T	920-4614-802-M	1,365
15	3600	254T	920-5014-802-A	1,549				254T	920-5014-802-M	3,157
20	3600	256T	920-5414-802-A	1,702				256T	920-5414-802-M	3,208
25	3600	284TS	920-5814-802-A	2,165				284TS	920-5814-802-M	3,023
30	3600	286TS	920-6214-802-A	2,266				286TS	920-6214-802-M	3,168
40	3600	324TS	920-6614-802-A	3,241				324TS	920-6614-802-M	3,306
50	3600	326TS	920-7014-802-A	3,295				326TS	920-7014-802-M	3,639
60	3600	364TS	920-7414-802-A	5,027				364TS	920-7414-802-M	8,081
75	3600	365TS	920-7814-802-A	6,107				365TS	920-7814-802-M	8,186
100	3600	405TS	920-8214-802-A	7,642				405TS	920-8214-802-M	12,708
125	3600	444TS	920-8614-802-A	10,400				444TS	920-8614-802-M	14,380
150	3600	445TS	920-9014-802-A	12,350						
200	3600	447TS	920-9414-802-A	14,743						
250	3600	449TS	920-9814-802-A	25,828						
300	3600	449TS	920-0914-802-A	27,818						
350	3600	449TS	920-2114-802-A	47,556						
400	3600	5010S	920-3314-802-A	54,215						
450	3600	5010S	920-4514-802-A	48,664						
500	3600	5012S	920-5714-802-A	64,174						

SECTION 912 PAGE 11
DATE JANUARY 1, 2020
SUPERSEDES PAGE 11
DATE FEBRUARY 18, 2019

LIST PRICE SHEET
HORIZONTAL SPLIT CASE FIRE PUMP
ELECTRIC MOTOR COMPONENTS
400 Volt ODP 60 HERTZ

Please RTF if these motors are required

LIST PRICE SHEET
HORIZONTAL SPLIT CASE FIRE PUMP
ELECTRIC MOTOR COMPONENTS
460 VOLT ODP 60 HERTZ

		USEM Motors 60 Hertz 460 Volt ODP 1800 RPM			WEG Motors 60 Hertz 460 Volt ODP 1800 RPM			Marathon Motors 60 Hertz 460 Volt ODP 1800 RPM		
HP	RPM	Frame	Part No	List 460 Volt ODP USEM	Frame	Part No	List 460 Volt ODP Weg	Frame	Part No	List 460 Volt ODP Mar
7.5	1800	213T	922-4091-80E-A	458				213T	922-4091-80E-M	1,044
10	1800	215T	922-4491-80E-A	560				215T	922-4491-80E-M	1,101
15	1800	254T	922-4891-80E-A	914	254T	922-4891-80E-V	986	254T	922-4891-80E-M	2,021
20	1800	256T	922-5291-80E-A	1,259	256T	922-5291-80E-V	987	256T	922-5291-80E-M	2,406
25	1800	284TS	922-5691-80E-A	1,454	284TS	922-5691-80E-V	1,202	284TS	922-5691-80E-M	2,049
30	1800	286TS	922-6091-80E-A	1,701	286TS	922-6091-80E-V	1,403	286TS	922-6091-80E-M	1,986
40	1800	324TS	922-6491-80E-A	2,214	324TS	922-6491-80E-V	1,770	324TS	922-6491-80E-M	2,471
50	1800	326TS	922-6891-80E-A	2,546	326TS	922-6891-80E-V	1,972	326TS	922-6891-80E-M	2,878
60	1800	364TS	922-7291-80E-A	3,770	364TS	922-7291-80E-V	2,560	364TS	922-7291-80E-M	3,374
75	1800	365TS	922-7691-80E-A	3,856	365TS	922-7691-80E-V	3,192	365TS	922-7691-80E-M	4,111
100	1800	404TS	922-8091-80E-A	4,208	404TS	922-8091-80E-V	3,673	404TS	922-8091-80E-M	5,241
125	1800	405TS	922-8495-80E-A	4,839	405TS	922-8491-80E-V	4,228	405TS	922-8495-80E-M	5,397
150	1800	444TS	922-8895-80E-A	6,263	444TS	922-8891-80E-V	6,081	444TS	922-8895-80E-M	7,198
200	1800	445TS	922-9295-80E-A	7,308	445TS	922-9295-80E-V	7,412	445TS	922-9295-80E-M	7,526
250	1800	445TS	922-9695-802-A	8,056	445TS	922-9695-802-V	9,196	445TS	922-9695-80E-M	8,287
300	1800	447TS	922-0595-802-A	12,367	447TS	922-0595-802-V	14,432	447TS	922-0595-80E-M	17,922
350	1800	449TS	922-1795-802-A	16,712	447TS	922-1795-802-V	17,173	447TS	922-1795-80E-M	18,050
400	1800	5010S	922-2995-802-A	18,108	447TS	922-2995-802-V	19,254	447TS	922-2995-80E-M	21,043
450	1800	5010S	922-4195-802-A	29,093				449TS	922-4195-80E-M	26,648
500	1800	5010S	922-5395-802-A	31,716				449TS	922-5395-80E-M	27,896

		USEM Motors 60 Hertz 460 Volt ODP 3600 RPM			WEG Motors 60 Hertz 460 Volt ODP 3600 RPM			Marathon Motors 60 Hertz 460 Volt ODP 3600 RPM		
HP	RPM	Frame	Part No	List 460 Volt ODP USEM	Frame	Part No	List 460 Volt ODP Weg	Frame	Part No	List 460 Volt ODP Mar
7.5	3600	184T	920-4091-80E-A	526				184T	920-4091-80E-M	940
10	3600	213T	920-4491-80E-A	660				213T	920-4491-80E-M	989
15	3600	215T	920-4891-80E-A	1,040	215T	920-4891-80E-V	847	215T	920-4891-80E-M	996
20	3600	254T	920-5291-80E-A	1,231	254T	920-5291-80E-V	948	254T	920-5291-80E-M	1,947
25	3600	256T	920-5691-80E-A	1,293	256T	920-5691-80E-V	1,154	256T	920-5691-80E-M	1,523
30	3600	284TS	920-6091-80E-A	1,853	284TS	920-6091-80E-V	1,317	284TS	920-6091-80E-M	2,056
40	3600	286TS	920-6491-80E-A	2,156	286TS	920-6491-80E-V	1,777	286TS	920-6491-80E-M	2,391
50	3600	324TS	920-6891-80E-A	2,208	324TS	920-6891-80E-V	2,170	324TS	920-6891-80E-M	2,672
60	3600	326TS	920-7291-80E-A	2,988	326TS	920-7291-80E-V	2,356	326TS	920-7291-80E-M	2,911
75	3600	364TS	920-7691-80E-A	3,841	364TS	920-7691-80E-V	3,083	364TS	920-7691-80E-M	4,098
100	3600	365TS	920-8091-80E-A	4,003	365TS	920-8091-80E-V	4,171	365TS	920-8091-80E-M	4,121
125	3600	404TS	920-8495-80E-A	4,602	404TS	920-8495-80E-V	5,044	404TS	920-8495-80E-M	4,541
150	3600	405TS	920-8895-80E-A	5,956	405TS	920-8895-80E-V	7,120	405TS	920-8895-80E-M	4,899
200	3600	444TS	920-9295-80E-A	7,966	444TS	920-9295-80E-V	8,577	444TS	920-9295-80E-M	8,194
250	3600	445TS	920-9695-802-A	9,441	445TS	920-9695-802-V	10,377	445TS	920-9695-802-M	9,713
300	3600	447TS	920-0595-802-A	15,734	445TS	920-0595-802-V	14,724	447TS	920-0595-802-M	18,861
350	3600	447TS	920-1795-802-A	25,643	447TS	920-1795-802-V	16,825	447TS	920-1795-802-M	20,210
400	3600	449TS	920-2995-802-A	30,078	447TS	920-2995-802-V	18,176	447TS	920-2995-802-M	23,576
450	3600	5008S	920-4195-802-A	36,358	447TS	920-4195-802-V	19,618	449TS	920-4195-802-M	26,950
500	3600	5010S	920-5395-802-A	37,938	447TS	920-5395-802-V	20,865	449TS	920-5395-802-M	33,798

NOTE: FOR 460 VOLT PART WINDING START SEE NEXT PAGE

LIST PRICE SHEET
HORIZONTAL SPLIT CASE FIRE PUMP
ELECTRIC MOTOR COMPONENTS
 460 VOLT ODP 60 HERTZ

		USEM Motors 60 Hertz 460 Volt ODP 1800 RPM FOR PART WINDING START			WEG Motors 60 Hertz 460 Volt ODP 1800 RPM FOR PART WINDING START			Marathon Motors 60 Hertz 460 Volt ODP 1800 RPM FOR PART WINDING START		
HP	RPM	Frame	Part No	List 460 Volt ODP USEM	Frame	Part No	List 460 Volt ODP Weg	Frame	Part No	List 460 Volt ODP Mar
7.5	1800									
10	1800									
15	1800									
20	1800									
25	1800	256TS	922-5642-80E-A	1,406						
30	1800	284TS	922-6042-80E-A	1,489						
40	1800	324TS	922-6442-80E-A	2,098						
50	1800	324TS	922-6842-80E-A	2,174						
60	1800	326TS	922-7242-80E-A	3,646						
75	1800	364TS	922-7642-80E-A	4,348						
100	1800	365TS	922-8042-80E-A	4,098						
125	1800									
150	1800									
200	1800									
250	1800									
300	1800									
350	1800									
400	1800									
450	1800									
500	1800									

		USEM Motors 60 Hertz 460 Volt ODP 3600 RPM FOR PART WINDING START			WEG Motors 60 Hertz 460 Volt ODP 3600 RPM FOR PART WINDING START			Marathon Motors 60 Hertz 460 Volt ODP 3600 RPM FOR PART WINDING START		
HP	RPM	Frame	Part No	List 460 Volt ODP USEM	Frame	Part No	List 460 Volt ODP Weg	Frame	Part No	List 460 Volt ODP Mar
7.5	3600									
10	3600									
15	3600									
20	3600									
25	3600	284TS	920-5642-80E-A	1,423						
30	3600	286TS	920-6042-80E-A	1,662						
40	3600	324TS	920-6442-80E-A	2,063						
50	3600	326TS	920-6842-80E-A	2,489						
60	3600	364TS	920-7242-80E-A	3,070						
75	3600	365TS	920-7642-80E-A	3,770						
100	3600	404TS	920-8042-80E-A	4,320						
125	3600									
150	3600									
200	3600									
250	3600									
300	3600									
350	3600									
400	3600									
450	3600									
500	3600									

NOTE: THESE MOTORS ARE 460 VOLT PART WINDING START FIRE MOTORS

LIST PRICE SHEET
HORIZONTAL SPLIT CASE FIRE PUMP
ELECTRIC MOTOR COMPONENTS
 460 VOLT TEFC 60 HERTZ

		USEM Motors 60 Hertz 460 Volt TEFC 1800 RPM			WEG Motors 60 Hertz 460 Volt TEFC 1800 RPM			Marathon Motors 60 Hertz 460 Volt TEFC 1800 RPM		
HP	RPM	Frame	Part No	List 460 Volt TEFC USEM	Frame	Part No	List 460 Volt TEFC Weg	Frame	Part No	List 460 Volt TEFC Mar
7.5	1800	213T	922-4291-80E-A	461				213T	922-4291-80E-M	1,310
10	1800	215T	922-4691-80E-A	559				215T	922-4691-80E-M	1,410
15	1800	254T	922-5091-80E-A	1,095				254T	922-5091-80E-M	2,785
20	1800	256T	922-5491-80E-A	1,523				256T	922-5491-80E-M	1,636
25	1800	284TS	922-5891-80E-A	1,721				284TS	922-5891-80E-M	3,581
30	1800	286TS	922-6291-80E-A	1,935				286TS	922-6291-80E-M	3,054
40	1800	324TS	922-6691-80E-A	2,600				324TS	922-6691-80E-M	4,589
50	1800	326TS	922-7091-80E-A	3,077				326TS	922-7091-80E-M	4,872
60	1800	364TS	922-7491-80E-A	4,712				364TS	922-7491-80E-M	7,510
75	1800	365TS	922-7891-80E-A	4,843				365TS	922-7891-80E-M	7,657
100	1800	405TS	922-8291-80E-A	6,012				405TS	922-8291-80E-M	10,457
125	1800	444TS	922-8695-80E-A	8,519				444TS	922-8695-80E-M	12,987
150	1800	445TS	922-9095-80E-A	12,213				445TS	922-9095-80E-M	15,045
200	1800	447TS	922-9495-80E-A	12,752				447TS	922-9495-80E-M	16,228
250	1800	447TS	922-9895-80E-A	21,045				447TS	922-9895-802-M	17,021
300	1800	449TS	922-0995-80E-A	21,455				447TS	922-0995-802-M	27,907
350	1800	449TS	922-2195-80E-A	23,564				447TS	922-2195-802-M	29,325
400	1800	449TS	922-3395-80E-A	24,053				449TS	922-3395-802-M	35,413
450	1800	5010S	922-4595-80E-A	37,451				449TS	922-4595-802-M	69,862
500	1800	5010S	922-5795-80E-A	43,720						

		USEM Motors 60 Hertz 460 Volt TEFC 3600 RPM			WEG Motors 60 Hertz 460 Volt TEFC 3600 RPM			Marathon Motors 60 Hertz 460 Volt TEFC 3600 RPM		
HP	RPM	Frame	Part No	List 460 Volt TEFC USEM	Frame	Part No	List 460 Volt TEFC Weg	Frame	Part No	List 460 Volt TEFC Mar
7.5	3600	213T	920-4291-80E-A	761				213T	920-4291-80E-M	1,292
10	3600	215T	920-4691-80E-A	798				215T	920-4691-80E-M	1,365
15	3600	254T	920-5091-80E-A	1,408				254T	920-5091-80E-M	2,733
20	3600	256T	920-5491-80E-A	1,548				256T	920-5491-80E-M	2,777
25	3600	284TS	920-5891-80E-A	1,970				284TS	920-5891-80E-M	2,616
30	3600	286TS	920-6291-80E-A	2,059				286TS	920-6291-80E-M	2,741
40	3600	324TS	920-6691-80E-A	2,946				324TS	920-6691-80E-M	2,862
50	3600	326TS	920-7091-80E-A	3,893				326TS	920-7091-80E-M	3,149
60	3600	364TS	920-7491-80E-A	4,570				364TS	920-7491-80E-M	6,996
75	3600	365TS	920-7891-80E-A	5,551				365TS	920-7891-80E-M	7,090
100	3600	405TS	920-8291-80E-A	6,948				405TS	920-8291-80E-M	11,001
125	3600	444TS	920-8695-80E-A	9,455				444TS	920-8695-80E-M	12,450
150	3600	445TS	920-9095-80E-A	11,227						
200	3600	447TS	920-9495-80E-A	13,403						
250	3600	449TS	920-9895-80E-A	23,676						
300	3600	449TS	920-0995-80E-A	25,493						
350	3600	449TS	920-2195-80E-A	43,563						
400	3600	449TS	920-3395-80E-A	49,345						
450	3600	5010S	920-4595-80E-A	44,545						
500	3600	5012S	920-5795-80E-A	58,707						

NOTE: FOR 460 VOLT PART WINDING START MOTORS REFER TO FACTORY

LIST PRICE SHEET
HORIZONTAL SPLIT CASE FIRE PUMP
ELECTRIC MOTOR COMPONENTS
 575 VOLT ODP 60 HERTZ

		USEM Motors 60 Hertz 575 Volt ODP 1800 RPM			WEG Motors 60 Hertz 575 Volt ODP 1800 RPM			Marathon Motors 60 Hertz 575 Volt ODP 1800 RPM		
HP	RPM	Frame	Part No	List 575 Volt ODP USEM	Frame	Part No	List 575 Volt ODP Weg	Frame	Part No	List 575 Volt ODP Mar
7.5	1800	213T	922-4011-80E-A	458				213T	922-4011-80E-M	1,044
10	1800	215T	922-4411-80E-A	560				215T	922-4411-80E-M	1,101
15	1800	NA	922-4811-80E-A	798	215T	922-4811-80E-V	1,008	254T	922-4811-80E-M	2,021
20	1800	256T	922-5211-80E-A	1,199	256T	922-5211-80E-V	1,054	256T	922-5211-80E-M	2,406
25	1800	284TS	922-5611-80E-A	1,454	284TS	922-5611-80E-V	1,283	284TS	922-5611-80E-M	2,049
30	1800	286TS	922-6011-80E-A	1,701	286TS	922-6011-80E-V	1,497	286TS	922-6011-80E-M	2,382
40	1800	324TS	922-6411-80E-A	2,109	324TS	922-6411-80E-V	1,888	324TS	922-6411-80E-M	2,471
50	1800	326TS	922-6811-80E-A	2,546	326TS	922-6811-80E-V	2,103	326TS	922-6811-80E-M	2,878
60	1800	364TS	922-7211-80E-A	3,770	364TS	922-7211-80E-V	2,730	364TS	922-7211-80E-M	3,628
75	1800	365TS	922-7611-80E-A	4,626	365TS	922-7611-80E-V	3,405	365TS	922-7611-80E-M	4,418
100	1800	404TS	922-8011-80E-A	4,208	404TS	922-8011-80E-V	3,801	404TS	922-8011-80E-M	5,634
125	1800	405TS	922-8411-80E-A	5,081	405TS	922-8411-80E-V	4,512	405TS	922-8411-80E-M	6,746
150	1800	444TS	922-8811-80E-A	6,576	444TS	922-8811-80E-V	6,487	444TS	922-8811-80E-M	9,282
200	1800	445TS	922-9211-80E-A	7,673	445TS	922-9211-80E-V	7,909	445TS	922-9211-80E-M	10,525
250	1800	445TS	922-9611-802-A	8,661	445TS	922-9611-802-V	9,745	445TS	922-9611-802-M	11,236
300	1800				447/9TS	922-0511-802-V	15,400	447TS	922-0511-802-M	17,922
350	1800				447/9TS	922-1711-802-V	18,323	447TS	922-1711-802-M	18,050
400	1800				447/9TS	922-2911-802-V	20,543	447TS	922-2911-802-M	21,043
450	1800							449TS	922-4111-80E-M	26,648
500	1800							449TS	922-5311-80E-M	27,896

		USEM Motors 60 Hertz 575 Volt ODP 3600 RPM			WEG Motors 60 Hertz 575 Volt ODP 3600 RPM			Marathon Motors 60 Hertz 575 Volt ODP 3600 RPM		
HP	RPM	Frame	Part No	List 575 Volt ODP USEM	Frame	Part No	List 575 Volt ODP Weg	Frame	Part No	List 575 Volt ODP Mar
7.5	3600	184T	920-4011-80E-A	526				184T	920-4011-80E-M	940
10	3600	213T	920-4411-80E-A	660				213T	920-4411-80E-M	989
15	3600	NA	920-4811-80E-A	908	215T	920-4811-80E-V	904	215T	920-4811-80E-M	1,435
20	3600	254T	920-5211-80E-A	1,308	254T	920-5211-80E-V	1,012	254T	920-5211-80E-M	1,947
25	3600	256T	920-5611-80E-A	1,586	256T	920-5611-80E-V	1,231	256T	920-5611-80E-M	1,827
30	3600	284TS	920-6011-80E-A	1,853	284TS	920-6011-80E-V	1,474	284TS	920-6011-80E-M	2,056
40	3600	286TS	920-6411-80E-A	2,301	286TS	920-6411-80E-V	1,896	286TS	920-6411-80E-M	2,391
50	3600	324TS	920-6811-80E-A	2,774	324TS	920-6811-80E-V	2,431	324TS	920-6811-80E-M	2,672
60	3600	326TS	920-7211-80E-A	4,453	326TS	920-7211-80E-V	2,514	326TS	920-7211-80E-M	2,911
75	3600	364TS	920-7611-80E-A	4,202	364TS	920-7611-80E-V	3,288	364TS	920-7611-80E-M	4,536
100	3600	365TS	920-8011-80E-A	4,587	365TS	920-8011-80E-V	4,450	365TS	920-8011-80E-M	5,356
125	3600	404TS	920-8411-80E-A	5,273	404TS	920-8411-80E-V	5,382	404TS	920-8411-80E-M	5,420
150	3600	405TS	920-8811-80E-A	6,828	405TS	920-8811-80E-V	7,720	405TS	920-8811-80E-M	7,022
200	3600	444TS	920-9211-80E-A	7,966	444TS	920-9211-80E-V	9,153	444TS	920-9211-80E-M	8,194
250	3600	445TS	920-9611-802-A	9,441	445TS	920-9611-802-V	11,072	445TS	920-9611-802-M	11,515
300	3600				445TS	920-0511-802-V	15,710	447TS	920-0511-802-M	19,305
350	3600				447/9TS	920-1711-802-V	17,952	447TS	920-1711-802-M	20,210
400	3600				447/9TS	920-2911-802-V	19,394	447TS	920-2911-802-M	23,933
450	3600				447/9TS	920-4111-802-V	20,932	449TS	920-4111-802-M	27,841
500	3600				447/9TS	920-5311-802-V	22,262	449TS	920-5311-802-M	32,815

575 volt motors not suitable for PWS

LIST PRICE SHEET
HORIZONTAL SPLIT CASE FIRE PUMP
ELECTRIC MOTOR COMPONENTS
 575 VOLT TEFC 60 HERTZ

		USEM Motors 60 Hertz 575 Volt TEFC 1800 RPM			WEG Motors 60 Hertz 575 Volt TEFC 1800 RPM			Marathon Motors 60 Hertz 575 Volt TEFC 1800 RPM		
HP	RPM	Frame	Part No	List 575 Volt TEFC USEM	Frame	Part No	List 575 Volt TEFC Weg	Frame	Part No	List 575 Volt TEFC Mar
7.5	1800	213T	922-4211-80E-A	461				213T	922-4211-80E-M	1,092
10	1800	215T	922-4611-80E-A	559				215T	922-4611-80E-M	1,175
15	1800							254T	922-5011-80E-M	2,321
20	1800							256T	922-5411-80E-M	2,413
25	1800							284TS	922-5811-80E-M	2,984
30	1800							286TS	922-6211-80E-M	3,054
40	1800							324TS	922-6611-80E-M	4,589
50	1800							326TS	922-7011-80E-M	4,872
60	1800							364TS	922-7411-80E-M	7,510
75	1800							365TS	922-7811-80E-M	7,657
100	1800							405TS	922-8211-80E-M	10,457
125	1800							444TS	922-8611-80E-M	12,987
150	1800							445TS	922-9011-80E-M	15,045
200	1800							445TS	922-9411-80E-M	16,228
250	1800							449TS	922-9811-802-M	17,021
300	1800							449TS	922-0911-802-M	23,255
350	1800							449TS	922-2111-802-M	24,438
400	1800							449TS	922-3311-802-M	29,511
450	1800							5011	922-4511-802-M	58,218
500	1800									

		USEM Motors 60 Hertz 575 Volt TEFC 3600 RPM			WEG Motors 60 Hertz 575 Volt TEFC 3600 RPM			Marathon Motors 60 Hertz 575 Volt TEFC 3600 RPM		
HP	RPM	Frame	Part No	List 575 Volt TEFC USEM	Frame	Part No	List 575 Volt TEFC Weg	Frame	Part No	List 575 Volt TEFC Mar
7.5	3600	213T	920-4211-80E-A	761				213T	920-4211-80E-M	1,076
10	3600	215T	920-4611-80E-A	798				215T	920-4611-80E-M	1,137
15	3600							254T	920-5011-80E-M	2,277
20	3600							256T	920-5411-80E-M	2,314
25	3600							284TS	920-5811-80E-M	2,616
30	3600							286TS	920-6211-80E-M	2,741
40	3600							324TS	920-6611-80E-M	2,862
50	3600							326TS	920-7011-80E-M	3,149
60	3600							364TS	920-7411-80E-M	6,996
75	3600							365TS	920-7811-80E-M	7,090
100	3600							405TS	920-8211-80E-M	11,001
125	3600							444TS	920-8611-80E-M	12,450
150	3600									
200	3600									
250	3600									
300	3600									
350	3600									
400	3600									
450	3600									
500	3600									

575 volt motors not suitable for PWS

LIST PRICE SHEET
HORIZONTAL SPLIT CASE FIRE PUMP
ELECTRIC MOTOR COMPONENTS
380 VOLT ODP 50 HERTZ

		USEM Motors 50 Hertz 380 Volt ODP 1500 RPM 40°C			WEG Motors 50Hertz 380 Volt ODP 1500 RPM 40°C			Marathon Motors 50Hertz 380 Volt ODP 1500 RPM 40°C		
HP	RPM	Frame	Part No	List 380 Volt ODP USEM	Frame	Part No	List 380 Volt ODP Weg	Frame	Part No	List 380 Volt ODP Mar
7.5	1500	213T	923-4099-802-A	552				213T	923-4099-802-M	1,001
10	1500	215T	923-4499-802-A	665				215T	923-4499-802-M	1,059
15	1500	254T	923-4899-802-A	938	254T	923-4899-802-V	1,032	254T	923-4899-802-M	1,945
20	1500	256T	923-5299-802-A	1,269	256T	923-5299-802-V	1,304	256T	923-5299-802-M	2,308
25	1500	284TS	923-5699-802-A	1,484	284TS	923-5699-802-V	1,433	284TS	923-5699-802-M	2,999
30	1500	286TS	923-6099-802-A	1,841	286TS	923-6099-802-V	1,660	286TS	923-6099-802-M	3,251
40	1500	324TS	923-6499-802-A	2,221	324TS	923-6499-802-V	2,079	324TS	923-6499-802-M	2,557
50	1500	326TS	923-6899-802-A	2,741	326TS	923-6899-802-V	2,468	364TS	923-6899-802-M	3,628
60	1500	364TS	923-7299-802-A	3,364	364TS	923-7299-802-V	3,303	365TS	923-7299-802-M	3,684
75	1500	365TS	923-7699-802-A	3,672	365TS	923-7699-802-V	3,691	404TS	923-7699-802-M	3,772
100	1500	404TS	923-8099-802-A	5,066	404TS	923-8099-802-V	5,070	405TS	923-8099-802-M	4,338
125	1500	405TS	923-8499-802-A	5,737	405TS	923-8499-802-V	5,825	444TS	923-8499-802-M	6,392
150	1500	444TS	923-8899-802-A	7,650	444TS	923-8899-802-V	8,351	445TS	923-8899-802-M	6,556
200	1500	445TS	923-9299-802-A	7,934	445TS	923-9299-802-V	10,171	445TS	923-9299-802-M	7,772
250	1500	447TS	923-9699-802-A	10,569	445TS	923-9699-802-V	12,391	447TS	923-9699-802-M	13,464
300	1500	447TS	923-0599-802-A	13,595	447TS	923-0599-802-V	19,592	447TS	923-0599-802-M	13,326
350	1500	447TS	923-1799-802-A	18,122	447TS	923-1799-802-V	20,496	447TS	923-1799-802-M	19,139
400	1500	449TS	923-2999-802-A	18,665				447TS	923-2999-802-M	22,230
450	1500							449TS	923-4199-802-M	30,201
500	1500									

		USEM Motors 50 Hertz 380 Volt ODP 3000 RPM 40°C			WEG Motors 50Hertz 380 Volt ODP 3000 RPM 40°C			Marathon Motors 50 Hertz 380 Volt ODP 3000 RPM 40°C		
HP	RPM	Frame	Part No	List 380 Volt ODP USEM	Frame	Part No	List 380 Volt ODP Weg	Frame	Part No	List 380 Volt ODP Mar
7.5	3000	184T	921-4099-802-A	620				184T	921-4099-802-M	863
10	3000	213T	921-4499-802-A	775				213T	921-4499-802-M	906
15	3000	215T	921-4899-802-A	1,075	254T	921-4899-802-V	1,156	215T	921-4899-802-M	1,203
20	3000	254T	921-5299-802-A	1,293	256T	921-5299-802-V	1,383	254T	921-5299-802-M	1,266
25	3000	256T	921-5699-802-A	1,698	284TS	921-5699-802-V	1,562	256T	921-5699-802-M	1,733
30	3000	284TS	921-6099-802-A	1,736	286TS	921-6099-802-V	1,892	286TS	921-6099-802-M	1,787
40	3000	286TS	921-6499-802-A	2,802	324TS	921-6499-802-V	2,079	324TS	921-6499-802-M	2,672
50	3000	326TS	921-6899-802-A	2,519	324TS	921-6899-802-V	2,647	326TS	921-6899-802-M	2,911
60	3000	326TS	921-7299-802-A	3,466	326TS	921-7299-802-V	3,154	326TS	921-7299-802-M	3,243
75	3000	364TS	921-7699-802-A	4,003	364TS	921-7699-802-V	3,968	365TS	921-7699-802-M	4,213
100	3000	365TS	921-8099-802-A	4,154	405TS	921-8099-802-V	5,040	404TS	921-8099-802-M	4,480
125	3000	405TS	921-8499-802-A	4,385	404TS	921-8499-802-V	6,939	405TS	921-8499-802-M	4,506
150	3000	405TS	921-8899-802-A	6,950	444TS	921-8899-802-V	10,023	444TS	921-8899-802-M	7,147
200	3000	445TS	921-9299-802-A	8,236	444TS	921-9299-802-V	11,759	445TS	921-9299-802-M	8,472
250	3000	447TS	921-9699-802-A	9,680	445TS	921-9699-802-V	14,218	447TS	921-9699-802-M	11,951
300	3000	447TS	921-0599-802-A	15,355	447TS	921-0599-802-V	20,078	447TS	921-0599-802-M	15,805
350	3000	447TS	921-1799-802-A	17,459	447TS	921-1799-802-V	20,753	447TS	921-1799-802-M	19,647
400	3000	449TS	921-2999-802-A	21,363	447TS	921-2999-802-V	20,184	449TS	921-2999-802-M	27,424
450	3000				447TS	921-4199-802-V	22,539	449TS	921-4199-802-M	28,852
500	3000									

NOTES: 1.) Motors are UL listed with 1.15 service factor, 40 deg. C
 Motors are suitable for Across-The-Line Start and Wye-Delta Start
 2.) Any additional motor requirements consult factory for F.O. Special pricing.

LIST PRICE SHEET
HORIZONTAL SPLIT CASE FIRE PUMP
ELECTRIC MOTOR COMPONENTS
380 VOLT TEFC 50 HERTZ

		USEM Motors 50 Hertz 380 Volt TEFC 1500 RPM 40°C			WEG Motors 50 Hertz 380 Volt TEFC 1500 RPM 40°C			Marathon Motors 50 Hertz 380 Volt TEFC 1500 RPM 40°C		
HP	RPM	Frame	Part No	List 380 Volt TEFC USEM	Frame	Part No	List 380 Volt TEFC Weg	Frame	Part No	List 380 Volt TEFC Mar
7.5	1500	213T	923-4299-802-A	1,189				213T	923-4299-802-M	1,260
10	1500	215T	923-4699-802-A	1,277				215T	923-4699-802-M	1,357
15	1500	254T	923-5099-802-A	1,505	254T	923-5099-802-V	1,304	254T	923-5099-802-M	2,849
20	1500	256T	923-5499-802-A	1,801	256T	923-5499-802-V	1,449	256T	923-5499-802-M	2,957
25	1500	284TS	923-5899-802-A	2,263	284TS	923-5899-802-V	2,078	284TS	923-5899-802-M	3,658
30	1500	324TS	923-6299-802-A	2,648	286TS	923-6299-802-V	2,195	286TS	923-6299-802-M	3,744
40	1500	326TS	923-6699-802-A	2,741	324TS	923-6699-802-V	2,860	326TS	923-6699-802-M	3,337
50	1500	364TS	923-7099-802-A	2,697	326TS	923-7099-802-V	3,082	364TS	923-7099-802-M	4,899
60	1500	365TS	923-7499-802-A	4,098	364TS	923-7499-802-V	5,080	364TS	923-7499-802-M	5,814
75	1500	405TS	923-7899-802-A	5,012	365TS	923-7899-802-V	5,935	365TS	923-7899-802-M	5,930
100	1500	444TS	923-8299-802-A	6,259	405TS	923-8299-802-V	7,522	405TS	923-8299-802-M	7,627
125	1500	445TS	923-8699-802-A	8,463	444TS	923-8699-802-V	10,280	444TS	923-8699-802-M	10,054
150	1500	447TS	923-9099-802-A	9,852	445TS	923-9099-802-V	11,557	445TS	923-9099-802-M	13,379
200	1500	449TS	923-9499-802-A	12,453	447TS	923-9499-802-V	14,426	449TS	923-9499-802-M	16,017
250	1500				449TS	923-9899-802-V	17,212	449TS	923-9899-802-M	31,667
300	1500							449TS	923-0999-802-M	25,149
350	1500									
400	1500									
450	1500									
500	1500									

		USEM Motors 50 Hertz 380 Volt TEFC 3000 RPM 40°C			WEG Motors 50 Hertz 380 Volt TEFC 3000 RPM 40°C			Marathon Motors 50 Hertz 380 Volt TEFC 3000 RPM 40°C		
HP	RPM	Frame	Part No	List 380 Volt TEFC USEM	Frame	Part No	List 380 Volt TEFC Weg	Frame	Part No	List 380 Volt TEFC Mar
7.5	3000	213T	921-4299-802-A	945				213T	921-4299-802-M	1,183
10	3000	215T	921-4699-802-A	1,125				215T	921-4699-802-M	1,248
15	3000	254T	921-5099-802-A	1,469	254T	921-5099-802-V	1,506	254T	921-5099-802-M	2,768
20	3000	256T	921-5499-802-A	1,608	256T	921-5499-802-V	1,601	256T	921-5499-802-M	2,810
25	3000	284TS	921-5899-802-A	2,072	284TS	921-5899-802-V	2,185	284TS	921-5899-802-M	3,175
30	3000	286TS	921-6299-802-A	2,162	286TS	921-6299-802-V	2,459	286TS	921-6299-802-M	3,327
40	3000	324TS	921-6699-802-A	3,235	324TS	921-6699-802-V	3,136	326TS	921-6699-802-M	5,096
50	3000	326TS	921-7099-802-A	3,284	326TS	921-7099-802-V	3,368	364TS	921-7099-802-M	6,993
60	3000	364TS	921-7499-802-A	4,978	364TS	921-7499-802-V	5,133	365TS	921-7499-802-M	7,888
75	3000	365TS	921-7899-802-A	6,005	365TS	921-7899-802-V	6,059	405TS	921-7899-802-M	8,751
100	3000	405TS	921-8299-802-A	7,551	405TS	921-8299-802-V	7,482	444TS	921-8299-802-M	12,889
125	3000	444TS	921-8699-802-A	10,293	444TS	921-8699-802-V	10,435			
150	3000	445TS	921-9099-802-A	12,151	445TS	921-9099-802-V	14,130			
200	3000	447TS	921-9499-802-A	14,881	447TS	921-9499-802-V	16,381			
250	3000				447TS	921-9899-802-V	16,601			
300	3000									
350	3000									
400	3000									
450	3000									
500	3000									

NOTES: 1.) Motors are UL listed with 1.15 service factor, 40 deg. C
 Motors are suitable for Across-The-Line Start and Wye-Delta Start
 2.) Any additional motor requirements consult factory for F.O. Special pricing.

LIST PRICE SHEET
HORIZONTAL SPLIT CASE FIRE PUMP
ELECTRIC MOTOR COMPONENTS
380 VOLT ODP 50 HERTZ
50 Degree Ambient Temperature

		USEM Motors 50 Hertz 380 Volt ODP 1500 RPM 50° C			WEG Motors 50Hertz 380 Volt ODP 1500 RPM 50° C			Marathon Motors 50Hertz 380 Volt ODP 1500 RPM 50° C		
HP	RPM	Frame	Part No	List 380 Volt ODP USEM	Frame	Part No	List 380 Volt ODP Weg	Frame	Part No	List 380 Volt ODP Mar
7.5	1500	213T	923-4099-802-A50	568	215T*	923-4099-802-V50	632			
10	1500	215T	923-4499-802-A50	674	254T	923-4499-802-V50	856			
15	1500	254T	923-4899-802-A50	1,002	256T	923-4899-802-V50	1,054			
20	1500	256T	923-5299-802-A50	1,411	284TS	923-5299-802-V50	1,288			
25	1500	284TS	923-5699-802-A50	1,769	286TS	923-5699-802-V50	1,498			
30	1500	286TS	923-6099-802-A50	2,032	324TS	923-6099-802-V50	1,896			
40	1500	324TS	923-6499-802-A50	2,537	326TS	923-6499-802-V50	1,956			
50	1500	364TS	923-6899-802-A50	3,044	364TS	923-6899-802-V50	2,825			
60	1500	365TS	923-7299-802-A50	3,720	365TS	923-7299-802-V50	3,315			
75	1500	404TS	923-7699-802-A50	4,565	404TS	923-7699-802-V50	3,934			
100	1500	405TS	923-8099-802-A50	5,022	405TS	923-8099-802-V50	4,532			
125	1500	444TS	923-8499-802-A50	5,805	444TS	923-8499-802-V50	6,516			
150	1500	445TS	923-8899-802-A50	7,438	445TS	923-8899-802-V50	7,942			
200	1500	445TS	923-9299-802-A50	8,558	445TS#	923-9299-802-V50	9,787			
250	1500	447TS	923-9699-802-A50	10,861	447/9TS#	923-9699-802-V50	16,157			
300	1500	447TS	923-0599-802-A50	13,742	447/9TS#	923-0599-802-V50	18,485			
350	1500	447TS	923-1799-802-A50	18,054	447/9TS#	923-1799-802-V50	20,825			
400	1500	449TS	923-2999-802-A50	19,459						
450	1500	5008S	923-4199-802-A50	35,427						
500	1500	5010S	923-5399-802-A50	38,513						

		USEM Motors 50 Hertz 380 Volt ODP 3000 RPM 50° C			WEG Motors 50Hertz 380 Volt ODP 3000 RPM 50° C			Marathon Motors 50 Hertz 380 Volt ODP 3000 RPM 50° C		
HP	RPM	Frame	Part No	List 380 Volt ODP USEM	Frame	Part No	List 380 Volt ODP Weg	Frame	Part No	List 380 Volt ODP Mar
7.5	3000	184T	921-4099-802-A50	623	213T*	921-4099-802-V50	591			
10	3000	213T	921-4499-802-A50	777	215T*	921-4499-802-V50	667			
15	3000	215T	921-4899-802-A50	1,091	254T*	921-4899-802-V50	1,057			
20	3000	254T	921-5299-802-A50	1,401	256T	921-5299-802-V50	1,124			
25	3000	256T	921-5699-802-A50	1,667	284TS	921-5699-802-V50	1,281			
30	3000	286TS	921-6099-802-A50	1,842	286TS	921-6099-802-V50	1,736			
40	3000	324TS	921-6499-802-A50	2,510	286TS	921-6499-802-V50	2,105			
50	3000	326TS	921-6899-802-A50	2,659	326TS	921-6899-802-V50	2,524			
60	3000	324TS	921-7299-802-A50	3,605	364TS	921-7299-802-V50	3,196			
75	3000	364TS	921-7699-802-A50	4,326	365TS	921-7699-802-V50	4,070			
100	3000	365TS	921-8099-802-A50	4,845	404TS	921-8099-802-V50	5,405			
125	3000	405TS	921-8499-802-A50	5,637	405TS	921-8499-802-V50	6,995			
150	3000	444TS	921-8899-802-A50	7,538	444TS	921-8899-802-V50	9,193			
200	3000	445TS	921-9299-802-A50	8,359	445TS	921-9299-802-V50	11,019			
250	3000	447TS	921-9699-802-A50	10,475	445TS	921-9699-802-V50	12,939			
300	3000	447TS	921-0599-802-A50	16,149	447/9TS	921-0599-802-V50	16,183			
350	3000	447TS	921-1799-802-A50	18,254	447/9TS	921-1799-802-V50	16,829			
400	3000	449TS	921-2999-802-A50	21,141	447/9TS	921-2999-802-V50	18,512			
450	3000	5010S	921-4199-802-A50	42,547	447/9TS	921-4199-802-V50	20,671			
500	3000	5010S	921-5399-802-A50	45,835						

- NOTES: 1.) Motors are UL listed with 1.15 service factor, 50 deg. C
Motors are suitable for Across-The-Line Start and Wye-Delta Start
2.) Any additional motor requirements consult factory for F.O. Special pricing.
3.) *=Steel Frame
4.) # Class H Insulation
5.) Weg are IP55 Motors

LIST PRICE SHEET
HORIZONTAL SPLIT CASE FIRE PUMP
ELECTRIC MOTOR COMPONENTS
 380 VOLT TEFC 50 HERTZ
 50 Degree Ambient Temperature

		USEM Motors 50 Hertz 380 Volt TEFC 1500 RPM 50° C			WEG Motors 50 Hertz 380 Volt TEFC 1500 RPM 50° C			Marathon Motors 50 Hertz 380 Volt TEFC 1500 RPM 50° C		
HP	RPM	Frame	Part No	List 380 Volt TEFC USEM	Frame	Part No	List 380 Volt TEFC Weg 50° C	Frame	Part No	List 380 Volt TEFC Mar50° C
7.5	1500	213T	923-4299-802-A50	963	215T	923-4299-802-V50	750			
10	1500	215T	923-4699-802-A50	1,030	254T	923-4699-802-V50	1,113			
15	1500	256T	923-5099-802-A50	1,221	256T	923-5099-802-V50	1,285			
20	1500	284TS	923-5499-802-A50	1,491	284TS	923-5499-802-V50	1,785			
25	1500	286TS	923-5899-802-A50	1,846	286TS	923-5899-802-V50	1,863			
30	1500	324TS	923-6299-802-A50	2,177	324TS	923-6299-802-V50	2,452			
40	1500	326TS	923-6699-802-A50	2,749	326TS	923-6699-802-V50	2,641			
50	1500	364TS	923-7099-802-A50	2,877	364TS	923-7099-802-V50	4,428			
60	1500	365TS	923-7499-802-A50	4,277	365TS	923-7499-802-V50	4,927			
75	1500	405TS	923-7899-802-A50	5,269	404TS	923-7899-802-V50	6,245			
100	1500	444TS	923-8299-802-A50	6,626	444TS	923-8299-802-V50	8,789			
125	1500	445TS	923-8699-802-A50	8,829	445TS	923-8699-802-V50	9,594			
150	1500	447TS	923-9099-802-A50	10,219	447TS	923-9099-802-V50	12,216			
200	1500	449TS	923-9499-802-A50	25,539	449TS#	923-9499-802-V50	18,207			
250	1500	449TS	923-9899-802-A50	25,539	586/7TS#	923-9899-802-V50	26,101			
300	1500	449TS	923-0999-802-A50	26,038	586/7TS#	923-0999-802-V50	31,296			
350	1500	449TS	923-2199-802-A50	30,054	586/7TS#	923-2199-802-V50	34,200			
400	1500	449TS	923-3399-802-A50	29,222	586/7TS#	923-3399-802-V50	37,648			
450	1500	5010S	923-4599-802-A50	45,584						
500	1500	5010S	923-5799-802-A50	53,263						

		USEM Motors 50 Hertz 380 Volt TEFC 3000 RPM 50° C			WEG Motors 50 Hertz 380 Volt TEFC 3000 RPM 50° C			Marathon Motors 50 Hertz 380 Volt TEFC 3000 RPM 50° C		
HP	RPM	Frame	Part No	List 380 Volt TEFC USEM	Frame	Part No	List 380 Volt TEFC Weg	Frame	Part No	List 380 Volt TEFC Mar
7.5	3000	213T	921-4299-802-A50	994	215T	921-4299-802-V50	719			
10	3000	215T	921-4699-802-A50	1,173	215T	921-4699-802-V50	755			
15	3000	254T	921-5099-802-A50	1,533	254T	921-5099-802-V50	1,196			
20	3000	256T	921-5499-802-A50	1,672	256T	921-5499-802-V50	1,441			
25	3000	284TS	921-5899-802-A50	2,178	286TS	921-5899-802-V50	1,988			
30	3000	324TS	921-6299-802-A50	2,302	324TS	921-6299-802-V50	2,668			
40	3000	326TS	921-6699-802-A50	3,219	324TS	921-6699-802-V50	2,801			
50	3000	364TS	921-7099-802-A50	3,306	326TS	921-7099-802-V50	3,039			
60	3000	365TS	921-7499-802-A50	4,919	364/5TS	921-7499-802-V50	5,231			
75	3000	405TS	921-7899-802-A50	5,978	404/5TS	921-7899-802-V50	6,460			
100	3000	444TS	921-8299-802-A50	7,558	444/5TS	921-8299-802-V50	9,354			
125	3000	445TS	921-8699-802-A50	10,169	444/5TS	921-8699-802-V50	11,017			
150	3000	447TS	921-9099-802-A50	11,774	445/7TS	921-9099-802-V50	14,685			
200	3000	447TS	921-9499-802-A50	14,966	445/7TS	921-9499-802-V50	15,588			
250	3000	449TS	921-9899-802-A50	28,761	586/7TS	921-9899-802-V50	26,933			
300	3000	449TS	921-0999-802-A50	30,986	586/7TS	921-0999-802-V50	30,714			
350	3000	449TS	921-2199-802-A50	35,331						
400	3000	5010S	921-3399-802-A50	42,056						
450	3000	5010S	921-4599-802-A50	54,273						
500	3000	5012S	921-5799-802-A50	71,617						

- NOTES: 1.) Motors are UL listed with 1.15 service factor, 50 deg. C
 Motors are suitable for Across-The-Line Start and Wye-Delta Start
 2.) Any additional motor requirements consult factory for F.O. Special pricing.
 3.) Weg are IP55 Motors

LIST PRICE SHEET
HORIZONTAL SPLIT CASE FIRE PUMP
ELECTRIC MOTOR COMPONENTS
415 VOLT ODP 50 HERTZ

		USEM Motors 50 Hertz 415 Volt ODP 1500 RPM 40°C			WEG Motors 50 Hertz 415 Volt ODP 1500 RPM 40°C			Marathon Motors 50 Hertz 415 Volt ODP 1500 RPM 40°C		
HP	RPM	Frame	Part No	List 415 Volt ODP USEM	Frame	Part No	List 415 Volt ODP Weg	Frame	Part No	List 415 Volt ODP Mar
7.5	1500	213T	923-4072-802-A	939				213T	923-4072-802-M	1,001
10	1500	215T	923-4472-802-A	665				215T	923-4472-802-M	1,059
15	1500	254T	923-4872-802-A	938	254T	923-4872-802-V	1,072	254T	923-4872-802-M	1,702
20	1500	256T	923-5272-802-A	1,380	284TS	923-5272-802-V	1,405	256T	923-5272-802-M	1,751
25	1500	284TS	923-5672-802-A	1,672	284TS	923-5672-802-V	1,433	284TS	923-5672-802-M	1,807
30	1500	324TS	923-6072-802-A	1,956	286TS	923-6072-802-V	1,660	286TS	923-6072-802-M	2,280
40	1500	326TS	923-6472-802-A	2,427	324TS	923-6472-802-V	2,127	324TS	923-6472-802-M	2,693
50	1500	364TS	923-6872-802-A	2,928	326TS	923-6872-802-V	2,468	364TS	923-6872-802-M	2,861
60	1500	365TS	923-7272-802-A	3,793	365TS	923-7272-802-V	3,613	365TS	923-7272-802-M	3,719
75	1500	404TS	923-7672-802-A	4,435	365TS	923-7672-802-V	3,691	404TS	923-7672-802-M	3,646
100	1500	405TS	923-8072-802-A	4,841	405TS	923-8072-802-V	4,940	405TS	923-8072-802-M	4,612
125	1500	444TS	923-8472-802-A	5,565	405TS	923-8472-802-V	5,825	444TS	923-8472-802-M	4,834
150	1500	445TS	923-8872-802-A	7,204	445TS	923-8872-802-V	8,660	445TS	923-8872-802-M	8,737
200	1500	445TS	923-9272-802-A	10,086	445TS	923-9272-802-V	10,671	445TS	923-9272-802-M	8,784
250	1500	447TS	923-9672-802-A	10,569	447TS	923-9672-802-V	15,902	447TS	923-9672-802-M	10,380
300	1500	447TS	923-0572-802-A	13,595	447TS	923-0572-802-V	18,194	447TS	923-0572-802-M	13,335
350	1500	447TS	923-1772-802-A	19,848	447TS	923-1772-802-V	20,496	447TS	923-1772-802-M	18,975
400	1500	449TS	923-2972-802-A	19,598				449TS	923-2972-802-M	20,175
450	1500							449TS	923-4172-802-M	31,791
500	1500									

		USEM Motors 50 Hertz 415 Volt ODP 3000 RPM 40°C			WEG Motors 50 Hertz 415 Volt ODP 3000 RPM 40°C			Marathon Motors 50 Hertz 415 Volt ODP 3000 RPM 40°C		
HP	RPM	Frame	Part No	List 415 Volt ODP USEM	Frame	Part No	List 415 Volt ODP Weg	Frame	Part No	List 415 Volt ODP Mar
7.5	3000	184T	921-4072-802-A	620				184T	921-4072-802-M	863
10	3000	213T	921-4472-802-A	775				213T	921-4472-802-M	906
15	3000	254T	921-4872-802-A	1,043	254T	921-4872-802-V	1,008	215T	921-4872-802-M	1,383
20	3000	256T	921-5272-802-A	1,337	254T	921-5272-802-V	1,156	254T	921-5272-802-M	1,876
25	3000	284TS	921-5672-802-A	1,604	256T	921-5672-802-V	1,383	256T	921-5672-802-M	1,552
30	3000	286TS	921-6072-802-A	1,736	284TS	921-6072-802-V	1,562	284TS	921-6072-802-M	1,999
40	3000	324TS	921-6472-802-A	2,478	286TS	921-6472-802-V	2,079	324TS	921-6472-802-M	2,076
50	3000	326TS	921-6872-802-A	2,667	324TS	921-6872-802-V	2,647	326TS	921-6872-802-M	2,611
60	3000	364TS	921-7272-802-A	3,466	326TS	921-7272-802-V	3,154	326TS	921-7272-802-M	4,016
75	3000	365TS	921-7672-802-A	4,353	364TS	921-7672-802-V	3,968	364TS	921-7672-802-M	4,076
100	3000	404TS	921-8072-802-A	4,666	365TS	921-8072-802-V	5,040	365TS	921-8072-802-M	4,795
125	3000	405TS	921-8472-802-A	5,379	404TS	921-8472-802-V	6,939	405TS	921-8472-802-M	5,529
150	3000	444TS	921-8872-802-A	7,531	444TS	921-8872-802-V	10,023	444TS	921-8872-802-M	5,164
200	3000	445TS	921-9272-802-A	7,993	444TS	921-9272-802-V	11,759	445TS	921-9272-802-M	8,222
250	3000	447TS	921-9672-802-A	9,680	445TS	921-9672-802-V	14,218	447TS	921-9672-802-M	9,959
300	3000	447TS	921-0572-802-A	16,123	447TS	921-0572-802-V	20,078	447TS	921-0572-802-M	15,805
350	3000	447TS	921-1772-802-A	18,332	447TS	921-1772-802-V	20,753	447TS	921-1772-802-M	22,055
400	3000	449TS	921-2972-802-A	23,398	447TS	921-2972-802-V	22,621	449TS	921-2972-802-M	25,089
450	3000				447TS	921-4172-802-V	22,539	449TS	921-4172-802-M	30,370
500	3000									

NOTES 1.) Motors are UL listed with 1.15 service factor, 40 deg. C
 Motors are suitable for Across-The-Line Start and Wye-Delta Start
 2.) Any additional motor requirements consult factory for F.O. Special pricing.

LIST PRICE SHEET
HORIZONTAL SPLIT CASE FIRE PUMP
ELECTRIC MOTOR COMPONENTS
 415 VOLT TEFC 50 HERTZ

		USEM Motors 50 Hertz 415 Volt TEFC 1500 RPM 40°C			WEG Motors 50 Hertz 415 Volt TEFC 1500 RPM 40°C			Marathon Motors 50Hertz 415 Volt TEFC 1500 RPM 40°C		
HP	RPM	Frame	Part No	List 415 Volt TEFC USEM	Frame	Part No	List 415 Volt TEFC Weg	Frame	Part No	List 415 Volt TEFC Mar
7.5	1500	213T	923-4272-802-A	915				213T	923-4272-802-M	1,260
10	1500	215T	923-4672-802-A	982				215T	923-4672-802-M	1,357
15	1500	256T	923-5072-802-A	1,157	254T	923-5072-802-V	1,304	254T	923-5072-802-M	2,849
20	1500	284TS	923-5472-802-A	1,385	256T	923-5472-802-V	1,449	256T	923-5472-802-M	2,957
25	1500	286TS	923-5872-802-A	1,741	284TS	923-5872-802-V	2,078	284TS	923-5872-802-M	3,658
30	1500	324TS	923-6272-802-A	2,037	286TS	923-6272-802-V	2,195	286TS	923-6272-802-M	3,744
40	1500	326TS	923-6672-802-A	3,002	324TS	923-6672-802-V	2,860	326TS	923-6672-802-M	3,337
50	1500	364TS	923-7072-802-A	2,697	326TS	923-7072-802-V	3,082	364TS	923-7072-802-M	4,899
60	1500	365TS	923-7472-802-A	4,098	364TS	923-7472-802-V	5,080	364TS	923-7472-802-M	5,814
75	1500	405TS	923-7872-802-A	5,012	365TS	923-7872-802-V	5,935	365TS	923-7872-802-M	5,930
100	1500	444TS	923-8272-802-A	6,572	405TS	923-8272-802-V	7,522	405TS	923-8272-802-M	7,627
125	1500	445TS	923-8672-802-A	8,463	444TS	923-8672-802-V	10,280	444TS	923-8672-802-M	11,490
150	1500	447TS	923-9072-802-A	9,852	445TS	923-9072-802-V	11,557	445TS	923-9072-802-M	13,379
200	1500	449TS	923-9472-802-A	13,433	447TS	923-9472-802-V	14,426	449TS	923-9472-802-M	16,017
250	1500	NA	923-9872-802-A	NA	449TS	923-9872-802-V	20,654	449TS	923-9872-802-M	31,667
300								449TS	923-0972-802-M	25,149
350										
400										
450										
500										

		USEM Motors 50 Hertz 415 Volt TEFC 3000 RPM 40°C			WEG Motors 50 Hertz 415 Volt TEFC 3000 RPM 40°C			Marathon Motors 50 Hertz 415 Volt TEFC 3000 RPM 40°C		
HP	RPM	Frame	Part No	List 415 Volt TEFC USEM	Frame	Part No	List 415 Volt TEFC Weg	Frame	Part No	List 415 Volt TEFC Mar
7.5	3000	213T	921-4272-802-A	900				213T	921-4272-802-M	1,127
10	3000	215T	921-4672-802-A	1,071				215T	921-4672-802-M	1,189
15	3000	254T	921-5072-802-A	1,399	254T	921-5072-802-V	1,434	254T	921-5072-802-M	2,636
20	3000	256T	921-5472-802-A	1,531	256T	921-5472-802-V	1,525	256T	921-5472-802-M	2,676
25	3000	284TS	921-5872-802-A	1,973	284TS	921-5872-802-V	2,081	284TS	921-5872-802-M	3,024
30	3000	324TS	921-6272-802-A	2,059	286TS	921-6272-802-V	2,342	286TS	921-6272-802-M	3,169
40	3000	326TS	921-6672-802-A	2,934	324TS	921-6672-802-V	2,987	326TS	921-6672-802-M	4,853
50	3000	364TS	921-7072-802-A	2,979	326TS	921-7072-802-V	3,208	364TS	921-7072-802-M	6,660
60	3000	365TS	921-7472-802-A	4,515	364TS	921-7472-802-V	4,889	365TS	921-7472-802-M	NA
75	3000	405TS	921-7872-802-A	5,447	365TS	921-7872-802-V	5,770	405TS	921-7872-802-M	NA
100	3000	444TS	921-8272-802-A	6,849	405TS	921-8272-802-V	7,126	444TS	921-8272-802-M	12,275
125	3000	445TS	921-8672-802-A	9,336	444TS	921-8672-802-V	9,938			
150	3000	447TS	921-9072-802-A	11,021	445TS	921-9072-802-V	11,702			
200	3000	447TS	921-9472-802-A	13,497	447TS	921-9472-802-V	15,601			
250					449TS	921-9872-802-V	15,810			
300										
350										
400										
450										
500										

NOTES: 1.) Motors are UL listed with 1.15 service factor, 40 deg. C
 Motors are suitable for Across-The-Line Start and Wye-Delta Start
 2.) Any additional motor requirements consult factory for F.O. Special pricing.

LIST PRICE SHEET
HORIZONTAL SPLIT CASE FIRE PUMP
ELECTRIC MOTOR COMPONENTS
415 VOLT ODP 50 HERTZ
50 Degree Ambient Temperature

		USEM Motors 50 Hertz 415 Volt ODP 1500 RPM 50° C			WEG Motors 50Hertz 415 Volt ODP 1500 RPM 50° C			Marathon Motors 50Hertz 415 Volt ODP 1500 RPM 50° C		
HP	RPM	Frame	Part No	List 415 Volt ODP USEM	Frame	Part No	List 415 Volt ODP Weg	Frame	Part No	List 415 Volt ODP Mar
7.5	1500	213T	923-4072-802-A50	568	215T*	923-4072-802-V50	632			
10	1500	215T	923-4472-802-A50	674	254T	923-4472-802-V50	856			
15	1500	254T	923-4872-802-A50	1,002	256T	923-4872-802-V50	1,054			
20	1500	256T	923-5272-802-A50	1,411	284TS	923-5272-802-V50	1,288			
25	1500	284TS	923-5672-802-A50	1,769	286TS	923-5672-802-V50	1,498			
30	1500	286TS	923-6072-802-A50	2,032	324TS	923-6072-802-V50	1,896			
40	1500	324TS	923-6472-802-A50	2,537	326TS	923-6472-802-V50	1,956			
50	1500	364TS	923-6872-802-A50	3,044	364TS	923-6872-802-V50	2,825			
60	1500	365TS	923-7272-802-A50	3,720	365TS	923-7272-802-V50	3,315			
75	1500	404TS	923-7672-802-A50	4,565	404TS	923-7672-802-V50	3,934			
100	1500	405TS	923-8072-802-A50	5,273	405TS	923-8072-802-V50	4,532			
125	1500	444TS	923-8472-802-A50	5,805	444TS	923-8472-802-V50	6,516			
150	1500	445TS	923-8872-802-A50	7,438	445TS	923-8872-802-V50	7,942			
200	1500	445TS	923-9272-802-A50	8,558	445TS#	923-9272-802-V50	9,787			
250	1500	447TS	923-9672-802-A50	10,861	447/9TS#	923-9672-802-V50	16,157			
300	1500	447TS	923-0572-802-A50	14,429	447/9TS#	923-0572-802-V50	18,485			
350	1500	447TS	923-1772-802-A50	18,054	447/9TS#	923-1772-802-V50	20,825			
400	1500	449TS	923-2972-802-A50	20,432						
450	1500	5008S	923-4172-802-A50	35,427						
500	1500	5010S	923-5372-802-A50	38,513						

		USEM Motors 50 Hertz 415 Volt ODP 3000 RPM 50° C			WEG Motors 50Hertz 415 Volt ODP 3000 RPM 50° C			Marathon Motors 50 Hertz 415 Volt ODP 3000 RPM 50° C		
HP	RPM	Frame	Part No	List 415 Volt ODP USEM	Frame	Part No	List 415 Volt ODP Weg	Frame	Part No	List 415 Volt ODP Mar
7.5	3000	184T	921-4072-802-A50	623	213T*	921-4072-802-V50	591			
10	3000	213T	921-4472-802-A50	777	215T*	921-4472-802-V50	667			
15	3000	215T	921-4872-802-A50	1,091	254T	921-4872-802-V50	1,057			
20	3000	254T	921-5272-802-A50	1,401	256T	921-5272-802-V50	1,124			
25	3000	256T	921-5672-802-A50	1,667	284TS	921-5672-802-V50	1,281			
30	3000	284TS	921-6072-802-A50	1,842	286TS	921-6072-802-V50	1,736			
40	3000	286TS	921-6472-802-A50	2,510	324TS	921-6472-802-V50	2,105			
50	3000	324TS	921-6872-802-A50	2,659	326TS	921-6872-802-V50	2,524			
60	3000	364TS	921-7272-802-A50	3,785	364TS	921-7272-802-V50	3,196			
75	3000	364TS	921-7672-802-A50	4,326	365TS	921-7672-802-V50	4,070			
100	3000	365TS	921-8072-802-A50	4,845	404TS	921-8072-802-V50	5,405			
125	3000	405TS	921-8472-802-A50	5,919	405TS	921-8472-802-V50	6,995			
150	3000	444TS	921-8872-802-A50	7,915	444TS	921-8872-802-V50	9,193			
200	3000	445TS	921-9272-802-A50	8,777	445TS	921-9272-802-V50	11,019			
250	3000	447TS	921-9672-802-A50	10,999	445TS	921-9672-802-V50	12,939			
300	3000	447TS	921-0572-802-A50	16,149	447/9TS	921-0572-802-V50	16,183			
350	3000	447TS	921-1772-802-A50	19,167	447/9TS	921-1772-802-V50	16,829			
400	3000	449TS	921-2972-802-A50	21,141	447/9TS	921-2972-802-V50	18,512			
450	3000	5010S	921-4172-802-A50	42,547	447/9TS	921-4172-802-V50	20,671			
500	3000	5010S	921-5372-802-A50	45,835						

- NOTES: 1.) Motors are UL listed with 1.15 service factor, 50 deg. C
Motors are suitable for Across-The-Line Start and Wye-Delta Start
2.) Any additional motor requirements consult factory for F.O. Special pricing.
3.) *=Steel Frame
4.) # Class H Insulation
5.) Weg are IP55 Motors

LIST PRICE SHEET
HORIZONTAL SPLIT CASE FIRE PUMP
ELECTRIC MOTOR COMPONENTS
 415 VOLT TEFC 50 HERTZ
 50 Degree Ambient Temperature

		USEM Motors 50 Hertz 415 Volt TEFC 1500 RPM 50° C			WEG Motors 50 Hertz 415 Volt TEFC 1500 RPM 50° C			Marathon Motors 50 Hertz 415 Volt TEFC 1500 RPM 50° C		
HP	RPM	Frame	Part No	List 415 Volt TEFC USEM	Frame	Part No	List 415 Volt TEFC Weg 50° C	Frame	Part No	List 415 Volt TEFC Mar 50° C
7.5	1500	213T	923-4272-802-A50	963	215T	923-4272-802-V50	750			
10	1500	215T	923-4672-802-A50	1,030	254T	923-4672-802-V50	1,113			
15	1500	256T	923-5072-802-A50	1,221	256T	923-5072-802-V50	1,285			
20	1500	284TS	923-5472-802-A50	1,491	284TS	923-5472-802-V50	1,785			
25	1500	286TS	923-5872-802-A50	1,846	286TS	923-5872-802-V50	1,863			
30	1500	324TS	923-6272-802-A50	2,177	324TS	923-6272-802-V50	2,452			
40	1500	326TS	923-6672-802-A50	2,749	326TS	923-6672-802-V50	2,641			
50	1500	364TS	923-7072-802-A50	2,877	364TS	923-7072-802-V50	4,428			
60	1500	365TS	923-7472-802-A50	4,277	365TS	923-7472-802-V50	4,927			
75	1500	405TS	923-7872-802-A50	5,269	404TS	923-7872-802-V50	6,245			
100	1500	444TS	923-8272-802-A50	6,626	444TS	923-8272-802-V50	8,789			
125	1500	445TS	923-8672-802-A50	8,829	445TS	923-8672-802-V50	9,594			
150	1500	447TS	923-9072-802-A50	10,219	447TS	923-9072-802-V50	12,216			
200	1500	449TS	923-9472-802-A50	26,816	449TS#	923-9472-802-V50	18,207			
250	1500	449TS	923-9872-802-A50	25,539	586/7TS#	923-9872-802-V50	26,101			
300	1500	449TS	923-0972-802-A50	26,038	586/7TS#	923-0972-802-V50	31,296			
350	1500	449TS	923-2172-802-A50	28,623	586/7TS#	923-2172-802-V50	34,200			
400	1500	449TS	923-3372-802-A50	29,222	586/7TS#	923-3372-802-V50	37,648			
450	1500	5010S	923-4572-802-A50	45,584						
500	1500	5010S	923-5772-802-A50	53,263						

		USEM Motors 50 Hertz 415 Volt TEFC 3000 RPM 50° C			WEG Motors 50 Hertz 415 Volt TEFC 3000 RPM 50° C			Marathon Motors 50 Hertz 415 Volt TEFC 3000 RPM 50° C		
HP	RPM	Frame	Part No	List 415 Volt TEFC USEM	Frame	Part No	List 415 Volt TEFC Weg 50° C	Frame	Part No	List 415 Volt TEFC Mar 50° C
7.5	3000	213T	921-4272-802-A50	994	215T	921-4272-802-V50	719			
10	3000	215T	921-4672-802-A50	1,173	215T	921-4672-802-V50	755			
15	3000	254T	921-5072-802-A50	1,533	254T	921-5072-802-V50	1,196			
20	3000	256T	921-5472-802-A50	1,672	256T	921-5472-802-V50	1,441			
25	3000	286TS	921-5872-802-A50	2,287	286TS	921-5872-802-V50	1,988			
30	3000	324TS	921-6272-802-A50	2,417	324TS	921-6272-802-V50	2,668			
40	3000	326TS	921-6672-802-A50	3,219	324TS	921-6672-802-V50	3,362			
50	3000	364TS	921-7072-802-A50	3,471	326TS	921-7072-802-V50	3,039			
60	3000	365TS	921-7472-802-A50	5,165	364/5TS	921-7472-802-V50	6,277			
75	3000	405TS	921-7872-802-A50	5,978	404/5TS	921-7872-802-V50	6,460			
100	3000	444TS	921-8272-802-A50	9,070	444/5TS	921-8272-802-V50	9,354			
125	3000	445TS	921-8672-802-A50	10,677	444/5TS	921-8672-802-V50	11,017			
150	3000	447TS	921-9072-802-A50	12,363	445/7TS	921-9072-802-V50	14,685			
200	3000	447TS	921-9472-802-A50	14,966	445/7TS	921-9472-802-V50	18,706			
250	3000	449TS	921-9872-802-A50	30,199	586/7TS	921-9872-802-V50	26,933			
300	3000	449TS	921-0972-802-A50	32,535	586/7TS	921-0972-802-V50	30,714			
350	3000	449TS	921-2172-802-A50	37,098						
400	3000	449TS	921-3372-802-A50	40,053						
450	3000	5010S	921-4572-802-A50	54,273						
500	3000	5012S	921-5772-802-A50	71,617						

- NOTES: 1.) Motors are UL listed with 1.15 service factor, 50 deg. C
 Motors are suitable for Across-The-Line Start and Wye-Delta Start
 2.) Any additional motor requirements consult factory for F.O. Special pricing.
 3.) Weg are IP55 Motors

LIST PRICE SHEET
HORIZONTAL SPLIT CASE FIRE PUMP
ELECTRIC MOTOR COMPONENTS
 50 Degree Ambient Temp Motors

		USEM Motors 60 Hertz 400 Volt ODO 3600 RPM 50°C			WEG Motors 60 Hertz 400 Volt ODP 3600 RPM 50°C			Marathon Motors 60 Hertz 400 Volt ODP 3600 RPM 50°C		
HP	RPM	Frame	Part No	List 400 Volt TEFC USEM	Frame	Part No	List 400 Volt TEFC Weg	Frame	Part No	List 400 Volt TEFC Mar
7.5	3600									
10	3600									
15	3600									
20	3600									
25	3600									
30	3600									
40	3600									
50	3600									
60	3600									
75	3600									
100	3600									
125	3600									
150	3600									
200	3600									
250	3600									
300	3600									
350	3600									
400	3600									
450	3600									
500	3600									

NOTES: 1.) Motors are UL listed with 1.15 service factor, 50 deg. C
 Motors are suitable for Across-The-Line Start and Wye-Delta Start
 2.) Any additional motor requirements consult factory for F.O. Special pricing.

**LIST PRICE SHEET
 REPLACEMENT FIRE PUMP
 (PUMP ONLY)**

NOTE: Horizontal Split Case Prices do not include base, coupling, guards or base mounting.

AP FIRE PUMP HORIZONTAL SPLIT CASE	LIST PRICE (PUMP ONLY WITH SUC/DIS GAUGES, CASING RELIEF VALVE, CERT. TEST)
2.5-481-10B	5,438
3-481-10	5,687
4-481-11A	5,206
4-481-11C	5,430
4-481-11D	5,734
4-481-15	7,221
5-481-11B	6,313
5-481-11C	5,638
5-481-11D	5,638
5-481-15	6,367
5-481-15A	7,875
5-481-17	6,724
6-481-11	6,244
6-481-11HH	13,664
6-481-14HH	13,959
6-481-15/15C	9,382
6-481-15B	10,378
6-481-18B	7,957
6-481-18C	8,882
6-481-20	10,257
8-481-12	9,809
8-481-17B	9,809
8-481-21	19,387
8-481-21A	17,835
8-481-24	30,165

AP FIRE PUMP HORIZONTAL SPLIT CASE	LIST PRICE (PUMP ONLY WITH SUC/DIS GAUGES, CASING RELIEF VALVE, CERT. TEST)
10-481-15C	23,366
10-481-18/18D	20,223
3-491-9C	7,141
3-491-9C	8,374
3-492-10A	11,949
4-491-8A	8,838
4-491-11A	8,955
4-491-11C	9,927
4-491-14C	9,879
4-492-14	9,881
4-492-18	12,524
5-491-14A	10,704
5-491-18A/AU	12,494
5-492-10	11,059
6-492-10	11,886
6-491-12A	9,246
6-491-14A/C	10,892
6-491-18C	11,912
6-491-19A	16,066
8-491-14A	13,339
8-491-18A	16,940
10-492-18	22,422
10-491-20	26,697

TWO STAGE SPLIT CASE

AP FIRE PUMP HORIZONTAL SPLIT CASE	LIST PRICE (PUMP ONLY WITH SUC/DIS GAUGES, CASING RELIEF VALVE, CERT. TEST)
4-485-15	\$11,524
5-485-12	13,801
5-485-15	18,173
6-485-12	14,460
6-485-16/16B	23,658
6-485-17A	19,360

VERTICAL SPLIT CASE

NOTE: Vertical Split Case Prices do not include couplings

AP FIRE PUMP VERTICAL SPLIT CASE	LIST PRICE (PUMP ONLY WITH BASE, SUC/DIS GAUGES, CASING RELIEF VALVE, CERT. TEST)
2.5-483-10B	\$8,399
3-483-10	8,303
4-483-11A	9,918
4-483-11C	9,936
4-483-15	10,691
5-483-11B	11,588
5-483-11C	10,744
5-483-15	12,487
5-483-17	11,338
6-483-11	12,028
6-483-15	14,583
6-483-15C	14,974
6-483-15B	15,391
6-483-18B	14,927
6-483-18C	15,854
6-483-20	13,574
8-483-12	14,536
8-483-17B	14,963

List Prices

Section 912
Vertical Split Case
Fire Pumps
Electric Motor Drive

PRICES SUBJECT TO CHANGE WITHOUT NOTICE
WE RESERVE THE RIGHT TO CORRECT PRICING ERRORS
REFER TO ENCOMPASS FOR MOST CURRENT PRICING AND SELECTION TABLES



AURORA®

SECTION 912 PAGE 23
DATE JANUARY 1, 2020
SUPERSEDES PAGE 9
DATE FEBRUARY 18, 2019

List Price Sheet
**Vertical Split Case Fire Pump
Electric Motor Drive**

STANDARD ELECTRIC PACKAGE PRICING INCLUDES:

PUMP:

Horizontally mounted split-case bronze-fitted pump with packing and lantern rings, * coupling, coupling guard and base, set of suction and discharge gauges, casing relief valve and automatic air release valve. Package price includes a certified performance test with calibrated lab driver

. . . or . . .

Vertically mounted split case bronze fitted pump with packing and lantern rings, * coupling cast iron ring base and motor support, set of suction and discharge gauges, casing relief valve and automatic air release valve. Package price includes a certified performance test with calibrated lab driver.

MOTOR:

Horizontal motor is factory choice, open drip proof, T-frame, 200-230, 3 phase, 60 hertz. Horsepower selections are based on full utilization of the 1.15 service factor on both UL listed and FM approved Fire Pump systems.

. . . or . . .

Vertical motor is factory choice, open drip proof, HP-frame, 200-230-460 volts, 3 phase, 60 hertz. Horsepower selections are based on full utilization of the 1.15 service factor on both UL listed and FM approved Fire Pump systems. Vertical motors are not factory mounted to the pump unit.

While these pump systems are usually acceptable to IRI (Industrial Risk Insurers), the local IRI or FM office having jurisdiction may allow little or no overload. It is recommended that all aspects of the project, including motor selection, be discussed with the local insuring authority prior to quoting. Since final approval rests entirely with the local insurance authority, we cannot assume responsibility for their acceptance of the motor selections shown.

CONTROLLER:

Factory choice controller included is UL listed and FM approved, across the line start, in standard enclosure, furnished with standard withstand rating of 42,000 amps symmetrical at low voltage and 30,000 amps symmetrical at high voltage. Standard automatic controllers are supplied with pressure switch with a range of 0-300 PSI for fresh water. Final pressure switch setting must be made at the time of field installation. Optional pressure switch with a 0-600 PSI range can be supplied when ordered.

*Lantern rings are not furnished when suction pressure exceeds 30 PSI.

LIST PRICE SHEET
VERTICAL SPLIT CASE FIRE PUMP
PUMP AND BASE COMPONENT
ELECTRIC MOTOR DRIVE

AP PUMP SIZE	MOTOR FRAME	HP	SPEED	LIST PRICE	AP PUMP SIZE	MOTOR FRAME	HP	SPEED	LIST PRICE	
2.5-483-10B	213HP	10	3560	\$8,316	4-483-11C	284HPH	30	3560	\$9,454	
	215HP	10	2950	8,316		286HPH	30	2950	9,454	
		15	3560	8,316			40	3560	9,494	
	254HP	15	2950	8,316		324HP	40	2950	9,494	
		20	3560	8,338			50	3560	9,494	
	256HP	20	2950	8,338		326HP	50	2950	9,494	
		25	3560	8,338			60	3560	9,619	
	284HPH	25	2950	8,338		364HP	60	2950	9,619	
		30	3560	8,338			75	3560	9,619	
	286HPH	30	2950	8,338		365HP	75	2950	9,619	
		40	3560	8,367			100	3560	9,759	
	324HP	40	2950	8,367		404HP	100	2950	9,759	
		50	3560	8,367			125	3560	9,759	
	326HP	50	2950	8,367		405HP	150	3560	9,759	
60		3560	8,367	284HPH	30		3560	8,469		
364HP	60	2950	8,367	286HPH	30	2950	8,469			
	75	3560	8,367		40	3560	8,503			
365HP	75	3560	8,367	324HP	40	2950	8,503			
3-483-10	213HP	10	3560		8,225	4-483-11D	50	3560	8,503	
	215HP	10	2950	8,225	326HP		50	2950	8,503	
		15	3560	8,225		60	3560	8,616		
	254HP	15	2950	8,225	364HP	60	2950	8,616		
		20	3560	8,243		75	3560	8,616		
	256HP	20	2950	8,243	365HP	75	2950	8,616		
		25	3560	8,243		100	3560	8,742		
	284HPH	25	2950	8,243	404HP	100	2950	8,742		
		30	3560	8,243		125	3560	8,742		
	286HPH	30	2950	8,243	405HP	150	3560	8,742		
		40	3560	8,274		184HP	5	1770	10,569	
	324HP	40	2950	8,274	4-483-15	213HP	7.5	1770	10,569	
		50	3560	8,274		215HP	10	1770	10,590	
	326HP	50	2950	8,274		254HP	15	1770	10,590	
60		3560	8,405	256HP		20	1770	10,590		
364HP	60	3560	8,405	284HPH		25	1770	10,622		
	75	3560	8,405	286HPH		30	1770	10,622		
365HP	75	3560	8,405	324HP		40	1770	10,754		
4-483-11A	184HP	5	1770	9,810		326HP	50	1770	10,754	
	213HP	7.5	1770	9,810		364HP	60	1770	10,904	
	215HP	10	1770	9,832		365HP	75	1770	11,275	
	254HP	15	1770	9,832		404HP	100	1770	11,275	
	256HP	20	1770	9,832		4-483-11B	364HP	75	3560	11,638
	284HPH	25	1770	9,863			365HP	75	2950	11,638
	286HPH	30	1770	9,863		100		3560	11,783	
	324HP	40	1770	9,993	404HP	100	2950	11,783		
	326HP	50	1770	9,993		125	3560	11,783		
	364HP	60	1770	10,143	405HP	125	2950	11,783		
	365HP	75	1770	10,515		150	3560	12,157		
	404HP	100	1770	10,515	444HP	200	3560	12,157		

Note: This Page is not for pump only pricing
 or replacement pump only pricing.
 Price pump only from Section 912 page 21

LIST PRICE SHEET
**VERTICAL SPLIT CASE FIRE PUMP
 PUMP AND BASE COMPONENT
 ELECTRIC MOTOR DRIVE**

AP PUMP SIZE	MOTOR FRAME	HP	SPEED	LIST PRICE
5-483-11C	364HP	60	2950	\$10,795
		75	3560	10,795
	365HP	75	2950	10,795
		100	3560	10,934
	404HP	100	2950	10,934
		125	3560	10,934
	405HP	125	2950	10,934
		150	3560	11,280
5-483-15	444HP	200	2950	11,280
	213HP	7.5	1770	12,348
	215HP	10	1770	12,348
	254HP	15	1770	12,348
	256HP	20	1770	12,375
	284HPH	25	1770	12,375
	286HPH	30	1770	12,375
	324HP	40	1770	12,506
	326HP	50	1770	12,506
	364HP	60	1770	12,649
	365HP	75	1770	13,012
	404HP	100	1770	13,012
	405HP	125	1770	13,161
5-483-17	213HP	7.5	1770	11,213
	215HP	10	1770	11,213
	254HP	15	1770	11,213
	256HP	20	1770	11,246
	284HPH	25	1770	11,246
	286HPH	30	1770	11,246
	324HP	40	1770	11,356
	326HP	50	1770	11,356
	364HP	60	1770	11,491
	365HP	75	1770	11,823
	404HP	100	1770	11,823
	405HP	125	1770	11,960
	6-483-11	213HP	7.5	1770
215HP		10	1770	11,895
254HP		15	1770	11,895
256HP		20	1770	11,932
284HPH		25	1770	11,932
286HPH		30	1770	11,932
324HP		40	1770	12,058
326HP		50	1770	12,058
364HP		60	1770	12,206
365HP		75	1770	12,581
404HP		100	1770	12,581
405HP	125	1770	12,734	
6-483-15	254HP	15	1770	14,439
	256HP	20	1770	14,439
	284HPH	25	1770	14,439
	286HPH	30	1770	14,439
	324HP	40	1770	14,571
	326HP	50	1770	14,571

AP PUMP SIZE	MOTOR FRAME	HP	SPEED	LIST PRICE
6-483-15	365HP	75	1770	\$15,084
	404HP	100	1770	15,084
	405HP	125	1770	15,177
	444HP	150	1770	15,177
	445HP	200	1770	15,451
6-483-15C	254HP	15	1770	14,826
	256HP	20	1770	14,826
	284HPH	25	1770	14,826
	286HPH	30	1770	14,826
	324HP	40	1770	14,961
	326HP	50	1770	14,961
	364HP	60	1770	15,111
	365HP	75	1770	15,486
	404HP	100	1770	15,486
	405HP	125	1770	15,584
6-483-15B	444HP	150	1770	15,584
	445HP	200	1770	15,865
	254HP	15	1770	15,218
	256HP	20	1770	15,218
	284HPH	25	1770	15,218
	286HPH	30	1770	15,218
	324HP	40	1770	15,356
	326HP	50	1770	15,356
	364HP	60	1770	15,497
	365HP	75	1770	15,852
6-483-18B	404HP	100	1770	15,852
	405HP	125	1770	15,952
	444HP	150	1770	15,952
	445HP	200	1770	16,223
	254HP	15	1770	14,176
	256HP	20	1770	14,176
	284HPH	25	1770	14,176
	286HPH	30	1770	14,176
	324HP	40	1770	14,302
	326HP	50	1770	14,302
6-483-18C	364HP	60	1770	14,430
	365HP	75	1770	14,749
	404HP	100	1770	14,749
	405HP	125	1770	14,831
	444HP	150	1770	14,831
	445HP	200	1770	15,075
	254HP	15	1770	15,041
	256HP	20	1770	15,041
	284HPH	25	1770	15,041
	286HPH	30	1770	15,041
6-483-15	324HP	40	1770	15,167
	326HP	50	1770	15,167
	364HP	60	1770	15,293
	365HP	75	1770	15,612
	404HP	100	1770	15,612
	405HP	125	1770	15,694
	444HP	150	1770	15,694
	445HP	200	1770	15,943

Note: This Page is not for pump only pricing or replacement pump only pricing. Price pump only from Section 912 page 21

LIST PRICE SHEET
VERTICAL SPLIT CASE FIRE PUMP
PUMP AND BASE COMPONENT
ELECTRIC MOTOR DRIVE

AP PUMP SIZE	MOTOR FRAME	HP	SPEED	SUG. LIST PRICE
6-483-18C	365HP	75	1480	\$15,612
	404HP	100	1480	15,612
	444HP	125	1480	15,694
	445HP	150	1480	15,694
	RTF	200	1480	15,943
6-483-20	254HP	15	1770	12,897
	256HP	20	1770	12,897
	284HPH	25	1770	12,897
	286HPH	30	1770	12,897
	324HP	40	1770	13,014
	326HP	50	1770	13,014
	364HP	60	1770	13,143
	365HP	75	1770	13,463
	404HP	100	1770	13,463
	405HP	125	1770	13,549
	444HP	150	1770	13,549
	445HP	200	1770	13,791
8-483-12	254HP	15	1770	13,800
	256HP	20	1770	13,800
	284HPH	25	1770	13,800
	286HPH	30	1770	13,800
	324HP	40	1770	13,921
	326HP	50	1770	13,921
	364HP	60	1770	14,049
	365HP	75	1770	14,372
	404HP	100	1770	14,372
	405HP	125	1770	14,453
	444HP	150	1770	14,453
	445HP	200	1770	14,697
8-483-17B	254HP	15	1770	14,203
	256HP	20	1770	14,203
	284HPH	25	1770	14,203
	286HPH	30	1770	14,203
	324HP	40	1770	14,323
	326HP	50	1770	14,323
	364HP	60	1770	14,451
	365HP	75	1770	14,774
	404HP	100	1770	14,774
	405HP	125	1770	14,858
	444HP	150	1770	14,858
	445HP	200	1770	15,100

Note: This page is not for pump only pricing or replacement pump only pricing. Price pump only from Section 912 page 21

LIST PRICE SHEET
VERTICAL SPLIT CASE FIRE MOTORS
ELECTRIC MOTOR COMPONENT
200/400 VOLT 60 HERTZ OPEN DRIP PROOF

HP	RPM	FRAME	PART NUMBER Nidec	List Price	FRAME
7.5	1800	213HP	942-4086-902-A	\$1,590	213HP
10	1800	215HP	942-4486-902-A	\$1,741	215HP
15	1800	254HP	942-4886-902-A	\$1,947	254HP
20	1800	256HP	942-5286-902-A	\$2,171	256HP
25	1800	284HPH	942-5686-902-A	\$2,313	284HP
30	1800	286HPH	942-6086-902-A	\$2,554	286HP
40	1800	324HP	942-6486-902-A	\$2,716	324HP
50	1800	326HP	942-6886-902-A	\$3,147	326HP
60	1800	364HP	942-7286-902-A	\$3,474	364HP
75	1800	365HP	942-7686-902-A	\$4,341	365HP
100	1800	404HP	942-8086-902-A	\$5,168	404HP
125	1800	405HP	942-8486-902-A	\$6,138	405HP
150	1800	444HP	942-8886-902-A	\$7,090	444HP
200	1800	445HP	942-9286-902-A	\$9,520	445HP

HP	RPM	FRAME	PART NUMBER Nidec	List Price	FRAME
7.5	3600	184HP	940-4086-902-A	\$1,734	184HP
10	3600	213HP	940-4486-902-A	\$1,741	213HP
15	3600	215HP	940-4886-902-A	\$1,964	215HP
20	3600	254HP	940-5286-902-A	\$2,050	254HP
25	3600	256HP	940-5686-902-A	\$2,145	256HP
30	3600	284HPH	940-6086-902-A	\$2,251	284PH
40	3600	286HPH	940-6486-902-A	\$2,826	286PH
50	3600	324HP	940-6886-902-A	\$3,116	324HP
60	3600	326HP	940-7286-902-A	\$3,437	326HP
75	3600	364HP	940-7686-902-A	\$4,075	364HP
100	3600	365HP	940-8086-902-A	\$5,340	365HP
125	3600	404HP	940-8486-902-A	\$6,658	404HP
150	3600	405HP	940-8886-902-A	\$7,980	405HP
					444HP

200/400 Volt suitable for ATL, 200 Volt also suitable for WYE Delta and Part Wind

LIST PRICE SHEET
VERTICAL SPLIT CASE FIRE MOTORS
ELECTRIC MOTOR COMPONENT
230/460 VOLT 60 HERTZ OPEN DRIP PROOF

HP	RPM	FRAME	PART NUMBER Nidec	List Price	FRAME
7.5	1800	213HP	942-4091-902-A	\$1,590	213HP
10	1800	215HP	942-4491-902-A	\$1,741	215HP
15	1800	254HP	942-4891-902-A	\$1,947	254HP
20	1800	256HP	942-5291-902-A	\$2,171	256HP
25	1800	284HPH	942-5691-902-A	\$2,313	284HP
30	1800	286HPH	942-6091-902-A	\$2,554	286HP
40	1800	324HP	942-6491-902-A	\$2,716	324HP
50	1800	326HP	942-6891-902-A	\$3,147	326HP
60	1800	364HP	942-7291-902-A	\$3,474	364HP
75	1800	365HP	942-7691-902-A	\$4,134	365HP
100	1800	404HP	942-8091-902-A	\$5,168	404HP
125	1800	405HP	942-8495-902-A	\$6,445	405HP
150	1800	444HP	942-8895-902-A	\$7,445	444HP
200	1800	445HP	942-9295-902-A	\$9,996	445HP
250	1800				

HP	RPM	FRAME	PART NUMBER Nidec	List Price	FRAME
7.5	3600	184HP	940-4091-902-A	\$1,734	184HP
10	3600	213HP	940-4491-902-A	\$1,741	213HP
15	3600	215HP	940-4891-902-A	\$1,964	215HP
20	3600	254HP	940-5291-902-A	\$2,050	254HP
25	3600	256HP	940-5691-902-A	\$2,145	256HP
30	3600	284HPH	940-6091-902-A	\$2,364	284PH
40	3600	286HPH	940-6491-902-A	\$2,826	286PH
50	3600	324HP	940-6891-902-A	\$3,116	324HP
60	3600	326HP	940-7291-902-A	\$3,437	326HP
75	3600	364HP	940-7691-902-A	\$4,075	364HP
100	3600	365HP	940-8091-902-A	\$5,340	365HP
125	3600	404HP	940-8495-902-A	\$6,658	404HP
150	3600	405HP	940-8895-902-A	\$7,980	405HP
200	3600				444HP

230/460 Volt suitable for ATL and Wye Delta, not suitable for Part Wind
125 HP and above, 460 volt only, suitable for ATL, Wye Delta and Part Wind

LIST PRICE SHEET
VERTICAL SPLIT CASE FIRE MOTORS
ELECTRIC MOTOR COMPONENT
380 VOLT 50 HERTZ OPEN DRIP PROOF

HP	RPM	FRAME	PART NUMBER Nidec	List Price	FRAME
7.5	1500	213HP	943-4099-902-A	\$1,749	213HP
10	1500	215HP	943-4499-902-A	\$1,915	215HP
15	1500	254HP	943-4899-902-A	\$2,142	254HP
20	1500	256HP	943-5299-902-A	\$2,388	256HP
25	1500	284HPH	943-5699-902-A	\$2,544	284HPH
30	1500	286HPH	943-6099-902-A	\$2,809	286HPH
40	1500	324HP	943-6499-902-A	\$2,987	324HP
50	1500	326HP	943-6899-902-A	\$3,462	326HP
60	1500	364HP	943-7299-902-A	\$3,821	364HP
75	1500	365HP	943-7699-902-A	\$4,548	365HP
100	1500	404HP	943-8099-902-A	\$5,685	404HP
125	1500	405HP	943-8499-902-A	\$6,752	405HP
150	1500	444HP	943-8899-902-A	\$7,800	444HP
200	1500	445HP	943-9299-902-A	\$10,472	445HP
250	1500		943-9699-902-A		

HP	RPM	FRAME	PART NUMBER Nidec	List Price	FRAME
7.5	3000	184HP	941-4099-902-A	\$1,908	184HP
10	3000	213HP	941-4499-902-A	\$1,915	213HP
15	3000	215HP	941-4899-902-A	\$2,160	215HP
20	3000	254HP	941-5299-902-A	\$2,254	254HP
25	3000	256HP	941-5699-902-A	\$2,359	256HP
30	3000	284HPH	941-6099-902-A	\$2,476	284HPH
40	3000	286HPH	941-6499-902-A	\$3,108	324HP
50	3000	324HP	941-6899-902-A	\$3,428	326HP
60	3000	326HP	941-7299-902-A	\$3,781	364HP
75	3000	364HP	941-7699-902-A	\$4,482	364HP
100	3000	404HP	941-8099-902-A	\$5,874	365HP
125	3000	404HP	941-8499-902-A	\$7,325	405HP
150	3000	405HP	941-8899-902-A	\$8,779	405HP
200	3000				

380 Volt suitable for ATL and Wye Delta Start

**LIST PRICE SHEET
 STAINLESS STEEL FIRE PUMP SHAFTS**

AP MODEL	AP PUMP SIZE	PS	STANDARD MATERIAL		ALTERNATE MATERIAL		OPTION	LIST PRICE																	
			CODE	DESCRIPTION	CODE	DESCRIPTION																			
481/483	2.5-481-10B	2	63	AISI C1045	109	AISI TYPE 416 (HEAT TREATED)	3A	\$333																	
481/483	3-481-10						3B	349																	
481/483	4-481-11A/C/D	3					63	AISI C1045	109	AISI TYPE 416 (HEAT TREATED)	3C	307													
481/483	4-481-15										4	63	AISI C1045	109	AISI TYPE 416 (HEAT TREATED)	3D	3,127								
481/483	5-481-11B/C/D															3E	1,460								
481/483	5-481-15	5					63	AISI C1045	109	AISI TYPE 416 (HEAT TREATED)	3F	449													
481/483	5-481-17										4A	63	AISI C1045	109	AISI TYPE 416 (HEAT TREATED)	3G	994								
481/483	6-481-11																	7A	76	e.t.d.-1.50	116	17-4 PH (CONDITION H 1025)	3H	2,643	
481	6-481-11HH										7	76	e.t.d.-1.50	116	17-4 PH (CONDITION H 1025)	3J	2,132								
481	6-481-14HH										3	63	AISI C1045	109	AISI TYPE 416	3K	1,553								
481/483	6-481-15B/C	6B					76	e.t.d.-1.50	116	17-4 PH (CONDITION H 1025)	3L	3,089													
481/483	6-481-18B/C										3M	4,138													
481/483	6-481-20										3N	1,330													
481/483	8-481-12										3P	4,844													
481/483	8-481-17B										3P	4,844													
481	8-481-21/A	7	72	AISI 1144	109	AISI TYPE 416 (HEAT TREATED)	3R	4,247																	
481	10-481-15C						3T	955																	
481	10-481-18						3W	72	AISI 1144	109	AISI TYPE 416 (HEAT TREATED)	3AA	4,417												
481	10-481-18D													3AB	72	AISI 1144	109	AISI TYPE 416 (HEAT TREATED)	3AC	3,624					
481	12-481-18A																				3AD	4,646			
485	4-485-15						3	63	AISI C1045	109	AISI TYPE 416	3AE	3,320												
485	5-485-12						4A	76	e.t.d.-1.50	116	17-4 PH	3AF	5,520												
485	5-485-15						4	63	AISI C1045	109	AISI TYPE 416	3AG	3,162												
485	6-485-12						5A	76	e.t.d.-1.50	116	17-4 PH	3AH	4,293												
485	6-485-16/16B						5	63	AISI C1045	109	AISI TYPE 416	3AJ	1,778												
485	6-485-17A						5	63	AISI C1045	109	AISI TYPE 416	3AK	3,442												
491	3-491-9A/C						7	72	AISI 1144	109	AISI TYPE 416 (HEAT TREATED)	3AL	2,509												
491	4-491-8A											3AM	72	AISI 1144	109	AISI TYPE 416 (HEAT TREATED)	3AN	2,987							
491	4-491-11A/C																		3AP	72	AISI 1144	109	AISI TYPE 416 (HEAT TREATED)	3AP	1,577
491	6-491-12A																								
491	4-491-14C	3AL	72	AISI 1144	109	AISI TYPE 416 (HEAT TREATED)						3AM	5,099												
491	5-491-14A													3AN	2,987										
491	5-491-18A	3AH	72	AISI 1144	109	AISI TYPE 416 (HEAT TREATED)						3AP	1,577												
491	6-491-14A/C													3AB	72	AISI 1144	109	AISI TYPE 416 (HEAT TREATED)	3AP	1,577					
491	6-491-18C																				3AC	3,624			
491	6-491-19A	3AD	4,646																						
491	8-491-14A	3AE	3,320																						
491	8-491-18A	3AF	5,520																						
491	10-491-20	3AG	3,162																						
492	3-492-10A	7	72	AISI 1144	109	AISI TYPE 416 (HEAT TREATED)						3AH	4,293												
492	4-492-14											3AJ	72	AISI 1144	109	AISI TYPE 416 (HEAT TREATED)	3AK	3,442							
492	4-492-18						3AL	72	AISI 1144	109	AISI TYPE 416 (HEAT TREATED)								3AM	5,099					
492	5-492-10																				3AN	2,987			
492	5-492-10						3AL	72	AISI 1144	109	AISI TYPE 416 (HEAT TREATED)	3AM	5,099												
492	6-492-10													3AN	2,987										
492	6-492-18						3AH	72	AISI 1144	109	AISI TYPE 416 (HEAT TREATED)	3AP	1,577												
492	10-492-18													3AM	72	AISI 1144	109	AISI TYPE 416 (HEAT TREATED)	3AM	5,099					
492	5-495-15																				3AN	2,987			
492	6-495-17						3AP	1,577																	

LIST PRICE SHEET
 SPLIT CASE FIRE PUMP
 ACCESSORIES
 ELECTRIC MOTOR DRIVE

OPTIONAL FLANGE DRILLING

Aurora Fire Pumps are furnished with suction and discharge flanges suitable in diameter and thickness for 250#. Drilling of the discharge flange or both the suction and discharge flanges for 250# bolt hole pattern is available per the table below

AP PUMP MODEL		FLANGE DRILLING SUCTION/DISCHARGE					
		125# / 125#		125# / 250#		250# / 250#	
HORIZONTAL	VERTICAL	OPTION	LIST	OPTION	LIST	OPTION	LIST
2.5-481-10B	2.5-483-10B	STD	-	38J	\$209	38B	\$276
3-481-10	3-483-10	STD	-	38J	209	38B	276
3-491-9A							
3-491-9C							
3-492-10A					209	NA	-
4-481-11A	4-483-11A	STD	-	38K	\$209	38C	276
4-481-11C/D	4-483-11C/D						
4-481-15	4-483-15						
4-491-8A		STD	-	N/A	-	N/A	-
4-492-14							
4-492-18							
4-491-11A		STD	-	38L	\$209	38D	276
4-491-11C							
4-491-14C							
5-481-11B	5-483-11B	STD	-	38L	\$209	38D	276
5-481-11C	5-483-11C						
5-481-11D							
5-481-15	5-483-15						
5-481-17	5-483-17						
5-492-10							
5-491-14A							
5-491-18A		38D	276				
6-481-11	6-483-11			STD	-	38L	209
6-481-11HH		N/A	-	STD	-	38D	276
6-481-14HH		STD	-	38M	209	38E	276
6-481-15	6-483-15						
6-481-15B	6-483-15B						
6-481-15C	6-483-15C						
6-481-18B	6-483-18B						
6-481-18C	6-483-18C						
6-481-20	6-483-20						
6-492-10		N/A	-	STD	-	N/A	-
6-491-12A		STD	-	38M	\$209	38E	276
6-491-14A							
6-491-14C							
6-491-18C							
6-491-19A							
6-492-18		N/A	-	N/A	-	N/A	-
8-481-12	8-483-12	STD	-	38M	\$209	38E	276
8-481-17B	8-483-17B						
8-481-21/A							
8-481-24				38N	285	38F	484
8-491-14A							
8-491-18A							
10-481-15C		STD	-	38N	285	38F	484
10-481-18							
10-481-18D							
10-492-18				N/A	-	N/A	-
10-491-20		N/A	-	STD	-	N/A	-
12-481-18A		STD	-	38N	285	38G	484
4-485-12		N/A	-	STD	-	38C	276
4-485-15						38D	
5-485-12						38E	
5-485-15							
6-485-12							
6-485-16/16B							
6-485-17A						38E	
6-495-17						38E	

LIST PRICE SHEET
SPLIT CASE FIRE PUMP
ACCESSORIES
ELECTRIC MOTOR DRIVE

OPTION 14 - DRIP RIM BASE - MODEL 481 & 485 - ELECTRIC DRIVE ONLY

AP	MOTOR	OPTION	LIST
2.5-481-10B 3-481-10	215T	14A	\$227
	254T	14B	272
	256T	14C	272
	284TS	14D	304
	286TS	14E	304
	324TS	14F	426
	326TS	14G	426
	364TS	14H	446
	365TS	14J	446
4-481-11A	256T	14K	272
	284TS	14L	304
	386T	14M	304
4-481-11C	286TS	14AB	327
	324TS	14AC	426
	326TS	14AD	426
	364TS	14AE	446
	365TS	14AF	446
	404TS	14AG	633
	405TS	14AH	633
4-481-15	324TS	14AK	426
	326TS	14AL	426
	364TS	14AM	446
	365TS	14AN	446
5-481-11B 5-481-11C	364TS	14AP	446
	365TS	14AR	446
	404TS	14AT	633
	405TS	14AW	633
5-481-15	444TS	14BA	633
	286T	14BB	327
	324TS	14BC	426
	326TS	14BD	426
	364TS	14BE	446
	365TS	14BF	446
5-481-15	404TS	14BG	633

AP	MOTOR	OPTION	LIST
5-481-17	365TS	14BH	\$459
	404TS	14BJ	633
	405TS	14BK	633
	444TS	14BL	633
6-481-11	286T	14BM	327
	324T	14BN	426
6-481-11HH 6-481-14HH 6-481-15 6-481-15B/C	364TS	14BR	446
	364TS	14BR	446
	365TS	14BT	446
	404TS	14BW	633
6-481-15B/C	405TS	14CA	633
	444TS	14CB	633
	404TS	14CG	633
	405TS	14CH	633
6-481-18B 6-481-18C 6-481-20	444TS	14CJ	633
	445TS	14CK	1,378
	326TS	14CD	327
8-481-12	364TS	14CE	446
	404TS	14CG	633
8-481-17B	405TS	14CH	633
	444TS	14CJ	633
	445TS	14CK	1,378
	8-481-21	ALL	RTF
8-481-21A	ALL	RTF	RTF
10-481-18/D	ALL	RTF	RTF
4-485-15	404TS	14DG	633
	405TS	14DH	633
6-485-16/16B	404TS	14DP	633
	405TS	14DR	633
	444TS	14DT	633
	445TS	14DW	1,378
	447TS	14EA	1,378
	449TS	14EB	1,378
6-485-17A	405TS	14DL	633
	444TS	14DM	633
	445TS	14DN	1,378