

Liberty Pumps®

A Family and Employee Owned Company

innovate. evolve.

Phone: 800-543-2550
Fax: 585-494-1839
libertypumps.com

Liberty Pumps, Inc.
7000 Apple Tree Avenue
Bergen, NY 14416 USA

US Price List

Effective January 1, 2019 V3

For use with Distributor Discount Schedule dated January 1, 2012

Quick Reference

<i>Product</i>	<i>Starting Page</i>
Ascent II	Page 25
Backup / Specialty Pumps	Page 3
Drain Pumps	Page 3
Effluent Pumps / Explosion Proof	Page 7
Elevator Sump Pump Systems	Page 5
Grinder Pumps / Explosion Proof	Page 14
NightEye® Wireless Enabled Products	Page 30
Pre-Assembled Sewage Systems	Page 25
Pre-Designed Grinder Packages	Page 16
Sewage Pumps / Explosion Proof	Page 11
StormCell® Battery Back-Up Products	Page 3
Sump Pumps	Page 4



An ISO 9001 Registered Company



All pricing and specifications subject to change without notice.
Copyright © Liberty Pumps, Inc. 2019 All rights reserved.


NightEye®

ALWAYS WATCHING.



NightEye® wireless enabled technology is now available pre-installed on the following products:

SumpJet® Water Powered Back-Up Pumps	Page 3
StormCell® 442-Series Battery Back-Up Pumps	Page 3
PC442-Series Pump Combos	Page 3
404 and 405-Series Drain Pumps	Page 3
ProVore® 380 Grinder Packages	Page 15
Pro370 and Pro380-Series Sewage Systems	Page 27
NightEye® Alarms	Page 30
NEW! NightEye® alarm with water-puck for puddle sensing!	Page 30



Back-up and Specialty Pumps

Model	UPC#	Description	LBS	List Price
SJ10	671812113655	SumpJet® water powered back-up emergency sump pump system	6	\$259
SJ10A	671812115765	SumpJet® water powered back-up sump pump with alarm	8	\$468
SJ10A-EYE	671812137712	SumpJet® water powered back-up sump pump with NightEye® wireless alarm	8	\$688
260	671812002607	Utility pump, manual, 1/6 hp, 115V, garden hose connection	8	\$125
260-2	671812139914	Utility pump, manual, 1/6 hp, 115V, garden hose connection, 25' cord	10	\$141
331	671812108941	Portable transfer pump, 1/2 hp, 115V, garden hose connection	12	\$307
CSP-Series Crawl Space Sump Pump Kit				
CSP-237	671812118377	Crawl space sump kit, 1/3 hp, includes basin and hose kit	23	\$393
CSP-257	671812119473	Crawl space sump kit, 1/3 hp, cast iron pump, includes basin and hose kit	30	\$400
CSP-457	671812118384	Crawl space sump kit, 1/2 hp, includes basin and hose kit	25	\$448
PC-Series Pump Combo System				
PC237-441	671812118346	Pump combo, model 237 and 441 assembled	23	\$723
PC257-441	671812118353	Pump combo, model 257 and 441 assembled	35	\$732
PC457-441	671812118360	Pump combo, model 457 and 441 assembled	25	\$781
PCS37-441	671812136920	Pump combo, model S37 and 441 assembled	26	\$648
StormCell® 442-Series Pump Combo System				
PC237-442-10A	671812137965	Pump Combo, model 237 and 442-10A assembled	30	\$1,250
PC237-442-10A-EYE	671812137972	Pump Combo, model 237 and 442-10A-EYE assembled	30	\$1,572
PC257-442-10A	671812137989	Pump Combo, model 257 and 442-10A assembled	42	\$1,258
PC257-442-10A-EYE	671812137996	Pump Combo, model 257 and 442-10A-EYE assembled	42	\$1,581
PC457-442-10A	671812138009	Pump Combo, model 457 and 442-10A assembled	32	\$1,308
PC457-442-10A-EYE	671812138016	Pump Combo, model 457 and 442-10A-EYE assembled	32	\$1,630
PCS37-442-10A	671812138023	Pump Combo, model S37 and 442-10A assembled	33	\$1,226
PCS37-442-10A-EYE	671812138030	Pump Combo, model S37 and 442-10A-EYE assembled	33	\$1,549

Battery Back-up Systems

Model	UPC#	Description	LBS	List Price
441-Series				
441	671812108170	Battery back-up emergency sump pump system, 12V, with alarm	13	\$437
StormCell® 442-Series				
442-10A	671812137927	StormCell® 12V battery back-up system, 10 amp, standard model	20	\$955
442-10A-EYE	671812137934	StormCell® 12V battery back-up system, 10 amp, standard model, NightEye® wireless enabled model	20	\$1,273
442-25A	671812137941	StormCell® 12V battery back-up system, 25 amp, standard model	30	\$1,358
442-25A-EYE	671812137958	StormCell® 12V battery back-up system, 25 amp, standard model, NightEye® wireless enabled model	30	\$1,676

StormCell® Batteries

Model	UPC#	Description	LBS	List Price
B12V27-AGM	671812137897	StormCell® 12V maintenance-free battery, Group 27, AGM	60	\$504
B12V31-AGM	671812137903	StormCell® 12V maintenance-free battery, Group 31, AGM	62	\$553
B12V27-WET	671812137873	StormCell® 12V maintenance-free battery, Group 27, Wet Cell	49	\$328
B12V31-WET	671812137880	StormCell® 12V maintenance-free battery, Group 31, Wet Cell	59	\$375

Wet cell batteries B12V27-WET and B12V31-WET ship via truck/common carrier only.

Condensate Pumps

Model	UPC#	Description	LBS	List Price
LCU-15	671812106282	Condensate pump, 115V automatic, 15' max. head	4	\$65
LCU-15S	671812124880	Condensate pump, 115V automatic, with safety switch, 15' max head	4.5	\$67
LCU-15ST	671812124934	Condensate pump, 115V automatic, with safety switch, 15' max head, with 20' tubing	5.5	\$78
LCU-15T	671812114126	Condensate pump, 115V automatic, 15' max. head with 20' tubing	5	\$77
LCU-20S	671812106299	Condensate pump, 115V automatic with safety switch, 20' max. head	5	\$70
LCU-20ST	671812114133	Condensate pump, 115V automatic with safety switch, 20' head, with 20' tubing	6	\$82
LCU220S	671812113006	Condensate pump, 230V automatic with safety switch, 20' max. head	5	\$74
LCU-SP20S	671812114355	Condensate pump, shallow pan, 115V automatic with safety switch, 20' head	4	\$74
LCU-SP220S	671812131185	Condensate pump, shallow pan, 230V automatic with safety switch, 20' head	4.5	\$82

Laundry Tray / Drain Pumps

Model	UPC#	Description	LBS	List Price
404	671812113860	1/3 hp, Residential drain pump, short profile, 1-1/2" vent, inlet & discharge, 115V	19	\$343
404/A	671812142181	1/3 hp, Drain pump, short profile, 1-1/2" connections, w/ standard alarm, 115V	21	\$489
404/A-EYE	671812142792	1/3 hp, Drain pump, short profile, 1-1/2" connections, w/ NightEye® alarm, 115V	21	\$777
404CV	671812142198	1/3 hp, Drain pump, short profile, 1-1/2" connections, w/ check valve meets UPC	20	\$365
404CV/A	671812142204	1/3 hp, Drain pump, short profile, 1-1/2" connections, w/ standard alarm & check valve meets UPC	22	\$511
404CV/A-EYE	671812142211	1/3 hp, Drain pump, short profile, 1-1/2" connections, w/ NightEye® alarm & check valve meets UPC	22	\$799
404L	671812114249	1/3 hp, Residential drain pump, short profile, 2" vent, inlet and discharge, 115V	19	\$358
405	671812113877	1/2 hp, Commercial high temp. drain pump, 2" vent, inlet and discharge, 115V	23	\$491
405/A	671812142228	1/2 hp, Commercial high temp. drain pump, 2" connections w/ standard alarm, 115V	25	\$637
405/A-EYE	671812142235	1/2 hp, Commercial high temp. drain pump, 2" connections w/ NightEye® alarm, 115V	25	\$925
405HV	671812113884	1/2 hp, Commercial high temp. drain pump, 2" vent, inlet and discharge, 230V	23	\$555
404P	671812118056	Replacement pump only for current model 404, mfg date 2007 and later	12	\$279
405P	671812118063	Replacement pump only for current model 405, mfg date 2007 and later	14	\$313
405HVP	671812118070	Replacement pump only for current model 405HV, mfg date 2007 and later	14	\$326

Consult factory for proper pump replacement kits.

Submersible Sump Pumps

Model	UPC#	hp	Ph	Volts	Cord Length	Discharge	*Switch	Max Head	LBS	List Price
S37	671812113983	1/3	1	115	10'	1-1/2"	VMF	25'	14	\$180
S37-P	671812137736	1/3	1	115	10'	1-1/2"	Vertical float-piggy back	25'	16	\$190
S38	671812117936	1/3	1	115	10'	1-1/2"	WAP	25'	14	\$183
S38-2	671812143089	1/3	1	115	25'	1-1/2"	WAP	25'	17	\$204
240	671812002409	1/4	1	115	10'	1-1/2"	No	21'	21	\$192
240-2	671812103236	1/4	1	115	25'	1-1/2"	No	21'	21	\$208
241	671812002416	1/4	1	115	10'	1-1/2"	WAI	21'	21	\$213
241-2	671812103243	1/4	1	115	25'	1-1/2"	WAI	21'	22	\$229
243	671812002430	1/4	1	115	10'	1-1/2"	WAP	21'	22	\$222
243-2	671812103250	1/4	1	115	25'	1-1/2"	WAP	21'	23	\$250
247	671812002478	1/4	1	115	10'	1-1/2"	VMF	21'	22	\$195
247-2	671812103267	1/4	1	115	25'	1-1/2"	VMF	21'	22	\$211
230	671812002300	1/3	1	115	10'	1-1/2"	No	21'	11	\$202
230-2	671812102659	1/3	1	115	25'	1-1/2"	No	21'	11	\$218
231	671812002317	1/3	1	115	10'	1-1/2"	WAI	21'	12	\$224
231-2	671812100280	1/3	1	115	25'	1-1/2"	WAI	21'	12	\$240
233	671812002331	1/3	1	115	10'	1-1/2"	WAP	21'	12	\$232
233-2	671812104530	1/3	1	115	25'	1-1/2"	WAP	21'	13	\$260
237	671812002379	1/3	1	115	10'	1-1/2"	VMF	21'	11	\$206
237-2	671812101980	1/3	1	115	25'	1-1/2"	VMF	21'	12	\$222
250	671812002508	1/3	1	115	10'	1-1/2"	No	18'	23	\$210
250-2	671812100303	1/3	1	115	25'	1-1/2"	No	18'	24	\$226
251	671812002515	1/3	1	115	10'	1-1/2"	WAI	18'	24	\$230
251-2	671812100310	1/3	1	115	25'	1-1/2"	WAI	18'	24	\$246
253	671812002539	1/3	1	115	10'	1-1/2"	WAP	18'	24	\$239
253-2	671812100334	1/3	1	115	25'	1-1/2"	WAP	18'	25	\$267
257	671812002577	1/3	1	115	10'	1-1/2"	VMF	18'	21	\$214
257-2	671812101997	1/3	1	115	25'	1-1/2"	VMF	18'	23	\$230
280	671812002805	1/2	1	115	10'	1-1/2"	No	37'	29	\$326
280-2	671812105186	1/2	1	115	25'	1-1/2"	No	37'	30	\$342
280HV	671812106411	1/2	1	208-230	10'	1-1/2"	No	37'	29	\$372
280HV-2	671812106428	1/2	1	208-230	25'	1-1/2"	No	37'	30	\$388
281	671812002812	1/2	1	115	10'	1-1/2"	WAI	37'	29	\$345
281-2	671812105209	1/2	1	115	25'	1-1/2"	WAI	37'	30	\$361
281HV	671812121117	1/2	1	208-230	10'	1-1/2"	WAI	37'	30	\$392
281HV-2	671812121124	1/2	1	208-230	25'	1-1/2"	WAI	37'	31	\$408
283	671812002836	1/2	1	115	10'	1-1/2"	WAP	37'	30	\$357
283-2	671812105223	1/2	1	115	25'	1-1/2"	WAP	37'	31	\$385
283HV	671812106442	1/2	1	208-230	10'	1-1/2"	WAP	37'	30	\$403
283HV-2	671812106459	1/2	1	208-230	25'	1-1/2"	WAP	37'	31	\$431
287	671812002874	1/2	1	115	10'	1-1/2"	VMF	37'	29	\$328
287-2	671812105247	1/2	1	115	25'	1-1/2"	VMF	37'	30	\$344
287HV	671812109733	1/2	1	208-230	10'	1-1/2"	VMF	37'	29	\$374
287HV-2	671812109818	1/2	1	208-230	25'	1-1/2"	VMF	37'	30	\$390
450	671812114027	1/2	1	115	10'	1-1/2"	No	34'	13	\$265
450-2	671812114034	1/2	1	115	25'	1-1/2"	No	34'	14	\$281
451	671812114041	1/2	1	115	10'	1-1/2"	WAI	34'	14	\$287
451-2	671812114058	1/2	1	115	25'	1-1/2"	WAI	34'	15	\$303
453	671812114065	1/2	1	115	10'	1-1/2"	WAP	34'	14	\$295
453-2	671812114072	1/2	1	115	25'	1-1/2"	WAP	34'	16	\$323
457	671812114089	1/2	1	115	10'	1-1/2"	VMF	34'	13	\$268
457-2	671812114096	1/2	1	115	25'	1-1/2"	VMF	34'	14	\$284
290	671812120820	3/4	1	115	10'	1-1/2"	No	48'	30	\$422
290-2	671812120837	3/4	1	115	25'	1-1/2"	No	48'	31	\$438
290HV	671812120868	3/4	1	208-230	10'	1-1/2"	No	48'	30	\$437
290HV-2	671812120875	3/4	1	208-230	25'	1-1/2"	No	48'	31	\$453
291	671812120905	3/4	1	115	10'	1-1/2"	WAI	48'	31	\$442
291-2	671812120912	3/4	1	115	25'	1-1/2"	WAI	48'	32	\$458
291HV	671812120943	3/4	1	208-230	10'	1-1/2"	WAI	48'	31	\$457
291HV-2	671812120950	3/4	1	208-230	25'	1-1/2"	WAI	48'	32	\$473
293	671812120981	3/4	1	115	10'	1-1/2"	WAP	48'	32	\$454
293-2	671812120998	3/4	1	115	25'	1-1/2"	WAP	48'	34	\$482
293HV	671812121018	3/4	1	208-230	10'	1-1/2"	WAP	48'	32	\$468
293HV-2	671812121025	3/4	1	208-230	25'	1-1/2"	WAP	48'	34	\$496
297	671812121049	3/4	1	115	10'	1-1/2"	VMF	48'	31	\$426
297-2	671812121056	3/4	1	115	25'	1-1/2"	VMF	48'	32	\$442
297HV	671812121063	3/4	1	208-230	10'	1-1/2"	VMF	48'	31	\$441
297HV-2	671812121070	3/4	1	208-230	25'	1-1/2"	VMF	48'	32	\$457

*WAP = Wide angle float - piggy back | WAI = Wide angle float - integral | VMF = Vertical magnetic float | No = Manual, no float switch
 For optional longer cord lengths on 250, 280 and 290-series pumps, see models listed under "Submersible Effluent Pumps" on page 7.

High Temperature Submersible Pumps

Model	UPC#	hp	Ph	Volts	Cord Length	Discharge	Max Head	LBS	List Price
HT40-Series		200°F							
HT41A	671812103533	4/10	1	115	10'	1-1/2"	19'	36	\$557
HT41A-2	671812103557	4/10	1	115	25'	1-1/2"	19'	37	\$608
HT41M	671812103526	4/10	1	115	10'	1-1/2"	19'	35	\$475
HT41M-2	671812103540	4/10	1	115	25'	1-1/2"	19'	36	\$501
HT450-Series		180°F							
HT450	671812114317	1/2	1	115	10'	1-1/2"	34'	13	\$381
HT450-2	671812116632	1/2	1	115	25'	1-1/2"	34'	14	\$407
HT453	671812114324	1/2	1	115	10'	1-1/2"	34'	14	\$456
HT453-2	671812116649	1/2	1	115	25'	1-1/2"	34'	15	\$507

High-Temperature Cast Iron Check Valves

Model	UPC#	Description	LBS	List Price
HCV150	671812115093	1-1/2" FNPT HD cast iron check valve, 200° F	11	\$87
HCV200	671812115109	2" FNPT HD cast iron check valve, 200° F	10	\$87

Economy Sump Pump Systems

Model	UPC#	Description	LBS	List Price
SPAC-Series Assembled Sump Pump System				
SPAC-237	671812120790	Assembled sump kit, 1/3 hp, model 237, 18" x 22" basin with cover	27	\$385
SPAC-237-2	671812123104	Assembled sump kit, 1/3 hp, model 237, 18" x 22" basin with cover, 25' cord	28	\$401
SPAC-S37	671812120806	Assembled sump kit, 1/3 hp, model S37, 18" x 22" basin with cover	25	\$361
SPAC-S37-P	671812142242	Assembled sump kit, 1/3 hp, model S37-P, 18" x 22" basin with cover	25	\$371
SPAC-457	671812120813	Assembled sump kit, 1/2 hp, model 457, 18" x 22" basin with cover	30	\$448
SPAC-457-2	671812123098	Assembled sump kit, 1/2 hp, model 457, 18" x 22" basin with cover, 25' cord	30	\$464

SumpBox® Replacement Kits

Model	UPC#	Description	LBS	List Price
SBX-Series Finish Kits for SumpBox®				
FKIT35	671812110272	1/3 hp Sump pump with pipe nipple, pump switch for SBX-Series	16	\$256
FKIT35A	671812110289	1/3 hp Sump pump with pipe nipple, pump switch, alarm w/ alarm float	18	\$423
FKIT280	671812110296	1/2 hp Sump pump with pipe nipple, pump switch for SBX-Series	31	\$442
FKIT280A	671812110302	1/2 hp Sump pump with pipe nipple, pump switch, alarm w/ alarm float	34	\$610
FKIT441	671812110319	12V Battery back-up emergency sump pump with internal piping, check valve and alarm (SBX-Series only)	16	\$602
FKITALM	671812110852	Alarm with vertical float for SBX-Series, indoor 115V with 9V back-up	3	\$151

ELV-Series Elevator Sump Pump Systems with OilTector®

Model	UPC#	hp	Ph	Volts	Cord Length	Holding Tank	Remote Alarm	Max Head	LBS	List Price
Complete Systems with Pump, OilTector® Control and Alarm										
ELV250	671812114874	1/3	1	115V	25'	No	Yes	22'	34	\$2,689
ELV250-06	671812134841	1/3	1	115V	6'	No	Yes	22'	34	\$2,689
ELV250-5	671812135022	1/3	1	115V	50'	No	Yes	22'	35	\$2,779
ELV280	671812114850	1/2	1	115V	25'	No	Yes	37'	40	\$2,794
ELV280-06	671812134865	1/2	1	115V	6'	No	Yes	37'	40	\$2,794
ELV280-5	671812135039	1/2	1	115V	50'	No	Yes	37'	41	\$2,884
ELV280HV	671812114867	1/2	1	208-230V	25'	No	Yes	37'	40	\$2,857
ELV280HV-06	671812134872	1/2	1	208-230V	6'	No	Yes	37'	40	\$2,857
ELV280HV-5	671812135046	1/2	1	208-230V	50'	No	Yes	37'	41	\$2,947
ELV280S	671812115581	1/2	1	115V	25'	No	No	37'	38	\$2,566
ELV290	671812121179	3/4	1	115V	25'	No	Yes	48'	41	\$2,911
ELV290-06	671812134889	3/4	1	115V	6'	No	Yes	48'	41	\$2,911
ELV290-5	671812135053	3/4	1	115V	50'	No	Yes	48'	42	\$3,001
ELV290HV	671812121186	3/4	1	208-230V	25'	No	Yes	48'	41	\$2,979
ELV290HV-06	671812134896	3/4	1	208-230V	6'	No	Yes	48'	41	\$2,979
ELV290HV-5	671812135060	3/4	1	208-230V	50'	No	Yes	48'	42	\$3,069
ELV290S	671812122701	3/4	1	115	25'	No	No	48'	40	\$2,689

ELV-Series Elevator Sump Pump Systems with OilTector® (cont)

Model	UPC#	hp	Ph	Volts	Cord Length	Holding Tank	Remote Alarm	Max Head	LBS	List Price
Pumps Only for ELV systems										
EV250	671812114614	1/3	1	115V	25'	No	No	18'	24	\$252
EV250-06	671812134902	1/3	1	115V	6'	No	No	18'	24	\$252
EV250-5	671812135077	1/3	1	115V	50'	No	No	18'	25	\$342
EV280	671812114621	1/2	1	115V	25'	No	No	37'	30	\$358
EV280-06	671812134926	1/2	1	115V	6'	No	No	37'	30	\$358
EV280-5	671812035084	1/2	1	115V	50'	No	No	37'	31	\$448
EV280HV	671812114638	1/2	1	208-230V	25'	No	No	37'	30	\$423
EV280HV-06	671812134933	1/2	1	208-230V	6'	No	No	37'	30	\$423
EV280HV-5	671812135091	1/2	1	208-230V	50'	No	No	37'	31	\$513
EV290	671812121957	3/4	1	115V	25'	No	No	48'	31	\$478
EV290-06	671812134940	3/4	1	115V	6'	No	No	48'	31	\$478
EV290-5	671812123050	3/4	1	115V	50'	No	No	48'	33	\$568
EV290HV	671812121964	3/4	1	208-230V	25'	No	No	48'	31	\$547
EV290HV-06	671812134957	3/4	1	208-230V	6'	No	No	48'	31	\$547
EV290HV-5	671812135107	3/4	1	208-230V	50'	No	No	48'	33	\$637

OilTector® (Simplex)

Model	UPC#	Max Amps	Ph	Volts	Cord Length	Panel Style	Remote Alarm	LBS	List Price
OilTector® Control and Alarm Only									
OTC-115	671812114836	15	1	115V	6'	NEMA 1	Yes	9	\$2,443
OTC-115S	671812115598	15	1	115V	6'	NEMA 1	No	9	\$2,217
OTC-115-5	671812135169	15	1	115V	6'	NEMA 1	Yes	11	\$2,533
OTC-230	671812114843	15	1	208-230V	6'	NEMA 1	Yes	9	\$2,443
OTC-230-5	671812135015	15	1	208-230V	6'	NEMA 1	Yes	12	\$2,533

ELV Auto-Valve Series with OilTector® (Simplex)

Complete system includes pump, control panel, level sensor, solenoid valves, junction box with disconnect, check valves, reducer couplings and remote alarm (no holding tank).

Model	UPC#	hp	Ph	Volts	Cord Length	Holding Tank	Remote Alarm	Max Head	LBS	List Price
ELV Auto-Valve Series (Simplex)										
ELV280-VS	671812133622	1/2	1	115	25'	No	Yes	37'	90	\$10,128
ELV280HV-VS	671812133639	1/2	1	230	25'	No	Yes	37'	90	\$10,191
ELV290-VS	671812133660	3/4	1	115	25'	No	Yes	48'	90	\$10,255
ELV290HV-VS	671812133677	3/4	1	230	25'	No	Yes	48'	90	\$10,323
ELVFL63-VS	671812133707	6/10	3	230	25'	No	Yes	65'	122	\$11,135

Complete system as above with 59 gallon oil holding tank

ELV280-VST	671812133721	1/2	1	115	25'	Yes	Yes	37'	155	\$10,871
ELV280HV-VST	671812133738	1/2	1	230	25'	Yes	Yes	37'	155	\$10,934
ELV290-VST	671812133769	3/4	1	115	25'	Yes	Yes	48'	155	\$10,987
ELV290HV-VST	671812133776	3/4	1	230	25'	Yes	Yes	48'	155	\$11,055
ELVFL63-VST	671812133806	6/10	3	230	25'	Yes	Yes	65'	187	\$12,090

Model	UPC#	Max Amps	Ph	Volts	Cord Length	Panel Style	Style	LBS	List Price
OilTector® Control System Only - Auto-Valve (No pumps or tank)									
OTC-120/230-VS	671812133820	15	1	115/230	6'	NEMA 4X	Touch Screen	61	\$9,545
OTC-230-3-VS	671812133844	4 - 6.3	3	230	6'	NEMA 4X	Touch Screen	61	\$10,553

ELV Duplex Series with OilTector®

Complete system includes pumps, control panel, level sensor, junction box with disconnects, check valves, reducer couplings and remote alarm (no holding tank).

Model	UPC#	hp	Ph	Volts	Cord Length	Holding Tank	Remote Alarm	Max Head	LBS	List Price
ELV Duplex Series										
ELV280-D	671812133646	1/2	1	115	25'	No	Yes	37'	119	\$9,056
ELV280HV-D	671812133653	1/2	1	230	25'	No	Yes	37'	119	\$9,119
ELV290-D	671812133684	3/4	1	115	25'	No	Yes	48'	119	\$9,184
ELV290HV-D	671812133691	3/4	1	230	25'	No	Yes	48'	119	\$9,252
ELVFL63-D	671812133714	6/10	3	230	25'	No	Yes	65'	158	\$10,520

Complete system as above with 59 gallon oil holding tank

ELV280-DT	671812133745	1/2	1	115	25'	Yes	Yes	37'	184	\$9,799
ELV280HV-DT	671812133752	1/2	1	230	25'	Yes	Yes	37'	184	\$9,862
ELV290-DT	671812133783	3/4	1	115	25'	Yes	Yes	48'	184	\$9,927
ELV290HV-DT	671812133790	3/4	1	230	25'	Yes	Yes	48'	184	\$9,995
ELVFL63-DT	671812133813	6/10	3	230	25'	Yes	Yes	65'	223	\$11,337

Model	UPC#	Max Amps	Ph	Volts	Cord Length	Panel Style	Style	LBS	List Price
OilTector® Control System Only - Duplex (No pumps or tank)									
OTC-120/230-D	671812133837	15	1	115	6'	NEMA 4X	Touch Screen	36	\$8,367
OTC-230-3-D	671812133851	4 - 6.3	3	208-230	6'	NEMA 4X	Touch Screen	36	\$9,226

Submersible Effluent Pumps

Model	UPC#	hp	Ph	Volts	Cord Length	Discharge	*Switch	Max Head	LBS	List Price
250-Series 1/3 hp										
250	671812002508	1/3	1	115	10'	1-1/2"	No	18'	23	\$210
250-2	671812100303	1/3	1	115	25'	1-1/2"	No	18'	24	\$226
250-3	671812104035	1/3	1	115	35'	1-1/2"	No	18'	22	\$243
250-5	671812121155	1/3	1	115	50'	1-1/2"	No	18'	23	\$265
251	671812002515	1/3	1	115	10'	1-1/2"	WAI	18'	24	\$230
251-2	671812100310	1/3	1	115	25'	1-1/2"	WAI	18'	24	\$246
251-3	671812104042	1/3	1	115	35'	1-1/2"	WAI	18'	23	\$263
251-5	671812121162	1/3	1	115	50'	1-1/2"	WAI	18'	24	\$285
253	671812002539	1/3	1	115	10'	1-1/2"	WAP	18'	24	\$239
253-2	671812100334	1/3	1	115	25'	1-1/2"	WAP	18'	25	\$267
253-3	671812104059	1/3	1	115	35'	1-1/2"	WAP	18'	25	\$294
280-Series 1/2 hp										
280	671812002805	1/2	1	115	10'	1-1/2"	No	37'	29	\$326
280-2	671812105186	1/2	1	115	25'	1-1/2"	No	37'	30	\$342
280-3	671812105193	1/2	1	115	35'	1-1/2"	No	37'	31	\$359
280-5	671812121087	1/2	1	115	50'	1-1/2"	No	37'	32	\$381
280HV	671812106411	1/2	1	208-230	10'	1-1/2"	No	37'	29	\$372
280HV-2	671812106428	1/2	1	208-230	25'	1-1/2"	No	37'	30	\$388
280HV-3	671812106435	1/2	1	208-230	35'	1-1/2"	No	37'	31	\$405
280HV-5	671812121094	1/2	1	208-230	50'	1-1/2"	No	37'	32	\$427
281	671812002812	1/2	1	115	10'	1-1/2"	WAI	37'	29	\$345
281-2	671812105209	1/2	1	115	25'	1-1/2"	WAI	37'	30	\$361
281-3	671812105216	1/2	1	115	35'	1-1/2"	WAI	37'	31	\$378
281-5	671812121100	1/2	1	115	50'	1-1/2"	WAI	37'	32	\$400
281HV	671812121117	1/2	1	208-230	10'	1-1/2"	WAI	37'	30	\$392
281HV-2	671812121124	1/2	1	208-230	25'	1-1/2"	WAI	37'	31	\$408
281HV-3	671812121131	1/2	1	208-230	35'	1-1/2"	WAI	37'	31	\$425
281HV-5	671812121148	1/2	1	208-230	50'	1-1/2"	WAI	37'	32	\$447
283	671812002836	1/2	1	115	10'	1-1/2"	WAP	37'	30	\$357
283-2	671812105223	1/2	1	115	25'	1-1/2"	WAP	37'	31	\$385
283-3	671812105230	1/2	1	115	35'	1-1/2"	WAP	37'	34	\$412
283HV	671812106442	1/2	1	208-230	10'	1-1/2"	WAP	37'	30	\$403
283HV-2	671812106459	1/2	1	208-230	25'	1-1/2"	WAP	37'	31	\$431
283HV-3	671812106466	1/2	1	208-230	35'	1-1/2"	WAP	37'	34	\$458
290-Series 3/4 hp										
290	671812120820	3/4	1	115	10'	1-1/2"	No	48'	30	\$422
290-2	671812120837	3/4	1	115	25'	1-1/2"	No	48'	31	\$438
290-3	671812120844	3/4	1	115	35'	1-1/2"	No	48'	32	\$455
290-5	671812120851	3/4	1	115	50'	1-1/2"	No	48'	33	\$477
290HV	671812120868	3/4	1	208-230	10'	1-1/2"	No	48'	30	\$437
290HV-2	671812120875	3/4	1	208-230	25'	1-1/2"	No	48'	31	\$453
290HV-3	671812120882	3/4	1	208-230	35'	1-1/2"	No	48'	32	\$470
290HV-5	671812120899	3/4	1	208-230	50'	1-1/2"	No	48'	33	\$492
291	671812120905	3/4	1	115	10'	1-1/2"	WAI	48'	31	\$442
291-2	671812120912	3/4	1	115	25'	1-1/2"	WAI	48'	32	\$458
291-3	671812120929	3/4	1	115	35'	1-1/2"	WAI	48'	32	\$475
291-5	671812120936	3/4	1	115	50'	1-1/2"	WAI	48'	33	\$497
291HV	671812120943	3/4	1	208-230	10'	1-1/2"	WAI	48'	31	\$457
291HV-2	671812120950	3/4	1	208-230	25'	1-1/2"	WAI	48'	32	\$473
291HV-3	671812120967	3/4	1	208-230	35'	1-1/2"	WAI	48'	32	\$490
291HV-5	671812120974	3/4	1	208-230	50'	1-1/2"	WAI	48'	33	\$512
293	671812120981	3/4	1	115	10'	1-1/2"	WAP	48'	32	\$454
293-2	671812120998	3/4	1	115	25'	1-1/2"	WAP	48'	34	\$482
293-3	671812121001	3/4	1	115	35'	1-1/2"	WAP	48'	35	\$509
293HV	671812121018	3/4	1	208-230	10'	1-1/2"	WAP	48'	32	\$468
293HV-2	671812121025	3/4	1	208-230	25'	1-1/2"	WAP	48'	34	\$496
293HV-3	671812121032	3/4	1	208-230	35'	1-1/2"	WAP	48'	35	\$523
*WAP = Wide angle float - piggy back WAI = Wide angle float - integral VMF = Vertical magnetic float No = Manual, no float switch										
FL30-Series 1/3 hp										
FL31A	671812101515	1/3	1	115	10'	1-1/2"	Auto	19'	36	\$393
FL31A-2	671812101522	1/3	1	115	25'	1-1/2"	Auto	19'	37	\$421
FL31M	671812101539	1/3	1	115	10'	1-1/2"	No	19'	35	\$358
FL31M-2	671812101546	1/3	1	115	25'	1-1/2"	No	19'	36	\$374
FL31M-3	671812104189	1/3	1	115	35'	1-1/2"	No	19'	36	\$391
FL31M-5	671812148015	1/3	1	115	50'	1-1/2"	No	19'	37	\$418
FL32A	671812102918	1/3	1	208-230	10'	1-1/2"	Auto	19'	36	\$441
FL32A-2	671812102925	1/3	1	208-230	25'	1-1/2"	Auto	19'	37	\$469
FL32M	671812102932	1/3	1	208-230	10'	1-1/2"	No	19'	35	\$390
FL32M-2	671812102949	1/3	1	208-230	25'	1-1/2"	No	19'	36	\$406
FL32M-3	671812104202	1/3	1	208-230	35'	1-1/2"	No	19'	36	\$423
FL32M-5	671812148022	1/3	1	208-230	50'	1-1/2"	No	19'	37	\$450
FL50-Series 1/2 hp										
FL51A	671812102956	1/2	1	115	10'	1-1/2" / 2"	Auto	55'	53	\$860
FL51A-2	671812102963	1/2	1	115	25'	1-1/2" / 2"	Auto	55'	55	\$888
FL51A-3	671812104110	1/2	1	115	35'	1-1/2" / 2"	Auto	55'	58	\$915

Submersible Effluent Pumps (cont)

Model	UPC#	hp	Ph	Volts	Cord Length	Discharge	*Switch	Max Head	LBS	List Price
FL50-Series 1/2 hp (cont)										
FL51M	671812102970	1/2	1	115	10'	1-1/2" / 2"	No	55'	52	\$784
FL51M-2	671812102987	1/2	1	115	25'	1-1/2" / 2"	No	55'	53	\$800
FL51M-3	671812104127	1/2	1	115	35'	1-1/2" / 2"	No	55'	55	\$817
FL51M-5	671812142372	1/2	1	115	50'	1-1/2" / 2"	No	55'	57	\$844
FL52A	671812102994	1/2	1	208-230	10'	1-1/2" / 2"	Auto	55'	62	\$920
FL52A-2	671812103007	1/2	1	208-230	25'	1-1/2" / 2"	Auto	55'	64	\$948
FL52A-3	671812104134	1/2	1	208-230	35'	1-1/2" / 2"	Auto	55'	66	\$975
FL52M	671812103014	1/2	1	208-230	10'	1-1/2" / 2"	No	55'	61	\$838
FL52M-2	671812103021	1/2	1	208-230	25'	1-1/2" / 2"	No	55'	62	\$854
FL52M-3	671812104141	1/2	1	208-230	35'	1-1/2" / 2"	No	55'	64	\$871
FL52M-5	671812142389	1/2	1	208-230	50'	1-1/2" / 2"	No	55'	57	\$898
FLH60-Series 6/10 hp (High Head)										
FLH61A	671812142310	6/10	1	115	10'	1-1/2" / 2"	Auto	70'	64	\$967
FLH61A-2	671812142334	6/10	1	115	25'	1-1/2" / 2"	Auto	70'	65	\$995
FLH61A-3	671812142358	6/10	1	115	35'	1-1/2" / 2"	Auto	70'	69	\$1,022
FLH61M	671812142303	6/10	1	115	10'	1-1/2" / 2"	No	70'	62	\$893
FLH61M-2	671812142327	6/10	1	115	25'	1-1/2" / 2"	No	70'	63	\$909
FLH61M-3	671812142341	6/10	1	115	35'	1-1/2" / 2"	No	70'	65	\$926
FLH61M-5	671812142365	6/10	1	115	50'	1-1/2" / 2"	No	70'	67	\$953
FL60-Series 6/10 hp										
FL62A	671812101690	6/10	1	208-230	10'	1-1/2" / 2"	Auto	65'	62	\$998
FL62A-2	671812101706	6/10	1	208-230	25'	1-1/2" / 2"	Auto	65'	65	\$1,026
FL62A-3	671812104158	6/10	1	208-230	35'	1-1/2" / 2"	Auto	65'	66	\$1,053
FL62M	671812101713	6/10	1	208-230	10'	1-1/2" / 2"	No	65'	60	\$922
FL62M-2	671812101720	6/10	1	208-230	25'	1-1/2" / 2"	No	65'	62	\$938
FL62M-3	671812104165	6/10	1	208-230	35'	1-1/2" / 2"	No	65'	64	\$955
FL62M-5	671812142396	6/10	1	208-230	50'	1-1/2" / 2"	No	65'	57	\$982
FL63M-2	671812125726	6/10	3	208-230	25'	1-1/2" / 2"	No	65'	61	\$947
FL63M-3	671812125757	6/10	3	208-230	35'	1-1/2" / 2"	No	65'	63	\$963
FL63M-5	671812134551	6/10	3	208-230	50'	1-1/2" / 2"	No	65'	60	\$980
FL64M-2	671812128376	6/10	3	440-480	25'	1-1/2" / 2"	No	65'	61	\$947
FL64M-3	671812128383	6/10	3	440-480	35'	1-1/2" / 2"	No	65'	61	\$963
FL64M-5	671812142402	6/10	3	440-480	50'	1-1/2" / 2"	No	65'	60	\$980
FL70-Series 3/4 hp										
FL72A	671812125665	3/4	1	208-230	10'	1-1/2" / 2"	Auto	78'	61	\$1,014
FL72A-2	671812125672	3/4	1	208-230	25'	1-1/2" / 2"	Auto	78'	63	\$1,042
FL72A-3	671812125689	3/4	1	208-230	35'	1-1/2" / 2"	Auto	78'	65	\$1,069
FL72M	671812125696	3/4	1	208-230	10'	1-1/2" / 2"	No	78'	60	\$936
FL72M-2	671812125702	3/4	1	208-230	25'	1-1/2" / 2"	No	78'	62	\$952
FL72M-3	671812125719	3/4	1	208-230	35'	1-1/2" / 2"	No	78'	64	\$969
FL72M-5	671812142419	3/4	1	208-230	50'	1-1/2" / 2"	No	78'	57	\$996
FL73M-2	671812125733	3/4	3	208-230	25'	1-1/2" / 2"	No	78'	61	\$961
FL73M-3	671812125740	3/4	3	208-230	35'	1-1/2" / 2"	No	78'	63	\$977
FL73M-5	671812142426	3/4	3	208-230	50'	1-1/2" / 2"	No	78'	60	\$994
FL74M-2	671812125764	3/4	3	440-480	25'	1-1/2" / 2"	No	78'	61	\$961
FL74M-3	671812125771	3/4	3	440-480	35'	1-1/2" / 2"	No	78'	63	\$977
FL74M-5	671812142808	3/4	3	440-480	50'	1-1/2" / 2"	No	78'	66	\$994
FL100-Series 1 hp										
FL102A-2	671812131406	1	1	208-230	25'	1-1/2" / 2"	Auto	90'	72	\$1,207
FL102A-3	671812125337	1	1	208-230	35'	1-1/2" / 2"	Auto	90'	72	\$1,235
FL102M-2	671812131413	1	1	208-230	25'	1-1/2" / 2"	No	90'	71	\$1,134
FL102M-3	671812125344	1	1	208-230	35'	1-1/2" / 2"	No	90'	71	\$1,150
FL103M-2	671812131420	1	3	208/230	25'	1-1/2" / 2"	No	90'	71	\$1,262
FL103M-3	671812125351	1	3	208-230	35'	1-1/2" / 2"	No	90'	71	\$1,278
FL103M-5	671812140064	1	3	208/230	50'	1-1/2" / 2"	No	90'	74	\$1,295
FL104M-2	671812131437	1	3	440-480	25'	1-1/2" / 2"	No	90'	71	\$1,262
FL104M-3	671812125368	1	3	440-480	35'	1-1/2" / 2"	No	90'	71	\$1,278
FL104M-5	671812140002	1	3	440-480	50'	1-1/2" / 2"	No	90'	75	\$1,295
FL105M-2	671812131444	1	3	575	25'	1-1/2" / 2"	No	90'	71	\$1,262
FL105M-3	671812125375	1	3	575	35'	1-1/2" / 2"	No	90'	71	\$1,278
FL105M-5	671812140071	1	3	575	50'	1-1/2" / 2"	No	90'	74	\$1,295
FL150-Series 1-1/2 hp										
FL152A-2	671812131451	1-1/2	1	208-230	25'	1-1/2" / 2"	Auto	110'	82	\$1,386
FL152M-2	671812131468	1-1/2	1	208-230	25'	1-1/2" / 2"	No	110'	81	\$1,311
FL153M-2	671812131499	1-1/2	3	208/230	25'	1-1/2" / 2"	No	110'	81	\$1,440
FL153M-3	671812131505	1-1/2	3	208/230	35'	1-1/2" / 2"	No	110'	83	\$1,456
FL153M-5	671812140088	1-1/2	3	208/230	50'	1-1/2" / 2"	No	110'	86	\$1,473
FL154M-2	671812131512	1-1/2	3	440-480	25'	1-1/2" / 2"	No	110'	81	\$1,440
FL154M-3	671812131529	1-1/2	3	440-480	35'	1-1/2" / 2"	No	110'	83	\$1,456
FL154M-5	671812140019	1-1/2	3	440-480	50'	1-1/2" / 2"	No	110'	87	\$1,473
FL155M-2	671812131536	1-1/2	3	575	25'	1-1/2" / 2"	No	110'	81	\$1,440
FL155M-3	671812131543	1-1/2	3	575	35'	1-1/2" / 2"	No	110'	83	\$1,456
FL155M-5	671812140095	1-1/2	3	575	50'	1-1/2" / 2"	No	110'	86	\$1,473

Submersible Effluent Pumps (cont)

Model	UPC#	hp	Ph	Volts	Cord Length	Discharge	Switch	Max Head	LBS	List Price
FL200-Series 2 hp										
FL202A-2	671812131550	2	1	208-230	25'	1-1/2" / 2"	Auto	130'	83	\$1,448
FL202M-2	671812131567	2	1	208-230	25'	1-1/2" / 2"	No	130'	82	\$1,373
FL203M-2	671812131598	2	3	208/230	25'	1-1/2" / 2"	No	130'	82	\$1,501
FL203M-3	671812131604	2	3	208/230	35'	1-1/2" / 2"	No	130'	84	\$1,517
FL203M-5	671812140101	2	3	208/230	50'	1-1/2" / 2"	No	130'	87	\$1,534
FL204M-2	671812131611	2	3	440-480	25'	1-1/2" / 2"	No	130'	82	\$1,501
FL204M-3	671812131628	2	3	440-480	35'	1-1/2" / 2"	No	130'	84	\$1,517
FL204M-5	671812140118	2	3	440-480	50'	1-1/2" / 2"	No	130'	87	\$1,534
FL205M-2	671812131635	2	3	575	25'	1-1/2" / 2"	No	130'	82	\$1,501
FL205M-3	671812131642	2	3	575	35'	1-1/2" / 2"	No	130'	84	\$1,517
FL205M-5	671812140125	2	3	575	50'	1-1/2" / 2"	No	130'	87	\$1,534

X-Series 1/2 hp Effluent Explosion-Proof (Hazardous Location)

Model	UPC#	hp	Ph	Volts	Cord Length	Discharge	*Capacitor Kit	Impeller	LBS	List Price
XFL50-Series 1/2 hp										
XFL51M-2	671812132946	1/2	1	115	25'	1-1/2" / 2"	K001515	Iron	89	\$2,282
XFL51BM-2	671812133400	1/2	1	115	25'	1-1/2" / 2"	K001515	Bronze	89	\$2,369
XFL51M-3	671812132953	1/2	1	115	35'	1-1/2" / 2"	K001515	Iron	93	\$2,309
XFL51BM-3	671812133417	1/2	1	115	35'	1-1/2" / 2"	K001515	Bronze	93	\$2,396
XFL51M-5	671812134155	1/2	1	115	50'	1-1/2" / 2"	K001515	Iron	98	\$2,347
XFL51BM-5	671812134100	1/2	1	115	50'	1-1/2" / 2"	K001515	Bronze	98	\$2,434
XFL52M-2	671812132960	1/2	1	208/230	25'	1-1/2" / 2"	K001514	Iron	89	\$2,324
XFL52BM-2	671812133424	1/2	1	208/230	25'	1-1/2" / 2"	K001514	Bronze	89	\$2,411
XFL52M-3	671812132977	1/2	1	208/230	35'	1-1/2" / 2"	K001514	Iron	93	\$2,351
XFL52BM-3	671812133431	1/2	1	208/230	35'	1-1/2" / 2"	K001514	Bronze	93	\$2,438
XFL52M-5	671812134162	1/2	1	208/230	50'	1-1/2" / 2"	K001514	Iron	98	\$2,389
XFL52BM-5	671812134117	1/2	1	208/230	50'	1-1/2" / 2"	K001514	Bronze	98	\$2,476
XFL53M-2	671812132984	1/2	3	208/230	25'	1-1/2" / 2"	N/A	Iron	89	\$2,282
XFL53BM-2	671812133448	1/2	3	208/230	25'	1-1/2" / 2"	N/A	Bronze	89	\$2,369
XFL53M-3	671812132991	1/2	3	208/230	35'	1-1/2" / 2"	N/A	Iron	93	\$2,309
XFL53BM-3	671812133455	1/2	3	208/230	35'	1-1/2" / 2"	N/A	Bronze	93	\$2,396
XFL53M-5	671812134179	1/2	3	208/230	50'	1-1/2" / 2"	N/A	Iron	98	\$2,347
XFL53BM-5	671812134124	1/2	3	208/230	50'	1-1/2" / 2"	N/A	Bronze	98	\$2,434
XFL54M-2	671812133004	1/2	3	440-480	25'	1-1/2" / 2"	N/A	Iron	89	\$2,282
XFL54BM-2	671812133462	1/2	3	440-480	25'	1-1/2" / 2"	N/A	Bronze	89	\$2,369
XFL54M-3	671812133011	1/2	3	440-480	35'	1-1/2" / 2"	N/A	Iron	93	\$2,309
XFL54BM-3	671812133479	1/2	3	440-480	35'	1-1/2" / 2"	N/A	Bronze	93	\$2,396
XFL54M-5	671812134186	1/2	3	440-480	50'	1-1/2" / 2"	N/A	Iron	98	\$2,347
XFL54BM-5	671812134131	1/2	3	440-480	50'	1-1/2" / 2"	N/A	Bronze	98	\$2,434
XFL55M-2	671812133028	1/2	3	575	25'	1-1/2" / 2"	N/A	Iron	89	\$2,282
XFL55BM-2	671812133486	1/2	3	575	25'	1-1/2" / 2"	N/A	Bronze	89	\$2,369
XFL55M-3	671812133035	1/2	3	575	35'	1-1/2" / 2"	N/A	Iron	93	\$2,309
XFL55BM-3	671812133493	1/2	3	575	35'	1-1/2" / 2"	N/A	Bronze	93	\$2,396
XFL55M-5	671812134193	1/2	3	575	50'	1-1/2" / 2"	N/A	Iron	98	\$2,347
XFL55BM-5	671812134148	1/2	3	575	50'	1-1/2" / 2"	N/A	Bronze	98	\$2,434

X-Series 3/4 hp Effluent Explosion-Proof (Hazardous Location)

Model	UPC#	hp	Ph	Volts	Cord Length	Discharge	*Capacitor Kit	Impeller	LBS	List Price
XFL70-Series 3/4 hp										
XFL71M-2	671812133042	3/4	1	115	25'	1-1/2" / 2"	K001515	Iron	89	\$2,438
XFL71BM-2	671812133509	3/4	1	115	25'	1-1/2" / 2"	K001515	Bronze	89	\$2,525
XFL71M-3	671812133059	3/4	1	115	35'	1-1/2" / 2"	K001515	Iron	93	\$2,465
XFL71BM-3	671812133516	3/4	1	115	35'	1-1/2" / 2"	K001515	Bronze	93	\$2,552
XFL71M-5	671812134254	3/4	1	115	50'	1-1/2" / 2"	K001515	Iron	98	\$2,503
XFL71BM-5	671812134209	3/4	1	115	50'	1-1/2" / 2"	K001515	Bronze	98	\$2,590
XFL72M-2	671812133066	3/4	1	208/230	25'	1-1/2" / 2"	K001514	Iron	89	\$2,480
XFL72BM-2	671812133523	3/4	1	208/230	25'	1-1/2" / 2"	K001514	Bronze	89	\$2,567
XFL72M-3	671812133073	3/4	1	208/230	35'	1-1/2" / 2"	K001514	Iron	93	\$2,507
XFL72BM-3	671812133530	3/4	1	208/230	35'	1-1/2" / 2"	K001514	Bronze	93	\$2,594
XFL72M-5	671812134261	3/4	1	208/230	50'	1-1/2" / 2"	K001514	Iron	98	\$2,545
XFL72BM-5	671812134216	3/4	1	208/230	50'	1-1/2" / 2"	K001514	Bronze	98	\$2,632
XFL73M-2	671812133080	3/4	3	208/230	25'	1-1/2" / 2"	N/A	Iron	89	\$2,438
XFL73BM-2	671812133547	3/4	3	208/230	25'	1-1/2" / 2"	N/A	Bronze	89	\$2,525
XFL73M-3	671812133097	3/4	3	208/230	35'	1-1/2" / 2"	N/A	Iron	93	\$2,465
XFL73BM-3	671812133554	3/4	3	208/230	35'	1-1/2" / 2"	N/A	Bronze	93	\$2,552
XFL73M-5	671812134278	3/4	3	208/230	50'	1-1/2" / 2"	N/A	Iron	98	\$2,503
XFL73BM-5	671812134223	3/4	3	208/230	50'	1-1/2" / 2"	N/A	Bronze	98	\$2,590

*X-Series single phase pumps require capacitor kits

X-Series 3/4 hp Effluent Explosion-Proof (Hazardous Location) (cont)

Model	UPC#	hp	Ph	Volts	Cord Length	Discharge	*Capacitor Kit	Impeller	LBS	List Price
XFL70-Series 3/4 hp (cont)										
XFL74M-2	671812133103	3/4	3	440-480	25'	1-1/2" / 2"	N/A	Iron	89	\$2,438
XFL74BM-2	671812133561	3/4	3	440-480	25'	1-1/2" / 2"	N/A	Bronze	89	\$2,525
XFL74M-3	671812133110	3/4	3	440-480	35'	1-1/2" / 2"	N/A	Iron	93	\$2,465
XFL74BM-3	671812133578	3/4	3	440-480	35'	1-1/2" / 2"	N/A	Bronze	93	\$2,552
XFL74M-5	671812134285	3/4	3	440-480	50'	1-1/2" / 2"	N/A	Iron	98	\$2,503
XFL74BM-5	671812134230	3/4	3	440-480	50'	1-1/2" / 2"	N/A	Bronze	98	\$2,590
XFL75M-2	671812133127	3/4	3	575	25'	1-1/2" / 2"	N/A	Iron	89	\$2,438
XFL75BM-2	671812133585	3/4	3	575	25'	1-1/2" / 2"	N/A	Bronze	89	\$2,525
XFL75M-3	671812133134	3/4	3	575	35'	1-1/2" / 2"	N/A	Iron	93	\$2,465
XFL75BM-3	671812133592	3/4	3	575	35'	1-1/2" / 2"	N/A	Bronze	93	\$2,552
XFL75M-5	671812134292	3/4	3	575	50'	1-1/2" / 2"	N/A	Iron	98	\$2,503
XFL75BM-5	671812134247	3/4	3	575	50'	1-1/2" / 2"	N/A	Bronze	98	\$2,590

X-Series 1 hp Effluent Explosion-Proof (Hazardous Location)

Model	UPC#	hp	Ph	Volts	Cord Length	Discharge	*Capacitor Kit	Impeller	LBS	List Price
XFL100-Series 1 hp										
XFL102M-2	671812140712	1	1	208/230	25'	1-1/2" / 2"	K001585	Iron	93	\$2,960
XFL102BM-2	671812140729	1	1	208/230	25'	1-1/2" / 2"	K001585	Bronze	93	\$3,095
XFL102M-3	671812140736	1	1	208/230	35'	1-1/2" / 2"	K001585	Iron	96	\$2,987
XFL102BM-3	671812140743	1	1	208/230	35'	1-1/2" / 2"	K001585	Bronze	96	\$3,122
XFL102M-5	671812140750	1	1	208/230	50'	1-1/2" / 2"	K001585	Iron	100	\$3,025
XFL102BM-5	671812140767	1	1	208/230	50'	1-1/2" / 2"	K001585	Bronze	100	\$3,160
XFL103M-2	671812140774	1	3	208/230	25'	1-1/2" / 2"	N/A	Iron	93	\$2,960
XFL103BM-2	671812140781	1	3	208/230	25'	1-1/2" / 2"	N/A	Bronze	93	\$3,095
XFL103M-3	671812140798	1	3	208/230	35'	1-1/2" / 2"	N/A	Iron	96	\$2,987
XFL103BM-3	671812140804	1	3	208/230	35'	1-1/2" / 2"	N/A	Bronze	96	\$3,122
XFL103M-5	671812140811	1	3	208/230	50'	1-1/2" / 2"	N/A	Iron	100	\$3,025
XFL103BM-5	671812140828	1	3	208/230	50'	1-1/2" / 2"	N/A	Bronze	100	\$3,160
XFL104M-2	671812140835	1	3	440-480	25'	1-1/2" / 2"	N/A	Iron	93	\$2,960
XFL104BM-2	671812140842	1	3	440-480	25'	1-1/2" / 2"	N/A	Bronze	93	\$3,095
XFL104M-3	671812140859	1	3	440-480	35'	1-1/2" / 2"	N/A	Iron	96	\$2,987
XFL104BM-3	671812140866	1	3	440-480	35'	1-1/2" / 2"	N/A	Bronze	96	\$3,122
XFL104M-5	671812140873	1	3	440-480	50'	1-1/2" / 2"	N/A	Iron	100	\$3,025
XFL104BM-5	671812140880	1	3	440-480	50'	1-1/2" / 2"	N/A	Bronze	100	\$3,160
XFL105M-2	671812140897	1	3	575	25'	1-1/2" / 2"	N/A	Iron	93	\$2,960
XFL105BM-2	671812140903	1	3	575	25'	1-1/2" / 2"	N/A	Bronze	93	\$3,095
XFL105M-3	671812140910	1	3	575	35'	1-1/2" / 2"	N/A	Iron	96	\$2,987
XFL105BM-3	671812140927	1	3	575	35'	1-1/2" / 2"	N/A	Bronze	96	\$3,122
XFL105M-5	671812140934	1	3	575	50'	1-1/2" / 2"	N/A	Iron	100	\$3,025
XFL105BM-5	671812140941	1	3	575	50'	1-1/2" / 2"	N/A	Bronze	100	\$3,160

X-Series 1-1/2 hp Effluent Explosion-Proof (Hazardous Location)

Model	UPC#	hp	Ph	Volts	Cord Length	Discharge	*Capacitor Kit	Impeller	LBS	List Price
XFL150-Series 1-1/2 hp										
XFL152M-2	671812140958	1-1/2	1	208/230	25'	1-1/2" / 2"	K001585	Iron	93	\$3,137
XFL152BM-2	671812140965	1-1/2	1	208/230	25'	1-1/2" / 2"	K001585	Bronze	93	\$3,272
XFL152M-3	671812140972	1-1/2	1	208/230	35'	1-1/2" / 2"	K001585	Iron	96	\$3,164
XFL152BM-3	671812140989	1-1/2	1	208/230	35'	1-1/2" / 2"	K001585	Bronze	96	\$3,299
XFL152M-5	671812140996	1-1/2	1	208/230	50'	1-1/2" / 2"	K001585	Iron	100	\$3,202
XFL152BM-5	671812141009	1-1/2	1	208/230	50'	1-1/2" / 2"	K001585	Bronze	100	\$3,337
XFL153M-2	671812141016	1-1/2	3	208/230	25'	1-1/2" / 2"	N/A	Iron	93	\$3,137
XFL153BM-2	671812141023	1-1/2	3	208/230	25'	1-1/2" / 2"	N/A	Bronze	93	\$3,272
XFL153M-3	671812141030	1-1/2	3	208/230	35'	1-1/2" / 2"	N/A	Iron	96	\$3,164
XFL153BM-3	671812141047	1-1/2	3	208/230	35'	1-1/2" / 2"	N/A	Bronze	96	\$3,299
XFL153M-5	671812141054	1-1/2	3	208/230	50'	1-1/2" / 2"	N/A	Iron	100	\$3,202
XFL153BM-5	671812141061	1-1/2	3	208/230	50'	1-1/2" / 2"	N/A	Bronze	100	\$3,337
XFL154M-2	671812141078	1-1/2	3	440-480	25'	1-1/2" / 2"	N/A	Iron	93	\$3,137
XFL154BM-2	671812141085	1-1/2	3	440-480	25'	1-1/2" / 2"	N/A	Bronze	93	\$3,272
XFL154M-3	671812141092	1-1/2	3	440-480	35'	1-1/2" / 2"	N/A	Iron	96	\$3,164
XFL154BM-3	671812141108	1-1/2	3	440-480	35'	1-1/2" / 2"	N/A	Bronze	96	\$3,299
XFL154M-5	671812141115	1-1/2	3	440-480	50'	1-1/2" / 2"	N/A	Iron	100	\$3,202
XFL154BM-5	671812141122	1-1/2	3	440-480	50'	1-1/2" / 2"	N/A	Bronze	100	\$3,337
XFL155M-2	671812141139	1-1/2	3	575	25'	1-1/2" / 2"	N/A	Iron	93	\$3,137
XFL155BM-2	671812141146	1-1/2	3	575	25'	1-1/2" / 2"	N/A	Bronze	93	\$3,272
XFL155M-3	671812141153	1-1/2	3	575	35'	1-1/2" / 2"	N/A	Iron	96	\$3,164
XFL155BM-3	671812141160	1-1/2	3	575	35'	1-1/2" / 2"	N/A	Bronze	96	\$3,299
XFL155M-5	671812141177	1-1/2	3	575	50'	1-1/2" / 2"	N/A	Iron	100	\$3,202
XFL155BM-5	671812141184	1-1/2	3	575	50'	1-1/2" / 2"	N/A	Bronze	100	\$3,337

*X-Series single phase pumps require capacitor kits

Submersible Sewage Pumps 2" Solids-Handling

Model	UPC#	hp	Ph	Volts	Cord Length	Discharge	Switch Type	Max Head	LBS	List Price
LE40-Series 4/10 hp										
LE41A	671812101553	4/10	1	115	10'	2"	Wide Angle	20'	39	\$442
LE41A-2	671812102246	4/10	1	115	25'	2"	Wide Angle	20'	43	\$470
LE41AV	671812136616	4/10	1	115	10'	2"	Vertical Float	20'	43	\$442
LE41AV-2	671812136623	4/10	1	115	25'	2"	Vertical Float	20'	44	\$470
LE41M	671812101560	4/10	1	115	10'	2"	None	20'	40	\$398
LE41M-2	671812102253	4/10	1	115	25'	2"	None	20'	41	\$414
LE41M-3	671812104226	4/10	1	115	35'	2"	None	20'	43	\$431
LE41M-5	671812148091	4/10	1	115	50'	2"	None	20'	45	\$458
LE50-Series 1/2 hp										
LE51A	671812101577	1/2	1	115	10'	2"	Wide Angle	25'	41	\$511
LE51A-2	671812101584	1/2	1	115	25'	2"	Wide Angle	25'	42	\$539
LE51AV	671812136630	1/2	1	115	10'	2"	Vertical Float	25'	41	\$511
LE51AV-2	671812136647	1/2	1	115	25'	2"	Vertical Float	25'	42	\$539
LE51M	671812101591	1/2	1	115	10'	2"	None	25'	38	\$470
LE51M-2	671812101607	1/2	1	115	25'	2"	None	25'	39	\$486
LE51M-3	671812104264	1/2	1	115	35'	2"	None	25'	44	\$503
LE51M-5	671812148107	1/2	1	115	50'	2"	None	25'	46	\$530
LE52A	671812101614	1/2	1	208-230	10'	2"	Wide Angle	25'	40	\$609
LE52A-2	671812101621	1/2	1	208-230	25'	2"	Wide Angle	25'	41	\$637
LE52M	671812101638	1/2	1	208-230	10'	2"	None	25'	40	\$559
LE52M-2	671812101645	1/2	1	208-230	25'	2"	None	25'	41	\$575
LE52M-3	671812104288	1/2	1	208-230	35'	2"	None	25'	43	\$592
LE52M-5	671812148114	1/2	1	208-230	50'	2"	None	25'	46	\$619
LE70-Series 3/4 hp										
LE71A2	671812101737	3/4	1	115	10'	2"	Auto	28'	65	\$830
LE71A2-2	671812101744	3/4	1	115	25'	2"	Auto	28'	67	\$858
LE71A2-3	671812104295	3/4	1	115	35'	2"	Auto	28'	69	\$885
LE71A3	671812101751	3/4	1	115	10'	3"	Auto	28'	65	\$830
LE71A3-2	671812101768	3/4	1	115	25'	3"	Auto	28'	67	\$858
LE71A3-3	671812104301	3/4	1	115	35'	3"	Auto	28'	69	\$885
LE71M2	671812101775	3/4	1	115	10'	2"	No	28'	63	\$783
LE71M2-2	671812101782	3/4	1	115	25'	2"	No	28'	64	\$799
LE71M2-3	671812104318	3/4	1	115	35'	2"	No	28'	65	\$816
LE71M2-5	671812148039	3/4	1	115	50'	2"	No	28'	67	\$843
LE71M3	671812101799	3/4	1	115	10'	3"	No	28'	63	\$783
LE71M3-2	671812101805	3/4	1	115	25'	3"	No	28'	64	\$799
LE71M3-3	671812104325	3/4	1	115	35'	3"	No	28'	65	\$816
LE71M3-5	671812148046	3/4	1	115	50'	3"	No	28'	67	\$843
LE72A2	671812101812	3/4	1	208-230	10'	2"	Auto	28'	65	\$907
LE72A2-2	671812101829	3/4	1	208-230	25'	2"	Auto	28'	66	\$935
LE72A2-3	671812104332	3/4	1	208-230	35'	2"	Auto	28'	67	\$962
LE72A3	671812101836	3/4	1	208-230	10'	3"	Auto	28'	65	\$907
LE72A3-2	671812101843	3/4	1	208-230	25'	3"	Auto	28'	66	\$935
LE72A3-3	671812104349	3/4	1	208-230	35'	3"	Auto	28'	67	\$962
LE72M2	671812101850	3/4	1	208-230	10'	2"	No	28'	63	\$858
LE72M2-2	671812101867	3/4	1	208-230	25'	2"	No	28'	64	\$874
LE72M2-3	671812104356	3/4	1	208-230	35'	2"	No	28'	65	\$891
LE72M2-5	671812148053	3/4	1	208-230	50'	2"	No	28'	67	\$918
LE72M3	671812101874	3/4	1	208-230	10'	3"	No	28'	63	\$858
LE72M3-2	671812101881	3/4	1	208-230	25'	3"	No	28'	64	\$874
LE72M3-3	671812104363	3/4	1	208-230	35'	3"	No	28'	65	\$891
LE72M3-5	671812148060	3/4	1	208-230	50'	3"	No	28'	67	\$918
LE73M2-2	671812101898	3/4	3	208-230	25'	2"	No	28'	71	\$1,238
LE73M2-3	671812104370	3/4	3	208-230	35'	2"	No	28'	72	\$1,254
LE73M3-2	671812101904	3/4	3	208-230	25'	3"	No	28'	71	\$1,238
LE73M3-3	671812104387	3/4	3	208-230	35'	3"	No	28'	72	\$1,254
LE74M2-2	671812101911	3/4	3	440-480	25'	2"	No	28'	71	\$1,238
LE74M2-3	671812104394	3/4	3	440-480	35'	2"	No	28'	72	\$1,254
LE74M3-2	671812101928	3/4	3	440-480	25'	3"	No	28'	71	\$1,238
LE74M3-3	671812104400	3/4	3	440-480	35'	3"	No	28'	72	\$1,254
LE100-Series 1 hp										
LE102A2	671812101393	1	1	208-230	10'	2"	Auto	36'	68	\$944
LE102A2-2	671812101409	1	1	208-230	25'	2"	Auto	36'	70	\$972
LE102A2-3	671812104431	1	1	208-230	35'	2"	Auto	36'	72	\$999
LE102A3	671812101416	1	1	208-230	10'	3"	Auto	36'	68	\$944
LE102A3-2	671812101423	1	1	208-230	25'	3"	Auto	36'	70	\$972
LE102A3-3	671812104448	1	1	208-230	35'	3"	Auto	36'	72	\$999
LE102M2	671812101430	1	1	208-230	10'	2"	No	36'	66	\$891
LE102M2-2	671812101447	1	1	208-230	25'	2"	No	36'	68	\$907
LE102M2-3	671812104455	1	1	208-230	35'	2"	No	36'	70	\$924
LE102M2-5	671812148077	1	1	208-230	50'	2"	No	36'	72	\$951
LE102M3	671812101454	1	1	208-230	10'	3"	No	36'	66	\$891
LE102M3-2	671812101461	1	1	208-230	25'	3"	No	36'	68	\$907
LE102M3-3	671812104462	1	1	208-230	35'	3"	No	36'	70	\$924
LE102M3-5	671812148084	1	1	208-230	50'	3"	No	36'	72	\$951

Submersible Sewage Pumps 2" Solids-Handling (cont)

Model	UPC#	hp	Ph	Volts	Cord Length	Discharge	Switch Type	Max Head	LBS	List Price
LE100-Series 1 hp (CONT)										
LE103M2-2	671812101478	1	3	208-230	25'	2"	No	36'	71	\$1,289
LE103M2-3	671812104479	1	3	208-230	35'	2"	No	36'	73	\$1,305
LE103M3-2	671812101485	1	3	208-230	25'	3"	No	36'	71	\$1,289
LE103M3-3	671812104486	1	3	208-230	35'	3"	No	36'	73	\$1,305
LE104M2-2	671812101492	1	3	440-480	25'	2"	No	36'	71	\$1,289
LE104M2-3	671812104493	1	3	440-480	35'	2"	No	36'	73	\$1,305
LE104M3-2	671812101508	1	3	440-480	25'	3"	No	36'	71	\$1,289
LE104M3-3	671812104509	1	3	440-480	35'	3"	No	36'	73	\$1,305
LE105M2-2	671812103090	1	3	575	25'	2"	No	36'	71	\$1,471
LE105M2-3	671812104516	1	3	575	35'	2"	No	36'	73	\$1,487
LE105M3-2	671812103106	1	3	575	25'	3"	No	36'	71	\$1,471
LE105M3-3	671812104523	1	3	575	35'	3"	No	36'	73	\$1,487
LEH100-Series 1 hp										
LEH102A2	671812108392	1	1	230	10'	2"	Auto	53'	71	\$1,080
LEH102A2-2	671812108408	1	1	230	25'	2"	Auto	53'	72	\$1,108
LEH102A2-3	671812125818	1	1	230	35'	2"	Auto	53'	73	\$1,135
LEH102A3	671812108415	1	1	230	10'	3"	Auto	53'	71	\$1,080
LEH102A3-2	671812108422	1	1	230	25'	3"	Auto	53'	72	\$1,108
LEH102A3-3	671812125825	1	1	230	35'	3"	Auto	53'	73	\$1,135
LEH102M2	671812108439	1	1	230	10'	2"	No	53'	69	\$1,029
LEH102M2-2	671812108446	1	1	230	25'	2"	No	53'	70	\$1,045
LEH102M2-3	671812125832	1	1	230	35'	2"	No	53'	72	\$1,062
LEH102M3	671812108453	1	1	230	10'	3"	No	53'	69	\$1,029
LEH102M3-2	671812108460	1	1	230	25'	3"	No	53'	70	\$1,045
LEH102M3-3	671812125849	1	1	230	35'	3"	No	53'	72	\$1,062
LEH103M2-2	671812108552	1	3	208-230	25'	2"	No	53'	70	\$1,425
LEH103M2-3	671812125856	1	3	208-230	35'	2"	No	53'	72	\$1,441
LEH103M3-2	671812108569	1	3	208-230	25'	3"	No	53'	70	\$1,425
LEH103M3-3	671812125863	1	3	208-230	35'	3"	No	53'	72	\$1,441
LEH104M2-2	671812108576	1	3	440-480	25'	2"	No	53'	70	\$1,425
LEH104M2-3	671812125870	1	3	440-480	35'	2"	No	53'	72	\$1,441
LEH104M3-2	671812108583	1	3	440-480	25'	3"	No	53'	70	\$1,425
LEH104M3-3	671812125887	1	3	440-480	35'	3"	No	53'	72	\$1,441
LEH105M2-2	671812116533	1	3	575	25'	2"	No	53'	70	\$1,526
LEH105M2-3	671812125894	1	3	575	35'	2"	No	53'	72	\$1,542
LEH105M3-2	671812116540	1	3	575	25'	3"	No	53'	70	\$1,526
LEH105M3-3	671812125900	1	3	575	35'	3"	No	53'	72	\$1,542
LEH150-Series 1-1/2 hp										
LEH152A2-2	671812131680	1-1/2	1	208-230	25'	2"	Auto	70'	96	\$1,649
LEH152A3-2	671812131703	1-1/2	1	208-230	25'	3"	Auto	70'	96	\$1,649
LEH152M2-2	671812131727	1-1/2	1	208-230	25'	2"	No	70'	93	\$1,598
LEH152M3-2	671812131741	1-1/2	1	208-230	25'	3"	No	70'	93	\$1,598
LEH153M2-2	671812131765	1-1/2	3	208-230	25'	2"	No	70'	94	\$1,798
LEH153M2-3	671812131772	1-1/2	3	208-230	35'	2"	No	70'	95	\$1,814
LEH153M2-5	671812140132	1-1/2	3	208-230	50'	2"	No	70'	97	\$1,831
LEH153M3-2	671812131789	1-1/2	3	208-230	25'	3"	No	70'	94	\$1,798
LEH153M3-3	671812131796	1-1/2	3	208-230	35'	3"	No	70'	95	\$1,814
LEH153M3-5	671812140149	1-1/2	3	208-230	50'	3"	No	70'	97	\$1,831
LEH154M2-2	671812131802	1-1/2	3	440-480	25'	2"	No	70'	94	\$1,798
LEH154M2-3	671812131819	1-1/2	3	440-480	35'	2"	No	70'	95	\$1,814
LEH154M2-5	671812140156	1-1/2	3	440-480	50'	2"	No	70'	97	\$1,831
LEH154M3-2	671812131826	1-1/2	3	440-480	25'	3"	No	70'	94	\$1,798
LEH154M3-3	671812140231	1-1/2	3	440-480	35'	3"	No	70'	95	\$1,814
LEH154M3-5	671812140163	1-1/2	3	440-480	50'	3"	No	70'	97	\$1,831
LEH155M2-2	671812131840	1-1/2	3	575	25'	2"	No	70'	94	\$1,897
LEH155M2-3	671812131857	1-1/2	3	575	35'	2"	No	70'	97	\$1,913
LEH155M2-5	671812140170	1-1/2	3	575	50'	2"	No	70'	97	\$1,930
LEH155M3-2	671812131864	1-1/2	3	575	25'	3"	No	70'	94	\$1,897
LEH155M3-3	671812131871	1-1/2	3	575	35'	3"	No	70'	95	\$1,913
LEH155M3-5	671812140187	1-1/2	3	575	50'	3"	No	70'	97	\$1,930
LEH200-Series 2 hp										
LEH202M2-2	671812131888	2	1	230	25'	2"	No	83'	93	\$1,760
LEH202M3-2	671812131901	2	1	230	25'	3"	No	83'	93	\$1,760
LEH203M2-2	671812131925	2	3	208-230	25'	2"	No	83'	91	\$1,960
LEH203M2-3	671812131932	2	3	208-230	35'	2"	No	83'	92	\$1,976
LEH203M2-5	671812140194	2	3	208-230	50'	2"	No	83'	94	\$1,993
LEH203M3-2	671812131949	2	3	208-230	25'	3"	No	83'	91	\$1,960
LEH203M3-3	671812131956	2	3	208-230	35'	3"	No	83'	92	\$1,976
LEH203M3-5	671812140200	2	3	208-230	50'	3"	No	83'	94	\$1,993
LEH204M2-2	671812131963	2	3	440-480	25'	2"	No	83'	91	\$1,960
LEH204M2-3	671812131970	2	3	440-480	35'	2"	No	83'	92	\$1,976
LEH204M2-5	671812140217	2	3	440-480	50'	2"	No	83'	94	\$1,993
LEH204M3-2	671812131987	2	3	440-480	25'	3"	No	83'	91	\$1,960
LEH204M3-3	671812131994	2	3	440-480	35'	3"	No	83'	92	\$1,976
LEH204M3-5	671812140224	2	3	440-480	50'	3"	No	83'	94	\$1,993
LEH205M2-2	671812132007	2	3	575	25'	2"	No	83'	91	\$2,059
LEH205M2-3	671812132014	2	3	575	35'	2"	No	83'	92	\$2,075

Submersible Sewage Pumps 2" Solids-Handling (cont)

Model	UPC#	hp	Ph	Volts	Cord Length	Discharge	*Capacitor Kit	Impeller	LBS	List Price
LEH200-Series 2 hp (CONT)										
LEH205M2-5	671812140361	2	3	575	50'	2"	No	83'	94	\$2,092
LEH205M3-2	671812132021	2	3	575	25'	3"	No	83'	91	\$2,059
LEH205M3-3	671812132038	2	3	575	35'	3"	No	83'	92	\$2,075
LEH205M3-5	671812140248	2	3	575	50'	3"	No	83'	94	\$2,092

X-Series Sewage Explosion-Proof (Hazardous Location)

Model	UPC#	hp	Ph	Volts	Cord Length	Discharge	*Capacitor Kit	Impeller	LBS	List Price
XLE50-Series 1/2 hp										
XLE51M-2	671812132748	1/2	1	115	25'	2" / 3"	K001514	Iron	96	\$2,396
XLE51BM-2	671812133202	1/2	1	115	25'	2" / 3"	K001514	Bronze	96	\$2,483
XLE51M-3	671812132755	1/2	1	115	35'	2" / 3"	K001514	Iron	100	\$2,423
XLE51BM-3	671812133219	1/2	1	115	35'	2" / 3"	K001514	Bronze	100	\$2,510
XLE52M-2	671812132762	1/2	1	208/230	25'	2" / 3"	K001513	Iron	96	\$2,439
XLE52BM-2	671812133226	1/2	1	208/230	25'	2" / 3"	K001513	Bronze	96	\$2,526
XLE52M-3	671812132779	1/2	1	208/230	35'	2" / 3"	K001513	Iron	100	\$2,466
XLE52BM-3	671812133233	1/2	1	208/230	35'	2" / 3"	K001513	Bronze	100	\$2,553
XLE53M-2	671812132786	1/2	3	208/230	25'	2" / 3"	N/A	Iron	96	\$2,396
XLE53BM-2	671812133240	1/2	3	208/230	25'	2" / 3"	N/A	Bronze	96	\$2,483
XLE53M-3	671812132793	1/2	3	208/230	35'	2" / 3"	N/A	Iron	100	\$2,423
XLE53BM-3	671812133257	1/2	3	208/230	35'	2" / 3"	N/A	Bronze	100	\$2,510
XLE54M-2	671812132809	1/2	3	440-480	25'	2" / 3"	N/A	Iron	96	\$2,396
XLE54BM-2	671812133264	1/2	3	440-480	25'	2" / 3"	N/A	Bronze	96	\$2,483
XLE54M-3	671812132816	1/2	3	440-480	35'	2" / 3"	N/A	Iron	100	\$2,423
XLE54BM-3	671812133271	1/2	3	440-480	35'	2" / 3"	N/A	Bronze	100	\$2,510
XLE55M-2	671812132823	1/2	3	575	25'	2" / 3"	N/A	Iron	96	\$2,396
XLE55BM-2	671812133288	1/2	3	575	25'	2" / 3"	N/A	Bronze	96	\$2,483
XLE55M-3	671812132830	1/2	3	575	35'	2" / 3"	N/A	Iron	100	\$2,423
XLE55BM-3	671812133295	1/2	3	575	35'	2" / 3"	N/A	Bronze	100	\$2,510
XLE70-Series 3/4 hp										
XLE71M-2	671812132847	3/4	1	115	25'	2" / 3"	K001514	Iron	96	\$2,504
XLE71BM-2	671812133301	3/4	1	115	25'	2" / 3"	K001514	Bronze	96	\$2,591
XLE71M-3	671812132854	3/4	1	115	35'	2" / 3"	K001514	Iron	100	\$2,531
XLE71BM-3	671812133318	3/4	1	115	35'	2" / 3"	K001514	Bronze	100	\$2,618
XLE72M-2	671812132861	3/4	1	208/230	25'	2" / 3"	K001513	Iron	96	\$2,526
XLE72BM-2	671812133325	3/4	1	208/230	25'	2" / 3"	K001513	Bronze	96	\$2,613
XLE72M-3	671812132878	3/4	1	208/230	35'	2" / 3"	K001513	Iron	100	\$2,553
XLE72BM-3	671812133332	3/4	1	208/230	35'	2" / 3"	K001513	Bronze	100	\$2,640
XLE73M-2	671812132885	3/4	3	208/230	25'	2" / 3"	N/A	Iron	96	\$2,504
XLE73BM-2	671812133349	3/4	3	208/230	25'	2" / 3"	N/A	Bronze	96	\$2,591
XLE73M-3	671812132892	3/4	3	208/230	35'	2" / 3"	N/A	Iron	100	\$2,531
XLE73BM-3	671812133356	3/4	3	208/230	35'	2" / 3"	N/A	Bronze	100	\$2,618
XLE74M-2	671812132908	3/4	3	440-480	25'	2" / 3"	N/A	Iron	96	\$2,504
XLE74BM-2	671812133363	3/4	3	440-480	25'	2" / 3"	N/A	Bronze	96	\$2,591
XLE74M-3	671812132915	3/4	3	440-480	35'	2" / 3"	N/A	Iron	100	\$2,531
XLE74BM-3	671812133370	3/4	3	440-480	35'	2" / 3"	N/A	Bronze	100	\$2,618
XLE75M-2	671812132922	3/4	3	575	25'	2" / 3"	N/A	Iron	96	\$2,504
XLE75BM-2	671812133387	3/4	3	575	25'	2" / 3"	N/A	Bronze	96	\$2,591
XLE75M-3	671812132939	3/4	3	575	35'	2" / 3"	N/A	Iron	100	\$2,531
XLE75BM-3	671812133394	3/4	3	575	35'	2" / 3"	N/A	Bronze	100	\$2,618
XLE100-Series 1 hp										
XLE102M-2	671812141191	1	1	208/230	25'	2" / 3"	K001585	Iron	102	\$2,750
XLE102BM-2	671812141207	1	1	208/230	25'	2" / 3"	K001585	Bronze	102	\$2,885
XLE102M-3	671812141214	1	1	208/230	35'	2" / 3"	K001585	Iron	105	\$2,777
XLE102BM-3	671812141221	1	1	208/230	35'	2" / 3"	K001585	Bronze	105	\$2,912
XLE102M-5	671812141238	1	1	208/230	50'	2" / 3"	K001585	Iron	109	\$2,815
XLE102BM-5	671812141245	1	1	208/230	50'	2" / 3"	K001585	Bronze	109	\$2,950
XLE103M-2	671812141252	1	3	208/230	25'	2" / 3"	N/A	Iron	102	\$2,750
XLE103BM-2	671812141269	1	3	208/230	25'	2" / 3"	N/A	Bronze	102	\$2,885
XLE103M-3	671812141276	1	3	208/230	35'	2" / 3"	N/A	Iron	105	\$2,777
XLE103BM-3	671812141283	1	3	208/230	35'	2" / 3"	N/A	Bronze	105	\$2,912
XLE103M-5	671812141290	1	3	208/230	50'	2" / 3"	N/A	Iron	109	\$2,815
XLE103BM-5	671812141306	1	3	208/230	50'	2" / 3"	N/A	Bronze	109	\$2,950
XLE104M-2	671812141313	1	3	440-480	25'	2" / 3"	N/A	Iron	102	\$2,750
XLE104BM-2	671812141320	1	3	440-480	25'	2" / 3"	N/A	Bronze	102	\$2,885
XLE104M-3	671812141337	1	3	440-480	35'	2" / 3"	N/A	Iron	105	\$2,777
XLE104BM-3	671812141344	1	3	440-480	35'	2" / 3"	N/A	Bronze	105	\$2,912
XLE104M-5	671812141351	1	3	440-480	50'	2" / 3"	N/A	Iron	109	\$2,815
XLE104BM-5	671812141368	1	3	440-480	50'	2" / 3"	N/A	Bronze	109	\$2,950
XLE105M-2	671812141375	1	3	575	25'	2" / 3"	N/A	Iron	102	\$2,750
XLE105BM-2	671812141382	1	3	575	25'	2" / 3"	N/A	Bronze	102	\$2,885
XLE105M-3	671812141399	1	3	575	35'	2" / 3"	N/A	Iron	105	\$2,777
XLE105BM-3	671812141405	1	3	575	35'	2" / 3"	N/A	Bronze	105	\$2,912
XLE105M-5	671812141412	1	3	575	50'	2" / 3"	N/A	Iron	109	\$2,815
XLE105BM-5	671812141429	1	3	575	50'	2" / 3"	N/A	Bronze	109	\$2,950

*X-Series single phase pumps require capacitor kits

X-Series 1-1/2 hp Sewage Explosion-Proof (Hazardous Location)

Model	UPC#	hp	Ph	Volts	Cord Length	Discharge	*Capacitor Kit	Impeller	LBS	List Price
XLE150-Series 1-1/2 hp										
XLE152M-2	671812141436	1-1/2	1	208/230	25'	2" / 3"	K001585	Iron	102	\$3,441
XLE152BM-2	671812141443	1-1/2	1	208/230	25'	2" / 3"	K001585	Bronze	102	\$3,576
XLE152M-3	671812141450	1-1/2	1	208/230	35'	2" / 3"	K001585	Iron	105	\$3,468
XLE152BM-3	671812141467	1-1/2	1	208/230	35'	2" / 3"	K001585	Bronze	105	\$3,603
XLE152M-5	671812141474	1-1/2	1	208/230	50'	2" / 3"	K001585	Iron	109	\$3,506
XLE152BM-5	671812141481	1-1/2	1	208/230	50'	2" / 3"	K001585	Bronze	109	\$3,641
XLE153M-2	671812141498	1-1/2	3	208/230	25'	2" / 3"	N/A	Iron	102	\$3,441
XLE153BM-2	671812141504	1-1/2	3	208/230	25'	2" / 3"	N/A	Bronze	102	\$3,576
XLE153M-3	671812141511	1-1/2	3	208/230	35'	2" / 3"	N/A	Iron	105	\$3,468
XLE153BM-3	671812141528	1-1/2	3	208/230	35'	2" / 3"	N/A	Bronze	105	\$3,603
XLE153M-5	671812141535	1-1/2	3	208/230	50'	2" / 3"	N/A	Iron	109	\$3,506
XLE153BM-5	671812141542	1-1/2	3	208/230	50'	2" / 3"	N/A	Bronze	109	\$3,641
XLE154M-2	671812141559	1-1/2	3	440-480	25'	2" / 3"	N/A	Iron	102	\$3,441
XLE154BM-2	671812141566	1-1/2	3	440-480	25'	2" / 3"	N/A	Bronze	102	\$3,576
XLE154M-3	671812141573	1-1/2	3	440-480	35'	2" / 3"	N/A	Iron	105	\$3,468
XLE154BM-3	671812141580	1-1/2	3	440-480	35'	2" / 3"	N/A	Bronze	105	\$3,603
XLE154M-5	671812141597	1-1/2	3	440-480	50'	2" / 3"	N/A	Iron	109	\$3,506
XLE154BM-5	671812141603	1-1/2	3	440-480	50'	2" / 3"	N/A	Bronze	109	\$3,641
XLE155M-2	671812141610	1-1/2	3	575	25'	2" / 3"	N/A	Iron	102	\$3,441
XLE155BM-2	671812141627	1-1/2	3	575	25'	2" / 3"	N/A	Bronze	102	\$3,576
XLE155M-3	671812141634	1-1/2	3	575	35'	2" / 3"	N/A	Iron	105	\$3,468
XLE155BM-3	671812141641	1-1/2	3	575	35'	2" / 3"	N/A	Bronze	105	\$3,603
XLE155M-5	671812141658	1-1/2	3	575	50'	2" / 3"	N/A	Iron	109	\$3,506
XLE155BM-5	671812141665	1-1/2	3	575	50'	2" / 3"	N/A	Bronze	109	\$3,641

*X-Series single phase pumps require capacitor kits

Capacitor Kits/Accessories for X-Series (Hazardous Location)

Model	UPC#	Description	LBS	List Price
K001513	671812136197	Run capacitor kit & bracket, 30 µf 370V	1	\$48
K001514	671812136203	Run capacitor kit & bracket, 45 µf 370V	1	\$48
K001515	671812136210	Run capacitor kit & bracket, 50 µf 370V	1	\$48
K001585	671812140040	Run capacitor kit & bracket, 40 µf 370V	1	\$48
K001640	671812142891	Start/Run capacitor and relay kit for control panel, for use with XLSG & XLSGX-Series grinder, 200V, single phase	1	\$243
K001641	671812142907	Start/Run capacitor and relay kit for control panel, for use with XLSG & XLSGX-Series grinder, 230V, single phase	1	\$243
Guide Rail				
GR20NS	671812142112	Non-sparking guide rail for XLSG & XLSGX-Series models	30	\$662

ProVore® PRG-Series 1 hp Grinder

Model	UPC#	hp	Ph	Volts	Cord Length	Discharge	Switch Type	Max Head	LBS	List Price
PRG101A	671812121261	1	1	115	10'	2"	Wide Angle	50'	61	\$1,407
PRG101A-2	671812121278	1	1	115	25'	2"	Wide Angle	50'	63	\$1,436
PRG101AV	671812136654	1	1	115	10'	2"	Vertical Float	50'	61	\$1,407
PRG101AV-2	671812136661	1	1	115	25'	2"	Vertical Float	50'	63	\$1,436
PRG101M	671812121285	1	1	115	10'	2"	None	50'	63	\$1,363
PRG101M-2	671812121292	1	1	115	25'	2"	None	50'	61	\$1,379
PRG102A	671812121308	1	1	230	10'	2"	Wide Angle	50'	61	\$1,429
PRG102A-2	671812121315	1	1	230	25'	2"	Wide Angle	50'	63	\$1,458
PRG102M	671812121322	1	1	230	10'	2"	None	50'	59	\$1,385
PRG102M-2	671812121339	1	1	230	25'	2"	None	50'	61	\$1,401

ProVore® 380 Simplex Grinder Package

Model	UPC#	hp	Ph	Volts	Cord Length	Discharge	Alarm	Max Head	LBS	List Price
ProVore® 380-Series										
P382XPRG101	671812125078	1	1	115	10'	2"	No	50'	87	\$1,742
P382XPRG101/A2	671812125115	1	1	115	10'	2"	Yes	50'	92	\$1,911
P382XPRG101-2	671812125092	1	1	115	25'	2"	No	50'	88	\$1,771
P382XPRG101-2/A2	671812125139	1	1	115	25'	2"	Yes	50'	83	\$1,940
P382XPRG102	671812125085	1	1	230	10'	2"	No	50'	87	\$1,787
P382XPRG102/A2	671812125122	1	1	230	10'	2"	Yes	50'	92	\$1,956
P382XPRG102-2	671812125108	1	1	230	25'	2"	No	50'	88	\$1,816
P382XPRG102-2/A2	671812125146	1	1	230	25'	2"	Yes	50'	93	\$1,985
ProVore® Series 1 hp with Side Discharge										
P382PRG101SD-2	671812136579	1	1	115	25'	2"	No	50'	84	\$1,832
P382PRG101SD-2/A2W	671812136586	1	1	115	25'	2"	Outdoor	50'	87	\$2,078
ProVore® Series 1 hp with Vertical Float										
P382XPRG101V	671812136791	1	1	115	10'	2"	No	50'	87	\$1,742
P382XPRG101V/A2	671812136814	1	1	115	10'	2"	Indoor	50'	92	\$1,911
P382XPRG101V/A2W	671812136838	1	1	115	10'	2"	Outdoor	50'	92	\$1,988
P382XPRG101V-2	671812136807	1	1	115	25'	2"	No	50'	88	\$1,771
P382XPRG101V-2/A2	671812136821	1	1	115	25'	2"	Indoor	50'	93	\$1,940
P382XPRG101V-2/A2W	671812136845	1	1	115	25'	2"	Outdoor	50'	93	\$2,017

ProVore® 380 Simplex Grinder Package with NightEye® Technology

Model	UPC#	hp	Ph	Volts	Cord Length	Discharge	Alarm	Max Head	LBS	List Price
ProVore® 380-Series										
P382XPRG101/A2-EYE	671812138047	1	1	115	10'	2"	ALM-2-EYE	50'	92	\$2,183
P382XPRG101-2/A2-EYE	671812138054	1	1	115	25'	2"	ALM-2-EYE	50'	93	\$2,212
P382XPRG102/A2-EYE	671812138061	1	1	230	10'	2"	ALM-2-EYE	50'	92	\$2,228
P382XPRG102-2/A2-EYE	671812138078	1	1	230	25'	2"	ALM-2-EYE	50'	93	\$2,257
P382XPRG101V/A2-EYE	671812138085	1	1	115	10'	2"	ALM-2-EYE	50'	92	\$2,183
P382XPRG101V-2/A2-EYE	671812138092	1	1	115	25'	2"	ALM-2-EYE	50'	93	\$2,212

ProVore® 680 Duplex Grinder Package

Model	UPC#	hp	Ph	Volts	Cord Length	Discharge	Enclosure	Max Head	LBS	List Price
ProVore® 680-Series (System includes PDC Controller)										
IAPMO Listed, 10' Stack Test										
P682XPRG101	671812125252	1	1	115	10'	2"	Indoor NEMA 1	50'	151	\$3,931
P682XPRG101W	671812130546	1	1	115	10'	2"	Outdoor NEMA 4X	50'	150	\$4,308
P682XPRG101-2	671812125276	1	1	115	25'	2"	Indoor NEMA 1	50'	154	\$3,990
P682XPRG101W-2	671812130553	1	1	115	25'	2"	Outdoor NEMA 4X	50'	153	\$4,367
P682XPRG102	671812125269	1	1	230	10'	2"	Indoor NEMA 1	50'	151	\$3,975
P682XPRG102W	671812130560	1	1	230	10'	2"	Outdoor NEMA 4X	50'	150	\$4,394
P682XPRG102-2	671812125283	1	1	230	25'	2"	Indoor NEMA 1	50'	154	\$4,034
P682XPRG102W-2	671812130577	1	1	230	25'	2"	Outdoor NEMA 4X	50'	153	\$4,453

Grinder Pumps 2 hp**Omnivore®**

Model	UPC#	hp	Ph	Volts	Cord Length	Discharge	Auto	Max Head	LBS	List Price
LSG-Series										
LSG202A	671812110173	2	1	208/230	25'	1-1/4"	Yes	108'	86	\$2,078
LSG202M	671812110180	2	1	208/230	25'	1-1/4"	No	108'	84	\$2,007
LSG202M-3	671812122473	2	1	208/230	35'	1-1/4"	No	108'	89	\$2,040
LSG202M-C	671812118605	2	1	208/230	35'	1-1/4"	No	108'	89	\$2,007
LSG203M	671812113068	2	3	208/230	25'	1-1/4"	No	108'	84	\$2,112
LSG204M	671812113051	2	3	440-480	25'	1-1/4"	No	108'	84	\$2,112
LSG205M	671812116519	2	3	575	25'	1-1/4"	No	108'	84	\$2,112
LSG202-RE	671812113211	2	1	208/230	10'	1-1/4"	Yes	108'	117	\$3,526
LSG202-REX	671812118391	2	1	208/230	10'	1-1/4"	Yes	108'	117	\$3,574

Grinder Pumps 2 hp (Two-Stage)**Omnivore®**

Model	UPC#	hp	Ph	Volts	Cord Length	Discharge	Auto	Max Head	LBS	List Price
LSGX-Series										
LSGX202A	671812114881	2	1	208-230	25'	1-1/4"	Yes	185'	92	\$2,946
LSGX202M	671812114911	2	1	208-230	25'	1-1/4"	No	185'	90	\$2,874
LSGX202M-3	671812122480	2	1	208-230	35'	1-1/4"	No	185'	90	\$2,890
LSGX202M-C	671812118612	2	1	208-230	35'	1-1/4"	No	185'	97	\$2,874
LSGX203M	671812114928	2	3	208/230	25'	1-1/4"	No	185'	90	\$2,988
LSGX204M	671812114935	2	3	440-480	25'	1-1/4"	No	185'	90	\$2,988
LSGX205M	671812116526	2	3	575	25'	1-1/4"	No	185'	90	\$2,988
LSGX202-RE	671812114669	2	1	208-230	10'	1-1/4"	Yes	185'	129	\$4,396
LSGX202-REX	671812118407	2	1	208-230	10'	1-1/4"	Yes	185'	130	\$4,444

X-Series 2 hp Grinder Explosion-Proof (Hazardous Location)**Omnivore®**

Model	UPC#	hp	Ph	Volts	Cord Length	Discharge	*Capacitor Kit	Impeller	LBS	List Price
XLSG-Series										
XLSG208M-2	671812142679	2	1	200	25'	1-1/4"	K001640	Stainless	123	\$3,849
XLSG208M-3	671812142686	2	1	200	35'	1-1/4"	K001640	Stainless	127	\$3,904
XLSG208M-5	671812142693	2	1	200	50'	1-1/4"	K001640	Stainless	133	\$3,930
XLSG202M-2	671812140439	2	1	230	25'	1-1/4"	K001641	Stainless	123	\$3,849
XLSG202M-3	671812140446	2	1	230	35'	1-1/4"	K001641	Stainless	127	\$3,904
XLSG202M-5	671812140453	2	1	230	50'	1-1/4"	K001641	Stainless	133	\$3,930
XLSG203M-2	671812140460	2	3	200/230	25'	1-1/4"	N/A	Stainless	123	\$3,955
XLSG203M-3	671812140477	2	3	200/230	35'	1-1/4"	N/A	Stainless	127	\$4,010
XLSG203M-5	671812140484	2	3	200/230	50'	1-1/4"	N/A	Stainless	133	\$4,036
XLSG204M-2	671812140491	2	3	460	25'	1-1/4"	N/A	Stainless	123	\$3,955
XLSG204M-3	671812140507	2	3	460	35'	1-1/4"	N/A	Stainless	127	\$4,010
XLSG204M-5	671812140514	2	3	460	50'	1-1/4"	N/A	Stainless	133	\$4,036
XLSG205M-2	671812140521	2	3	575	25'	1-1/4"	N/A	Stainless	123	\$3,955
XLSG205M-3	671812140538	2	3	575	35'	1-1/4"	N/A	Stainless	127	\$4,010
XLSG205M-5	671812140545	2	3	575	50'	1-1/4"	N/A	Stainless	133	\$4,036

X-Series 2 hp Grinder Explosion-Proof (Two-Stage) (Hazardous Location)**Omnivore®**

Model	UPC#	hp	Ph	Volts	Cord Length	Discharge	*Capacitor Kit	Impeller	LBS	List Price
XLSGX-Series										
XLSGX208M-2	671812142709	2	1	200	25'	1-1/4"	K001640	Stainless	127	\$4,826
XLSGX208M-3	671812142716	2	1	200	35'	1-1/4"	K001640	Stainless	131	\$4,881
XLSGX208M-5	671812142723	2	1	200	50'	1-1/4"	K001640	Stainless	137	\$4,907
XLSGX202M-2	671812140552	2	1	230	25'	1-1/4"	K001641	Stainless	127	\$4,826
XLSGX202M-3	671812140569	2	1	230	35'	1-1/4"	K001641	Stainless	131	\$4,881
XLSGX202M-5	671812140576	2	1	230	50'	1-1/4"	K001641	Stainless	137	\$4,907
XLSGX203M-2	671812140583	2	3	200/230	25'	1-1/4"	N/A	Stainless	127	\$4,939
XLSGX203M-3	671812140590	2	3	200/230	35'	1-1/4"	N/A	Stainless	131	\$4,994
XLSGX203M-5	671812140606	2	3	200/230	50'	1-1/4"	N/A	Stainless	137	\$5,020
XLSGX204M-2	671812140613	2	3	460	25'	1-1/4"	N/A	Stainless	127	\$4,939
XLSGX204M-3	671812140620	2	3	460	35'	1-1/4"	N/A	Stainless	131	\$4,994
XLSGX204M-5	671812140637	2	3	460	50'	1-1/4"	N/A	Stainless	137	\$5,020
XLSGX205M-2	671812140644	2	3	575	25'	1-1/4"	N/A	Stainless	127	\$4,939
XLSGX205M-3	671812140651	2	3	575	35'	1-1/4"	N/A	Stainless	131	\$4,994
XLSGX205M-5	671812140668	2	3	575	50'	1-1/4"	N/A	Stainless	137	\$5,020

Grinder Pump Accessories

Model	UPC#	Description	LBS	List Price
GR20	671812110326	Guide rail base, cast iron (fits LSG & LSGX), no ball check	28	\$182
GR20BC	671812128390	Guide rail base, cast iron (fits LSG & LSGX), with ball check	28	\$222
G90	671812113921	Elbow, 90° discharge, C.I. w/ gasket & S.S. bolts (fits LSG & LSGX)	2	\$44
K001257	671812118148	Guide plate adapter kit for Hydromatic dual-rail system (must order G90 separately)	3	\$144
K001322	671812119404	Grinder discharge hose kit, includes G90 elbow, 5' high pressure hose, pipe fittings	20	\$553
K001400	671812128451	Guide rail adapter kit, Omnivore® to Myers SRA	4	\$303
K001485	671812132359	Guide rail adapter kit, Omnivore® to Myers WG20 applications. Includes anti-siphon check valve, G90, S.S. fittings	18	\$537
K001316	671812118599	Start/Run capacitor and relay kit for panel retro-fit. For use with LSG202M-C and LSGX202M-C models	1	\$243
Adapter Harness				
K001630	671812142587	Adapter harness. Converts square "RE" style 6-pin to round "REX" style	2	\$347

5-Year Warranty on Omnivore® Pumps

Model	Description	List Price
5YR-LSG	Five year warranty option on LSG- and LSGX-Series pumps	\$222
5YR-XLSG	Five year warranty option on XLSG- and XLSGX-Series pumps	\$400

2448-Series Pre-designed Simplex Grinder Packages**Omnivore®***Choose Pre-designed for quick shipping!*

"-S" models designate stainless steel guide rails; "-SC" designates steel cover option.

Complete assembled grinder package includes 24" x 48" basin, grinder pump, QuickTree® float assembly, GR20 guide rails and ALM-2W alarm. 12" discharge depth from top of the basin.

Model	UPC#	hp	Ph	Volts	Cord Length	Discharge Depth	Panel	Max Head	LBS	List Price
2448-Series Single Stage Models										
2448LSG202	671812124101	2	1	208/230	25'	12"	ALM-2W	108'	220	\$4,919
2448LSG202-S	671812124118	2	1	208/230	25'	12"	ALM-2W	108'	220	\$5,010
2448LSG202-S-SC	671812124125	2	1	208/230	25'	12"	ALM-2W	108'	230	\$5,186
2448LSG202-SC	671812124132	2	1	208/230	25'	12"	ALM-2W	108'	226	\$5,095
2448-Series Two-Stage Models										
2448LSGX202	671812124149	2	1	208-230	25'	12"	ALM-2W	185'	229	\$5,792
2448LSGX202-S	671812124156	2	1	208-230	25'	12"	ALM-2W	185'	229	\$5,883
2448LSGX202-S-SC	671812124163	2	1	208-230	25'	12"	ALM-2W	185'	239	\$6,059
2448LSGX202-SC	671812124170	2	1	208-230	25'	12"	ALM-2W	185'	239	\$5,968
EPAK - Economy Unassembled System										
EPAK-LSG	671812114393	Unassembled grinder package, 24" x 48" basin, cover, LSG202A grinder pump, ALM-2W alarm and piping kit							194	\$3,569

Liberty Pumps®

A Family and Employee Owned Company

EPS



Custom Engineered Pump Systems

**Need a specially sized system?
We've Got You Covered**

Let Liberty Pumps customize a pump system to your exact requirements. Simplex, duplex, triplex, quadplex, special basins, guide rails, panels and more!

Fiberglass Basins

Tall or short, narrow or wide, Liberty can provide any configuration of basin size with options like anti-floatation collars, guide rails and an assortment of covers. You tell us the size you need.

Panels

Simplex or duplex, indoor or outdoor we've got any panel option you can possibly dream up. Need a cycle counter or elapsed time meter? How about a timed dosing application - no problem. All UL and CSA certified, Liberty offers panels with tons of options. When you specify a Liberty EPS, we make sure all components are properly matched to the job.

Pumps

Select any of Liberty's sewage, effluent or grinder pumps to meet your pumping application. If you need help, our technical support team is there to help you select the correct pump for your application.

Working System


Liberty's EPS systems have factory assembled components such as floats, brackets, guide rails and even pre-mounted pumps (*when system size allows). This factory assembly reduces job-site labor and potential field errors.

* For security and ease of transportation, pumps are shipped separately with basins taller than 48 inches. Floats, brackets and other internal components are still factory installed whenever possible.

Engineered Pump Systems from Liberty Pumps

We make your job easy - Quotations within 24 hours!

1-800-543-2550



2460-Series Pre-designed Simplex Grinder Packages**Omnivore®**

US Dollars

Choose Pre-designed for quick shipping!

Complete assembled grinder package includes 24" x 60" basin, grinder pump, QuickTree® float assembly, GR20 guide rails and SX-Series control panel. 24" or 36" discharge depth from top of the tank to center of the discharge is designated by -24 or -36 model suffix (Ex. 2460LSG202-36). "-C" models designate capacitors in panel. For IP-Series panel upgrade - consult factory for pricing and ordering information - 800-543-2550.

Model	UPC#	hp	Ph	Volts	Cord Length	Discharge Depth	Panel	Max Head	LBS	List Price
2460-Series Single Stage Models										
2460LSG202-24	671812121452	2	1	208/230	25'	24"	SXH24=3	108'	230	\$5,796
2460LSG202-36	671812121551	2	1	208/230	25'	36"	SXH24=3	108'	230	\$5,796
2460LSG202-A-24	671812124187	2	1	208/230	25'	24"	ALM-2W	108'	231	\$5,132
2460LSG202-A-36	671812124194	2	1	208/230	25'	36"	ALM-2W	108'	231	\$5,132
2460LSG202-C-24	671812121537	2	1	208/230	35'	24"	SXHC24=3-3	108'	231	\$5,978
2460LSG202-C-36	671812121636	2	1	208/230	35'	36"	SXHC24=3-3	108'	231	\$5,978
2460LSG203-24	671812121469	2	3	208/230	25'	24"	SX34=3-511	108'	235	\$6,865
2460LSG203-36	671812121568	2	3	208/230	25'	36"	SX34=3-511	108'	235	\$6,865
2460LSG204-24	671812121476	2	3	440-480	25'	24"	SX34=3-171	108'	235	\$6,865
2460LSG204-36	671812121575	2	3	440-480	25'	36"	SX34=3-171	108'	235	\$6,865
2460LSG205-24	671812121483	2	3	575	25'	24"	SX54=3-161	108'	235	\$6,914
2460LSG205-36	671812121582	2	3	575	25'	36"	SX54=3-161	108'	235	\$6,914
2460-Series Two-Stage Models										
2460LSGX202-24	671812121490	2	1	208-230	25'	24"	SXH24=3	185'	236	\$6,666
2460LSGX202-36	671812121599	2	1	208-230	25'	36"	SXH24=3	185'	236	\$6,666
2460LSGX202-C-24	671812121544	2	1	208-230	35'	24"	SXHC24=3-3	185'	237	\$6,848
2460LSGX202-C-36	671812121643	2	1	208-230	35'	36"	SXHC24=3-3	185'	237	\$6,848
2460LSGX203-24	671812121506	2	3	208/230	25'	24"	SX34=3-511	185'	242	\$7,745
2460LSGX203-36	671812121605	2	3	208/230	25'	36"	SX34=3-511	185'	242	\$7,745
2460LSGX204-24	671812121513	2	3	440-480	25'	24"	SX34=3-171	185'	242	\$7,745
2460LSGX204-36	671812121612	2	3	440-480	25'	36"	SX34=3-171	185'	242	\$7,745
2460LSGX205-24	671812121520	2	3	575	25'	24"	SX54=3-161	185'	242	\$7,802
2460LSGX205-36	671812121629	2	3	575	25'	36"	SX54=3-161	185'	242	\$7,802

2472-Series Pre-designed Simplex Grinder Packages**Omnivore®***Choose Pre-designed for quick shipping!*

Complete assembled grinder package includes 24" x 72" basin, grinder pump, QuickTree® float assembly, GR20 guide rails and SX-Series control panel. 24", 36" or 48" discharge depth from top of the tank to center of the discharge is designated by -24, -36 or -48 model suffix (Ex. 2472LSG202-48). "-C" models designate capacitors in panel. For IP-Series panel upgrade - consult factory for pricing and ordering information - 800-543-2550.

Model	UPC#	hp	Ph	Volts	Cord Length	Discharge Depth	Panel	Max Head	LBS	List Price
2472-Series Single Stage Models										
2472LSG202-24	671812121650	2	1	208/230	25'	24"	SXH24=3	108'	237	\$5,916
2472LSG202-36	671812121759	2	1	208/230	25'	36"	SXH24=3	108'	237	\$5,916
2472LSG202-48	671812121858	2	1	208/230	25'	48"	SXH24=3	108'	237	\$5,916
2472LSG202-C-24	671812121735	2	1	208/230	35'	24"	SXHC24=3	108'	238	\$6,098
2472LSG202-C-36	671812121834	2	1	208/230	35'	36"	SXHC24=3	108'	238	\$6,098
2472LSG202-C-48	671812121933	2	1	208/230	35'	48"	SXHC24=3	108'	238	\$6,098
2472LSG203-24	671812121667	2	3	208/230	25'	24"	SX34=3-511	108'	242	\$6,986
2472LSG203-36	671812121766	2	3	208/230	25'	36"	SX34=3-511	108'	242	\$6,986
2472LSG203-48	671812121865	2	3	208/230	25'	48"	SX34=3-511	108'	242	\$6,986
2472LSG204-24	671812121674	2	3	440-480	25'	24"	SX34=3-171	108'	249	\$6,986
2472LSG204-36	671812121773	2	3	440-480	25'	36"	SX34=3-171	108'	249	\$6,986
2472LSG204-48	671812121872	2	3	440-480	25'	48"	SX34=3-171	108'	249	\$6,986
2472LSG205-24	671812121681	2	3	575	25'	24"	SX54=3-161	108'	249	\$7,037
2472LSG205-36	671812121780	2	3	575	25'	36"	SX54=3-161	108'	249	\$7,037
2472LSG205-48	671812121889	2	3	575	25'	48"	SX54=3-161	108'	249	\$7,037
2472-Series Two-Stage Models										
2472LSGX202-24	671812121698	2	1	208-230	25'	24"	SXH24=3	185'	243	\$6,786
2472LSGX202-36	671812121797	2	1	208-230	25'	36"	SXH24=3	185'	243	\$6,786
2472LSGX202-48	671812121896	2	1	208-230	25'	48"	SXH24=3	185'	243	\$6,786
2472LSGX202-C-24	671812121742	2	1	208-230	35'	24"	SXHC24=3-3	185'	244	\$6,968
2472LSGX202-C-36	671812121841	2	1	208-230	35'	36"	SXHC24=3-3	185'	244	\$6,968
2472LSGX202-C-48	671812121940	2	1	208-230	35'	48"	SXHC24=3-3	185'	244	\$6,968
2472LSGX203-24	671812121704	2	3	208/230	25'	24"	SX34=3-511	185'	249	\$7,866
2472LSGX203-36	671812121803	2	3	208/230	25'	36"	SX34=3-511	185'	249	\$7,866
2472LSGX203-48	671812121902	2	3	208/230	25'	48"	SX34=3-511	185'	249	\$7,866
2472LSGX204-24	671812121711	2	3	440-480	25'	24"	SX34=3-171	185'	249	\$7,866
2472LSGX204-36	671812121810	2	3	440-480	25'	36"	SX34=3-171	185'	249	\$7,866
2472LSGX204-48	671812121919	2	3	440-480	25'	48"	SX34=3-171	185'	249	\$7,866
2472LSGX205-24	671812121728	2	3	575	25'	24"	SX54=3-161	185'	249	\$7,922
2472LSGX205-36	671812121827	2	3	575	25'	36"	SX54=3-161	185'	249	\$7,922
2472LSGX205-48	671812121926	2	3	575	25'	48"	SX54=3-161	185'	249	\$7,922

2484-Series Pre-designed Simplex Grinder Packages**Omnivore®**

US Dollars

Choose Pre-designed for quick shipping!

Complete assembled grinder package includes 24" x 84" basin, grinder pump, QuickTree® float assembly, GR20 guide rails and SX-Series control panel. 24", 36", 48" or 60" discharge depth from top of the tank to center of the discharge is designated by -24, -36, -48 or -60 model suffix (Ex. 2484LSG202-60). "-C" models designate capacitors in panel. For IP-Series panel upgrade - consult factory for pricing and ordering information - 800-543-2550.

Model	UPC#	hp	Ph	Volts	Cord Length	Discharge Depth	Panel	Max Head	LBS	List Price
2484-Series Single Stage Models										
2484LSG202-24	671812121971	2	1	208/230	25'	24"	SXH24=3	108'	258	\$5,998
2484LSG202-36	671812122053	2	1	208/230	25'	36"	SXH24=3	108'	258	\$5,998
2484LSG202-48	671812122176	2	1	208/230	25'	48"	SXH24=3	108'	258	\$5,998
2484LSG202-60	671812124002	2	1	208/230	25'	60"	SXH24=3	108'	258	\$5,998
2484LSG202-C-24	671812122152	2	1	208/230	35'	24"	SXHC24=3-3	108'	265	\$6,180
2484LSG202-C-36	671812122138	2	1	208/230	35'	36"	SXHC24=3-3	108'	265	\$6,180
2484LSG202-C-48	671812122251	2	1	208/230	35'	48"	SXHC24=3-3	108'	265	\$6,180
2484LSG202-C-60	671812124019	2	1	208/230	35'	60"	SXHC24=3-3	108'	265	\$6,180
2484LSG203-24	671812121988	2	3	208/230	25'	24"	SX34=3-511	108'	269	\$7,068
2484LSG203-36	671812122060	2	3	208/230	25'	36"	SX34=3-511	108'	269	\$7,068
2484LSG203-48	671812122183	2	3	208/230	25'	48"	SX34=3-511	108'	269	\$7,068
2484LSG203-60	671812124026	2	3	208/230	25'	60"	SX34=3-511	108'	269	\$7,068
2484LSG204-24	671812121995	2	3	440-480	25'	24"	SX34=3-171	108'	269	\$7,068
2484LSG204-36	671812122077	2	3	440-480	25'	36"	SX34=3-171	108'	269	\$7,068
2484LSG204-48	671812122190	2	3	440-480	25'	48"	SX34=3-171	108'	269	\$7,068
2484LSG204-60	671812124033	2	3	440-480	25'	60"	SX34=3-171	108'	269	\$7,068
2484LSG205-24	671812122008	2	3	575	25'	24"	SX54=3-161	108'	269	\$7,119
2484LSG205-36	671812122084	2	3	575	25'	36"	SX54=3-161	108'	269	\$7,119
2484LSG205-48	671812122206	2	3	575	25'	48"	SX54=3-161	108'	269	\$7,119
2484LSG205-60	671812124040	2	3	575	25'	60"	SX54=3-161	108'	269	\$7,119
2484-Series Two-Stage Models										
2484LSGX202-24	671812122015	2	1	208-230	25'	24"	SXH24=3	185'	264	\$6,868
2484LSGX202-36	671812122091	2	1	208-230	25'	36"	SXH24=3	185'	264	\$6,868
2484LSGX202-48	671812122213	2	1	208-230	25'	48"	SXH24=3	185'	264	\$6,868
2484LSGX202-60	671812124057	2	1	208-230	25'	60"	SXH24=3	185'	264	\$6,868
2484LSGX202-C-24	671812122169	2	1	208-230	35'	24"	SXHC24=3-3	185'	265	\$7,050
2484LSGX202-C-36	671812122145	2	1	208-230	35'	36"	SXHC24=3-3	185'	265	\$7,050
2484LSGX202-C-48	671812122268	2	1	208-230	35'	48"	SXHC24=3-3	185'	265	\$7,050
2484LSGX202-C-60	671812124064	2	1	208-230	35'	60"	SXHC24=3-3	185'	265	\$7,050
2484LSGX203-24	671812122022	2	3	208/230	25'	24"	SX34=3-511	185'	270	\$7,937
2484LSGX203-36	671812122107	2	3	208/230	25'	36"	SX34=3-511	185'	270	\$7,937
2484LSGX203-48	671812122220	2	3	208/230	25'	48"	SX34=3-511	185'	270	\$7,937
2484LSGX203-60	671812124071	2	3	208/230	25'	60"	SX34=3-511	185'	270	\$7,937
2484LSGX204-24	671812122039	2	3	440-480	25'	24"	SX34=3-171	185'	270	\$7,937
2484LSGX204-36	671812122114	2	3	440-480	25'	36"	SX34=3-171	185'	270	\$7,937
2484LSGX204-48	671812122237	2	3	440-480	25'	48"	SX34=3-171	185'	270	\$7,937
2484LSGX204-60	671812124088	2	3	440-480	25'	60"	SX34=3-171	185'	270	\$7,937
2484LSGX205-24	671812122046	2	3	575	25'	24"	SX54=3-161	185'	270	\$7,995
2484LSGX205-36	671812122121	2	3	575	25'	36"	SX54=3-161	185'	270	\$7,995
2484LSGX205-48	671812122244	2	3	575	25'	48"	SX54=3-161	185'	270	\$7,995
2484LSGX205-60	671812124095	2	3	575	25'	60"	SX54=3-161	185'	270	\$7,995

2496-Series Pre-designed Simplex Grinder Packages**Omnivore®***Choose Pre-designed for quick shipping!*

Complete assembled grinder package includes 24" x 96" basin, grinder pump, QuickTree® float assembly, GR20 guide rails and SX-Series control panel. 24", 36", 48", 60" or 72" discharge depth from top of the tank to center of the discharge is designated by -24, -36, -48, -60 or -72 model suffix (Ex. 2496LSG202-72). "-C" models designate capacitors in panel. For IP-Series panel upgrade - consult factory for pricing and ordering information- 800-543-2550.

Model	UPC#	hp	Ph	Volts	Cord Length	Discharge Depth	Panel	Max Head	LBS	List Price
2496-Series Single Stage Models										
2496LSG202-24	671812143164	2	1	208/230	25'	24"	SXH24=3	108'	279	\$6,864
2496LSG202-36	671812143188	2	1	208/230	25'	36"	SXH24=3	108'	279	\$6,864
2496LSG202-48	671812143201	2	1	208/230	25'	48"	SXH24=3	108'	279	\$6,864
2496LSG202-60	671812143225	2	1	208/230	25'	60"	SXH24=3	108'	279	\$6,864
2496LSG202-72	671812144109	2	1	208/230	25'	72"	SXH24=3	108'	279	\$6,864
2496LSG202-C-24	671812144000	2	1	208/230	35'	24"	SXHC24=3-3	108'	279	\$7,046
2496LSG202-C-36	671812144017	2	1	208/230	35'	36"	SXHC24=3-3	108'	279	\$7,046
2496LSG202-C-48	671812144024	2	1	208/230	35'	48"	SXHC24=3-3	108'	279	\$7,046
2496LSG202-C-60	671812144031	2	1	208/230	35'	60"	SXHC24=3-3	108'	279	\$7,046
2496LSG202-C-72	671812144123	2	1	208/230	35'	72"	SXHC24=3-3	108'	279	\$7,046
2496LSG203-24	671812143324	2	3	208/230	25'	24"	SX34=3-511	108'	279	\$7,934
2496LSG203-36	671812143348	2	3	208/230	25'	36"	SX34=3-511	108'	279	\$7,934
2496LSG203-48	671812143355	2	3	208/230	25'	48"	SX34=3-511	108'	279	\$7,934
2496LSG203-60	671812143362	2	3	208/230	25'	60"	SX34=3-511	108'	279	\$7,934
2496LSG203-72	671812144130	2	3	208/230	25'	72"	SX34=3-511	108'	279	\$7,934
2496LSG204-24	671812143515	2	3	440-480	25'	24"	SX34=3-171	108'	279	\$7,934
2496LSG204-36	671812143539	2	3	440-480	25'	36"	SX34=3-171	108'	279	\$7,934
2496LSG204-48	671812143553	2	3	440-480	25'	48"	SX34=3-171	108'	279	\$7,934
2496LSG204-60	671812143560	2	3	440-480	25'	60"	SX34=3-171	108'	279	\$7,934
2496LSG204-72	671812144147	2	3	440-480	25'	72"	SX34=3-171	108'	279	\$7,934

2496-Series Pre-designed Simplex Grinder Packages (cont)**Omnivore®**

US Dollars

Choose Pre-designed for quick shipping!

Complete assembled grinder package includes 24" x 96" basin, grinder pump, QuickTree® float assembly, GR20 guide rails and SX-Series control panel. 24", 36", 48", 60" or 72" discharge depth from top of the tank to center of the discharge is designated by -24, -36, -48, -60 or -72 model suffix (Ex. 2496LSG202-72). "-C" models designate capacitors in panel. For IP-Series panel upgrade - consult factory for pricing and ordering information - 800-543-2550.

Model	UPC#	hp	Ph	Volts	Cord Length	Discharge Depth	Panel	Max Head	LBS	List Price
2496-Series Single Stage Models (cont)										
2496LSG205-24	671812143676	2	3	575	25'	24"	SX54=3-161	108'	279	\$7,934
2496LSG205-36	671812143690	2	3	575	25'	36"	SX54=3-161	108'	279	\$7,934
2496LSG205-48	671812143706	2	3	575	25'	48"	SX54=3-161	108'	279	\$7,934
2496LSG205-60	671812143713	2	3	575	25'	60"	SX54=3-161	108'	279	\$7,934
2496LSG205-72	671812144154	2	3	575	25'	72"	SX54=3-161	108'	279	\$7,934
2496-Series Two-Stage Models										
2496LSGX202-24	671812143249	2	1	208-230	25'	24"	SXH24=3	185'	279	\$7,734
2496LSGX202-36	671812143256	2	1	208-230	25'	36"	SXH24=3	185'	279	\$7,734
2496LSGX202-48	671812143263	2	1	208-230	25'	48"	SXH24=3	185'	279	\$7,734
2496LSGX202-60	671812143270	2	1	208-230	25'	60"	SXH24=3	185'	279	\$7,734
2496LSGX202-72	671812144161	2	1	208-230	25'	72"	SXH24=3	185'	279	\$7,734
2496LSGX202-C-24	671812144215	2	1	208-230	35'	24"	SXHC24=3-3	108'	279	\$7,916
2496LSGX202-C-36	671812144222	2	1	208-230	35'	36"	SXHC24=3-3	108'	279	\$7,916
2496LSGX202-C-48	671812144239	2	1	208-230	35'	48"	SXHC24=3-3	108'	279	\$7,916
2496LSGX202-C-60	671812144246	2	1	208-230	35'	60"	SXHC24=3-3	108'	279	\$7,916
2496LSGX202-C-72	671812144178	2	1	208-230	35'	72"	SXHC24=3-3	108'	279	\$7,916
2496LSGX203-24	671812143416	2	3	208/230	25'	24"	SX34=3-511	185'	279	\$8,803
2496LSGX203-36	671812143478	2	3	208/230	25'	36"	SX34=3-511	185'	279	\$8,803
2496LSGX203-48	671812143485	2	3	208/230	25'	48"	SX34=3-511	185'	279	\$8,803
2496LSGX203-60	671812143492	2	3	208/230	25'	60"	SX34=3-511	185'	279	\$8,803
2496LSGX203-72	671812144185	2	3	208/230	25'	72"	SX34=3-511	185'	279	\$8,803
2496LSGX204-24	671812143591	2	3	440-480	25'	24"	SX34=3-171	185'	279	\$8,803
2496LSGX204-36	671812143607	2	3	440-480	25'	36"	SX34=3-171	185'	279	\$8,803
2496LSGX204-48	671812143614	2	3	440-480	25'	48"	SX34=3-171	185'	279	\$8,803
2496LSGX204-60	671812143621	2	3	440-480	25'	60"	SX34=3-171	185'	279	\$8,803
2496LSGX204-72	671812144192	2	3	440-480	25'	72"	SX34=3-171	185'	279	\$8,803
2496LSGX205-24	671812143751	2	3	575	25'	24"	SX54=3-161	185'	279	\$8,803
2496LSGX205-36	671812143768	2	3	575	25'	36"	SX54=3-161	185'	279	\$8,803
2496LSGX205-48	671812143775	2	3	575	25'	48"	SX54=3-161	185'	279	\$8,803
2496LSGX205-60	671812143782	2	3	575	25'	60"	SX54=3-161	185'	279	\$8,803
2496LSGX205-72	671812144208	2	3	575	25'	72"	SX54=3-161	185'	279	\$8,803

Consult factory for information on simplex and duplex grinder packages and optional basin sizes - 800-543-2550.

D3648-Series Pre-designed Duplex Grinder Packages**Omnivore®**

Complete assembled grinder package includes 36" x 48" basin, grinder pumps, QuickTree® float assembly, GR20 guide rails and AE-Series control panel. 12" discharge depth from top of the tank to center of the discharge. "-C" models designate capacitors in panel. For IP-Series panel upgrade - consult factory for pricing and ordering information - 800-543-2550.

Model #	UPC#	hp	Ph	Volts	Cord Length	Discharge Depth	Panel	Max Head	LBS	List Price
D3648-Series Single Stage Models										
D3648LSG202	671812118964	2	1	208/230	25'	12"	AE24H=3	108'	470	\$9,920
D3648LSG202-C	671812118971	2	1	208/230	35'	12"	AE24HC=3-3	108'	470	\$10,319
D3648LSG203	671812118988	2	3	208/230	25'	12"	AE34=3-511	108'	479	\$10,532
D3648LSG204	671812118995	2	3	440-480	25'	12"	AE34=3-171	108'	479	\$10,532
D3648LSG205	671812119008	2	3	575	25'	12"	AE54=3-161	108'	479	\$10,532
D3648-Series Two-Stage Models										
D3648LSGX202	671812119015	2	1	208-230	25'	12"	AE24H=3	185'	482	\$11,657
D3648LSGX202-C	671812119022	2	1	208-230	35'	12"	AE24HC=3-3	185'	482	\$12,056
D3648LSGX203	671812119039	2	3	208-230	25'	12"	AE34=3-511	185'	491	\$12,969
D3648LSGX204	671812119046	2	3	440-480	25'	12"	AE34=3-171	185'	491	\$12,969
D3648LSGX205	671812119053	2	3	575	25'	12"	AE54=3-161	185'	491	\$12,969

D3660-Series Pre-designed Duplex Grinder Packages**Omnivore®**

Complete assembled grinder package includes 36" x 60" basin, grinder pumps, QuickTree® float assembly, GR20 guide rails and AE-Series control panel. 24" or 36" discharge depth from top of the tank to center of the discharge is designated by -24 or -36 model suffix. "-C" models designate capacitors in panel. For IP-Series panel upgrade - consult factory for pricing and ordering information - 800-543-2550.

Model #	UPC#	hp	Ph	Volts	Cord Length	Discharge Depth	Panel	Max Head	LBS	List Price
D3660-Series Single Stage Models										
D3660LSG202-24	671812119503	2	1	208/230	25'	24"	AE24H=3	108'	490	\$10,079
D3660LSG202-36	671812119558	2	1	208/230	25'	36"	AE24H=3	108'	490	\$10,079
D3660LSG202-C-24	671812119510	2	1	208/230	35'	24"	AE24HC=3-3	108'	490	\$10,478
D3660LSG202-C-36	671812119565	2	1	208/230	35'	36"	AE24HC=3-3	108'	490	\$10,478
D3660LSG203-24	671812119527	2	3	208/230	25'	24"	AE34=3-511	108'	499	\$10,689
D3660LSG203-36	671812119572	2	3	208/230	25'	36"	AE34=3-511	108'	499	\$10,689
D3660LSG204-24	671812119534	2	3	440-480	25'	24"	AE34=3-171	108'	499	\$10,689
D3660LSG204-36	671812119589	2	3	440-480	25'	36"	AE34=3-171	108'	499	\$10,689
D3660LSG205-24	671812119541	2	3	575	25'	24"	AE54=3-161	108'	499	\$10,689
D3660LSG205-36	671812119596	2	3	575	25'	36"	AE54=3-161	108'	499	\$10,689

D3660-Series Pre-designed Duplex Grinder Packages (cont)**Omnivore®**

US Dollars

Complete assembled grinder package includes 36" x 60" basin, grinder pumps, QuickTree® float assembly, GR20 guide rails and AE-Series control panel. 24" or 36" discharge depth from top of the tank to center of the discharge is designated by -24 or -36 model suffix. "-C" models designate capacitors in panel. For IP-Series panel upgrade - consult factory for pricing and ordering information - 800-543-2550.

Model #	UPC#	hp	Ph	Volts	Cord Length	Discharge Depth	Panel	Max Head	LBS	List Price
D3660-Series Two-Stage Models										
D3660LSGX202-24	671812119909	2	1	208-230	25'	24"	AE24H=3	185'	502	\$11,816
D3660LSGX202-36	671812119954	2	1	208-230	25'	36"	AE24H=3	185'	502	\$11,816
D3660LSGX202-C-24	671812119916	2	1	208-230	35'	24"	AE24HC=3-3	185'	502	\$12,215
D3660LSGX202-C-36	671812119961	2	1	208-230	35'	36"	AE24HC=3-3	185'	502	\$12,215
D3660LSGX203-24	671812119923	2	3	208/230	25'	24"	AE34=3-511	185'	511	\$13,128
D3660LSGX203-36	671812119978	2	3	208/230	25'	36"	AE34=3-511	185'	511	\$13,128
D3660LSGX204-24	671812119930	2	3	440-480	25'	24"	AE34=3-171	185'	511	\$13,128
D3660LSGX204-36	671812119985	2	3	440-480	25'	36"	AE34=3-171	185'	511	\$13,128
D3660LSGX205-24	671812119947	2	3	575	25'	24"	AE54=3-161	185'	511	\$13,128
D3660LSGX205-36	671812119992	2	3	575	25'	36"	AE54=3-161	185'	511	\$13,128

D3672-Series Pre-designed Duplex Grinder Packages**Omnivore®**

Complete assembled grinder package includes 36" x 72" basin, grinder pumps, QuickTree® float assembly, GR20 guide rails and AE-Series control panel. 24", 36" or 48" discharge depth from top of the tank to center of the discharge is designated by -24, -36 or -48 model suffix. "-C" models designate capacitors in panel. For IP-Series panel upgrade - consult factory for pricing and ordering information - 800-543-2550.

Model #	UPC#	hp	Ph	Volts	Cord Length	Discharge Depth	Panel	Max Head	LBS	List Price
D3672-Series Single Stage Models										
D3672LSG202-24	671812119060	2	1	208/230	25'	24"	AE24H=3	108'	515	\$10,238
D3672LSG202-36	671812119114	2	1	208/230	25'	36"	AE24H=3	108'	515	\$10,238
D3672LSG202-48	671812119169	2	1	208/230	25'	48"	AE24H=3	108'	515	\$10,238
D3672LSG202-C-24	671812119077	2	1	208/230	35'	24"	AE24HC=3-3	108'	515	\$10,637
D3672LSG202-C-36	671812119121	2	1	208/230	35'	36"	AE24HC=3-3	108'	515	\$10,637
D3672LSG202-C-48	671812119176	2	1	208/230	35'	48"	AE24HC=3-3	108'	515	\$10,637
D3672LSG203-24	671812119084	2	3	208/230	25'	24"	AE34=3-511	108'	524	\$11,549
D3672LSG203-36	671812119138	2	3	208/230	25'	36"	AE34=3-511	108'	524	\$11,549
D3672LSG203-48	671812119183	2	3	208/230	25'	48"	AE34=3-511	108'	524	\$11,549
D3672LSG204-24	671812119091	2	3	440-480	25'	24"	AE34=3-171	108'	524	\$11,549
D3672LSG204-36	671812119145	2	3	440-480	25'	36"	AE34=3-171	108'	524	\$11,549
D3672LSG204-48	671812119190	2	3	440-480	25'	48"	AE34=3-171	108'	524	\$11,549
D3672LSG205-24	671812119107	2	3	575	25'	24"	AE54=3-161	108'	524	\$11,549
D3672LSG205-36	671812119152	2	3	575	25'	36"	AE54=3-161	108'	524	\$11,549
D3672LSG205-48	671812119206	2	3	575	25'	48"	AE54=3-161	108'	524	\$11,549
D3672-Series Two-Stage Models										
D3672LSGX202-24	671812119213	2	1	208-230	25'	24"	AE24H=3	185'	527	\$11,974
D3672LSGX202-36	671812119268	2	1	208-230	25'	36"	AE24H=3	185'	527	\$11,974
D3672LSGX202-48	671812119312	2	1	208-230	25'	48"	AE24H=3	185'	527	\$11,974
D3672LSGX202-C-24	671812119220	2	1	208-230	35'	24"	AE24HC=3-3	185'	527	\$12,373
D3672LSGX202-C-36	671812119275	2	1	208-230	35'	36"	AE24HC=3-3	185'	527	\$12,373
D3672LSGX202-C-48	671812119329	2	1	208-230	35'	48"	AE24HC=3-3	185'	527	\$12,373
D3672LSGX203-24	671812119237	2	3	208/230	25'	24"	AE34=3-511	185'	536	\$13,286
D3672LSGX203-36	671812119282	2	3	208/230	25'	36"	AE34=3-511	185'	536	\$13,286
D3672LSGX203-48	671812119336	2	3	208/230	25'	48"	AE34=3-511	185'	536	\$13,286
D3672LSGX204-24	671812119244	2	3	440-480	25'	24"	AE34=3-171	185'	536	\$13,286
D3672LSGX204-36	671812119299	2	3	440-480	25'	36"	AE34=3-171	185'	536	\$13,286
D3672LSGX204-48	671812119343	2	3	440-480	25'	48"	AE34=3-171	185'	536	\$13,286
D3672LSGX205-24	671812119251	2	3	575	25'	24"	AE54=3-161	185'	536	\$13,286
D3672LSGX205-36	671812119305	2	3	575	25'	36"	AE54=3-161	185'	536	\$13,286
D3672LSGX205-48	671812119350	2	3	575	25'	48"	AE54=3-161	185'	536	\$13,286

D3684-Series Pre-designed Duplex Grinder Packages**Omnivore®**

Complete assembled grinder package includes 36" x 84" basin, grinder pumps, QuickTree® float assembly, GR20 guide rails and AE-Series control panel. 24", 36", 48" or 60" discharge depth from top of the tank to center of the discharge is designated by -24, -36, -48 or -60 model suffix. "-C" models designate capacitors in panel. For IP-Series panel upgrade - consult factory for pricing and ordering information - 800-543-2550.

Model #	UPC#	hp	Ph	Volts	Cord Length	Discharge Depth	Panel	Max Head	LBS	List Price
D3684-Series Single Stage Models										
D3684LSG202-24	671812119602	2	1	208/230	25'	24"	AE24H=3	108'	540	\$11,092
D3684LSG202-36	671812119657	2	1	208/230	25'	36"	AE24H=3	108'	540	\$11,092
D3684LSG202-48	671812119701	2	1	208/230	25'	48"	AE24H=3	108'	540	\$11,092
D3684LSG202-60	671812124330	2	1	208/230	25'	60"	AE24H=3	108'	540	\$11,092

D3684-Series Pre-designed Duplex Grinder Packages (cont)**Omnivore®**

US Dollars

Complete assembled grinder package includes 36" x 84" basin, grinder pumps, QuickTree® float assembly, GR20 guide rails and AE-Series control panel. 24", 36", 48" or 60" discharge depth from top of the tank to center of the discharge is designated by -24, -36, -48 or -60 model suffix. "-C" models designate capacitors in panel. For IP-Series panel upgrade - consult factory for pricing and ordering information - 800-543-2550.

Model #	UPC#	hp	Ph	Volts	Cord Length	Discharge Depth	Panel	Max Head	LBS	List Price
D3684-Series Single Stage Models (cont)										
D3684LSG202-C-24	671812119619	2	1	208/230	35'	24"	AE24HC=3-3	108'	540	\$11,491
D3684LSG202-C-36	671812119664	2	1	208/230	35'	36"	AE24HC=3-3	108'	540	\$11,491
D3684LSG202-C-48	671812119718	2	1	208/230	35'	48"	AE24HC=3-3	108'	540	\$11,491
D3684LSG202-C-60	671812124354	2	1	208/230	35'	60"	AE24HC=3-3	108'	540	\$11,491
D3684LSG203-24	671812119626	2	3	208/230	25'	24"	AE34=3-511	108'	549	\$11,702
D3684LSG203-36	671812119671	2	3	208/230	25'	36"	AE34=3-511	108'	549	\$11,702
D3684LSG203-48	671812119725	2	3	208/230	25'	48"	AE34=3-511	108'	549	\$11,702
D3684LSG203-60	671812124378	2	3	208/230	25'	60"	AE34=3-511	108'	549	\$11,702
D3684LSG204-24	671812119633	2	3	440-480	25'	24"	AE34=3-171	108'	549	\$11,702
D3684LSG204-36	671812119688	2	3	440-480	25'	36"	AE34=3-171	108'	549	\$11,702
D3684LSG204-48	671812119732	2	3	440-480	25'	48"	AE34=3-171	108'	549	\$11,702
D3684LSG204-60	671812124392	2	3	440-480	25'	60"	AE34=3-171	108'	549	\$11,702
D3684LSG205-24	671812119640	2	3	575	25'	24"	AE54=3-161	108'	549	\$11,702
D3684LSG205-36	671812119695	2	3	575	25'	36"	AE54=3-161	108'	549	\$11,702
D3684LSG205-48	671812119749	2	3	575	25'	48"	AE54=3-161	108'	549	\$11,702
D3684LSG205-60	671812124514	2	3	575	25'	60"	AE54=3-161	108'	549	\$11,702

D3684-Series Two-Stage Models

D3684LSGX202-24	671812120004	2	1	208-230	25'	24"	AE24H=3	185'	552	\$12,830
D3684LSGX202-36	671812120059	2	1	208-230	25'	36"	AE24H=3	185'	552	\$12,830
D3684LSGX202-48	671812120103	2	1	208-230	25'	48"	AE24H=3	185'	552	\$12,830
D3684LSGX202-60	671812124415	2	1	208-230	25'	60"	AE24H=3	185'	552	\$12,830
D3684LSGX202-C-24	671812120011	2	1	208-230	35'	24"	AE24HC=3-3	185'	552	\$13,229
D3684LSGX202-C-36	671812120066	2	1	208-230	35'	36"	AE24HC=3-3	185'	552	\$13,229
D3684LSGX202-C-48	671812120110	2	1	208-230	35'	48"	AE24HC=3-3	185'	552	\$13,229
D3684LSGX202-C-60	671812124439	2	1	208-230	35'	60"	AE24HC=3-3	185'	552	\$13,229
D3684LSGX203-24	671812120028	2	3	208/230	25'	24"	AE34=3-511	185'	561	\$14,140
D3684LSGX203-36	671812120073	2	3	208/230	25'	36"	AE34=3-511	185'	561	\$14,140
D3684LSGX203-48	671812120127	2	3	208/230	25'	48"	AE34=3-511	185'	561	\$14,140
D3684LSGX203-60	671812124453	2	3	208/230	25'	60"	AE34=3-511	185'	561	\$14,140
D3684LSGX204-24	671812120035	2	3	440-480	25'	24"	AE34=3-171	185'	561	\$14,140
D3684LSGX204-36	671812120080	2	3	440-480	25'	36"	AE34=3-171	185'	561	\$14,140
D3684LSGX204-48	671812120134	2	3	440-480	25'	48"	AE34=3-171	185'	561	\$14,140
D3684LSGX204-60	671812124477	2	3	440-480	25'	60"	AE34=3-171	185'	561	\$14,140
D3684LSGX205-24	671812120042	2	3	575	25'	24"	AE54=3-161	185'	561	\$14,140
D3684LSGX205-36	671812120097	2	3	575	25'	36"	AE54=3-161	185'	561	\$14,140
D3684LSGX205-48	671812120141	2	3	575	25'	48"	AE54=3-161	185'	561	\$14,140
D3684LSGX205-60	671812124491	2	3	575	25'	60"	AE54=3-161	185'	561	\$14,140

D3696-Series Pre-designed Duplex Grinder Packages**Omnivore®**

Complete assembled grinder package includes 36" x 96" basin, grinder pumps, QuickTree® float assembly, GR20 guide rails and AE-Series control panel. 24", 36", 48", 60" or 72" discharge depth from top of the tank to center of the discharge is designated by -24, -36, -48, -60 or -72 model suffix. "-C" models designate capacitors in panel. For IP-Series panel upgrade - consult factory for pricing and ordering information - 800-543-2550.

Model #	UPC#	hp	Ph	Volts	Cord Length	Discharge Depth	Panel	Max Head	LBS	List Price
D3696-Series Single Stage Models										
D3696LSG202-24	671812119756	2	1	208/230	25'	24"	AE24H=3	108'	565	\$11,853
D3696LSG202-36	671812119800	2	1	208/230	25'	36"	AE24H=3	108'	565	\$11,853
D3696LSG202-48	671812119855	2	1	208/230	25'	48"	AE24H=3	108'	565	\$11,853
D3696LSG202-60	671812123142	2	1	208/230	25'	60"	AE24H=3	108'	565	\$11,853
D3696LSG202-72	671812123180	2	1	208/230	25'	72"	AE24H=3	108'	565	\$11,853
D3696LSG202-C-24	671812119763	2	1	208/230	35'	24"	AE24HC=3-3	108'	565	\$12,252
D3696LSG202-C-36	671812119817	2	1	208/230	35'	36"	AE24HC=3-3	108'	565	\$12,252
D3696LSG202-C-48	671812119862	2	1	208/230	35'	48"	AE24HC=3-3	108'	565	\$12,252
D3696LSG202-C-60	671812123821	2	1	208/230	35'	60"	AE24HC=3-3	108'	565	\$12,252
D3696LSG202-C-72	671812123869	2	1	208/230	35'	72"	AE24HC=3-3	108'	565	\$12,252
D3696LSG203-24	671812119770	2	3	208/230	25'	24"	AE34=3-511	108'	574	\$12,466
D3696LSG203-36	671812119824	2	3	208/230	25'	36"	AE34=3-511	108'	574	\$12,466
D3696LSG203-48	671812119879	2	3	208/230	25'	48"	AE34=3-511	108'	574	\$12,466
D3696LSG203-60	671812123227	2	3	208/230	25'	60"	AE34=3-511	108'	574	\$12,466
D3696LSG203-72	671812123265	2	3	208/230	25'	72"	AE34=3-511	108'	574	\$12,466
D3696LSG204-24	671812119787	2	3	440-480	25'	24"	AE34=3-171	108'	574	\$12,466
D3696LSG204-36	671812119831	2	3	440-480	25'	36"	AE34=3-171	108'	574	\$12,466
D3696LSG204-48	671812119886	2	3	440-480	25'	48"	AE34=3-171	108'	574	\$12,466
D3696LSG204-60	671812123302	2	3	440-480	25'	60"	AE34=3-171	108'	574	\$12,466
D3696LSG204-72	671812123340	2	3	440-480	25'	72"	AE34=3-171	108'	574	\$12,466
D3696LSG205-24	671812119794	2	3	575	25'	24"	AE54=3-161	108'	574	\$12,466
D3696LSG205-36	671812119848	2	3	575	25'	36"	AE54=3-161	108'	574	\$12,466
D3696LSG205-48	671812119893	2	3	575	25'	48"	AE54=3-161	108'	574	\$12,466
D3696LSG205-60	671812123388	2	3	575	25'	60"	AE54=3-161	108'	574	\$12,466
D3696LSG205-72	671812123425	2	3	575	25'	72"	AE54=3-161	108'	574	\$12,466

D3696-Series Pre-designed Duplex Grinder Packages (cont)**Omnivore®**

US Dollars

Complete assembled grinder package includes 36" x 96" basin, grinder pumps, QuickTree® float assembly, GR20 guide rails and AE-Series control panel. 24", 36", 48", 60" or 72" discharge depth from top of the tank to center of the discharge is designated by -24, -36, -48, -60 or -72 model suffix. "-C" models designate capacitors in panel. For IP-Series panel upgrade - consult factory for pricing and ordering information - 800-543-2550.

Model #	UPC#	hp	Ph	Volts	Cord Length	Discharge Depth	Panel	Max Head	LBS	List Price
D3696-Series Two-Stage Models										
D3696LSGX202-24	671812120158	2	1	208-230	25'	24"	AE24H=3	185'	577	\$13,591
D3696LSGX202-36	671812120202	2	1	208-230	25'	36"	AE24H=3	185'	577	\$13,591
D3696LSGX202-48	671812120257	2	1	208-230	25'	48"	AE24H=3	185'	577	\$13,591
D3696LSGX202-60	671812123463	2	1	208-230	25'	60"	AE24H=3	185'	577	\$13,591
D3696LSGX202-72	671812123500	2	1	208-230	25'	72"	AE24H=3	185'	577	\$13,591
D3696LSGX202-C-24	671812120165	2	1	208-230	35'	24"	AE24HC=3-3	185'	577	\$13,990
D3696LSGX202-C-36	671812120219	2	1	208-230	35'	36"	AE24HC=3-3	185'	577	\$13,990
D3696LSGX202-C-48	671812120264	2	1	208-230	35'	48"	AE24HC=3-3	185'	577	\$13,990
D3696LSGX202-C-60	671812123906	2	1	208-230	35'	60"	AE24HC=3-3	185'	577	\$13,990
D3696LSGX202-C-72	671812123944	2	1	208-230	35'	72"	AE24HC=3-3	185'	577	\$13,990
D3696LSGX203-24	671812120172	2	3	208/230	25'	24"	AE34=3-511	185'	586	\$14,903
D3696LSGX203-36	671812120226	2	3	208/230	25'	36"	AE34=3-511	185'	586	\$14,903
D3696LSGX203-48	671812120271	2	3	208/230	25'	48"	AE34=3-511	185'	586	\$14,903
D3696LSGX203-60	671812123586	2	3	208/230	25'	60"	AE34=3-511	185'	586	\$14,903
D3696LSGX203-72	671812123623	2	3	208/230	25'	72"	AE34=3-511	185'	586	\$14,903
D3696LSGX204-24	671812120189	2	3	440-480	25'	24"	AE34=3-171	185'	586	\$14,903
D3696LSGX204-36	671812120233	2	3	440-480	25'	36"	AE34=3-171	185'	586	\$14,903
D3696LSGX204-48	671812120288	2	3	440-480	25'	48"	AE34=3-171	185'	586	\$14,903
D3696LSGX204-60	671812123661	2	3	440-480	25'	60"	AE34=3-171	185'	586	\$14,903
D3696LSGX204-72	671812123708	2	3	440-480	25'	72"	AE34=3-171	185'	586	\$14,903
D3696LSGX205-24	671812120196	2	3	575	25'	24"	AE54=3-161	185'	586	\$14,903
D3696LSGX205-36	671812120240	2	3	575	25'	36"	AE54=3-161	185'	586	\$14,903
D3696LSGX205-48	671812120295	2	3	575	25'	48"	AE54=3-161	185'	586	\$14,903
D3696LSGX205-60	671812123746	2	3	575	25'	60"	AE54=3-161	185'	586	\$14,903
D3696LSGX205-72	671812123784	2	3	575	25'	72"	AE54=3-161	185'	586	\$14,903

Q4884-Series Pre-designed Quadplex Grinder Packages**Omnivore®**

Complete assembled grinder package includes 48" x 84" basin, four grinder pumps, QuickTree® float assembly, GR20 guide rails and QE-Series control panel. 24", 36", 48" or 60" discharge depth from top of the tank to center of the discharge is designated by -24, -36, -48 or -60 model suffix. Consult factory for pricing and ordering information - 800-543-2550.

Model #	UPC#	hp	Ph	Volts	Cord Length	Discharge Depth	Panel	Max Head	LBS	List Price
Q4884-Series Single Stage Models										
Q4884LSG202-24	671812138269	2	1	208/230	25'	24"	QE24H=6	108'	1309	\$19,973
Q4884LSG202-36	671812138429	2	1	208/230	25'	36"	QE24H=6	108'	1309	\$19,973
Q4884LSG202-48	671812138436	2	1	208/230	25'	48"	QE24H=6	108'	1309	\$19,973
Q4884LSG202-60	671812138481	2	1	208/230	25'	60"	QE24H=6	108'	1309	\$19,973
Q4884LSG203-24	671812138290	2	3	208/230	25'	24"	QE34=6-511	108'	1319	\$21,229
Q4884LSG203-36	671812138474	2	3	208/230	25'	36"	QE34=6-511	108'	1319	\$21,229
Q4884LSG203-48	671812138498	2	3	208/230	25'	48"	QE34=6-511	108'	1319	\$21,229
Q4884LSG203-60	671812138504	2	3	208/230	25'	60"	QE34=6-511	108'	1319	\$21,229
Q4884LSG204-24	671812138320	2	3	440-480	25'	24"	QE34=6-171	108'	1329	\$21,229
Q4884LSG204-36	671812138559	2	3	440-480	25'	36"	QE34=6-171	108'	1329	\$21,229
Q4884LSG204-48	671812138566	2	3	440-480	25'	48"	QE34=6-171	108'	1329	\$21,229
Q4884LSG204-60	671812138573	2	3	440-480	25'	60"	QE34=6-171	108'	1329	\$21,229
Q4884LSG205-24	671812139518	2	3	575	25'	24"	QE54=6-161	108'	1339	\$22,737
Q4884LSG205-36	671812139525	2	3	575	25'	36"	QE54=6-161	108'	1339	\$22,737
Q4884LSG205-48	671812139532	2	3	575	25'	48"	QE54=6-161	108'	1339	\$22,737
Q4884LSG205-60	671812139549	2	3	575	25'	60"	QE54=6-161	108'	1339	\$22,737
Q4884-Series Two-Stage Models										
Q4884LSGX202-24	671812138351	2	1	208-230	25'	24"	QE24H=6	185'	1333	\$23,442
Q4884LSGX202-36	671812138443	2	1	208-230	25'	36"	QE24H=6	185'	1333	\$23,442
Q4884LSGX202-48	671812138450	2	1	208-230	25'	48"	QE24H=6	185'	1333	\$23,442
Q4884LSGX202-60	671812138467	2	1	208-230	25'	60"	QE24H=6	185'	1333	\$23,442
Q4884LSGX203-24	671812138511	2	3	208/230	25'	24"	QE34=6-511	185'	1343	\$24,733
Q4884LSGX203-36	671812138528	2	3	208/230	25'	36"	QE34=6-511	185'	1343	\$24,733
Q4884LSGX203-48	671812138535	2	3	208/230	25'	48"	QE34=6-511	185'	1343	\$24,733
Q4884LSGX203-60	671812138542	2	3	208/230	25'	60"	QE34=6-511	185'	1343	\$24,733
Q4884LSGX204-24	671812138580	2	3	440-480	25'	24"	QE34=6-171	185'	1353	\$24,733
Q4884LSGX204-36	671812138597	2	3	440-480	25'	36"	QE34=6-171	185'	1353	\$24,733
Q4884LSGX204-48	671812138603	2	3	440-480	25'	48"	QE34=6-171	185'	1353	\$24,733
Q4884LSGX204-60	671812138610	2	3	440-480	25'	60"	QE34=6-171	185'	1353	\$24,733
Q4884LSGX205-24	671812139556	2	3	575	25'	24"	QE54=6-161	185'	1363	\$25,634
Q4884LSGX205-36	671812139563	2	3	575	25'	36"	QE54=6-161	185'	1363	\$25,634
Q4884LSGX205-48	671812139570	2	3	575	25'	48"	QE54=6-161	185'	1363	\$25,634
Q4884LSGX205-60	671812139587	2	3	575	25'	60"	QE54=6-161	185'	1363	\$25,634

Consult factory for information on simplex, duplex, and quadplex grinder packages and optional basin sizes - 800-543-2550.

Q4896-Series Pre-designed Quadplex Grinder Packages (cont)**Omnivore®**

Complete assembled grinder package includes 48" x 96" basin, four grinder pumps, QuickTree® float assembly, GR20 guide rails and QE-Series control panel. 24", 36", 48" or 60" discharge depth from top of the tank to center of the discharge is designated by -24, -36, -48 or -60 or model suffix. Consult factory for pricing and ordering information - 800-543-2550.

Model #	UPC#	hp	Ph	Volts	Cord Length	Discharge Depth	Panel	Max Head	LBS	List Price
Q4896-Series Single Stage Models										
Q4896LSG202-24	671812138276	2	1	208/230	25'	24"	QE24H=6	108'	1367	\$23,002
Q4896LSG202-36	671812138627	2	1	208/230	25'	36"	QE24H=6	108'	1367	\$23,002
Q4896LSG202-48	671812138634	2	1	208/230	25'	48"	QE24H=6	108'	1367	\$23,002
Q4896LSG202-60	671812138641	2	1	208/230	25'	60"	QE24H=6	108'	1367	\$23,002
Q4896LSG203-24	671812138306	2	3	208/230	25'	24"	QE34=6-511	108'	1377	\$24,258
Q4896LSG203-36	671812138689	2	3	208/230	25'	36"	QE34=6-511	108'	1377	\$24,258
Q4896LSG203-48	671812138696	2	3	208/230	25'	48"	QE34=6-511	108'	1377	\$24,258
Q4896LSG203-60	671812138702	2	3	208/230	25'	60"	QE34=6-511	108'	1377	\$24,258
Q4896LSG204-24	671812138337	2	3	440-480	25'	24"	QE34=6-171	108'	1387	\$24,258
Q4896LSG204-36	671812138757	2	3	440-480	25'	36"	QE34=6-171	108'	1387	\$24,258
Q4896LSG204-48	671812138764	2	3	440-480	25'	48"	QE34=6-171	108'	1387	\$24,258
Q4896LSG204-60	671812138771	2	3	440-480	25'	60"	QE34=6-171	108'	1387	\$24,258
Q4896LSG205-24	671812139594	2	3	575	25'	24"	QE54=6-161	108'	1397	\$25,728
Q4896LSG205-36	671812139600	2	3	575	25'	36"	QE54=6-161	108'	1397	\$25,728
Q4896LSG205-48	671812139617	2	3	575	25'	48"	QE54=6-161	108'	1397	\$25,728
Q4896LSG205-60	671812139624	2	3	575	25'	60"	QE54=6-161	108'	1397	\$25,728
Q4896-Series Two-Stage Models										
Q4896LSGX202-24	671812138368	2	1	208-230	25'	24"	QE24H=6	185'	1401	\$26,472
Q4896LSGX202-36	671812138658	2	1	208-230	25'	36"	QE24H=6	185'	1401	\$26,472
Q4896LSGX202-48	671812138665	2	1	208-230	25'	48"	QE24H=6	185'	1401	\$26,472
Q4896LSGX202-60	671812138672	2	1	208-230	25'	60"	QE24H=6	185'	1401	\$26,472
Q4896LSGX203-24	671812138719	2	3	208/230	25'	24"	QE34=6-511	185'	1411	\$27,762
Q4896LSGX203-36	671812138726	2	3	208/230	25'	36"	QE34=6-511	185'	1411	\$27,762
Q4896LSGX203-48	671812138733	2	3	208/230	25'	48"	QE34=6-511	185'	1411	\$27,762
Q4896LSGX203-60	671812138740	2	3	208/230	25'	60"	QE34=6-511	185'	1411	\$27,762
Q4896LSGX204-24	671812138788	2	3	440-480	25'	24"	QE34=6-171	185'	1421	\$27,762
Q4896LSGX204-36	671812138795	2	3	440-480	25'	36"	QE34=6-171	185'	1421	\$27,762
Q4896LSGX204-48	671812138801	2	3	440-480	25'	48"	QE34=6-171	185'	1421	\$27,762
Q4896LSGX204-60	671812138818	2	3	440-480	25'	60"	QE34=6-171	185'	1421	\$27,762
Q4896LSGX205-24	671812139631	2	3	575	25'	24"	QE54=6-161	185'	1431	\$28,625
Q4896LSGX205-36	671812139648	2	3	575	25'	36"	QE54=6-161	185'	1431	\$28,625
Q4896LSGX205-48	671812139655	2	3	575	25'	48"	QE54=6-161	185'	1431	\$28,625
Q4896LSGX205-60	671812139662	2	3	575	25'	60"	QE54=6-161	185'	1431	\$28,625

Q48120-Series Pre-designed Quadplex Grinder Packages (cont)**Omnivore®**

Complete assembled grinder package includes 48" x 120" basin, four grinder pumps, QuickTree® float assembly, GR20 guide rails and QE-Series control panel. 24", 36", 48" or 60" discharge depth from top of the tank to center of the discharge is designated by -24, -36, -48 or -60 or model suffix. Consult factory for pricing and ordering information - 800-543-2550.

Model #	UPC#	hp	Ph	Volts	Cord Length	Discharge Depth	Panel	Max Head	LBS	List Price
Q48120-Series Single Stage Models										
Q48120LSG202-24	671812138283	2	1	208/230	25'	24"	QE24H=6	108'	1435	\$26,670
Q48120LSG202-36	671812138825	2	1	208/230	25'	36"	QE24H=6	108'	1435	\$26,670
Q48120LSG202-48	671812138832	2	1	208/230	25'	48"	QE24H=6	108'	1435	\$26,670
Q48120LSG202-60	671812138849	2	1	208/230	25'	60"	QE24H=6	108'	1435	\$26,670
Q48120LSG203-24	671812138313	2	3	208/230	25'	24"	QE34=6-511	108'	1445	\$27,960
Q48120LSG203-36	671812138887	2	3	208/230	25'	36"	QE34=6-511	108'	1445	\$27,960
Q48120LSG203-48	671812138894	2	3	208/230	25'	48"	QE34=6-511	108'	1445	\$27,960
Q48120LSG203-60	671812138900	2	3	208/230	25'	60"	QE34=6-511	108'	1445	\$27,960
Q48120LSG204-24	671812138344	2	3	440-480	25'	24"	QE34=6-171	108'	1455	\$27,960
Q48120LSG204-36	671812138955	2	3	440-480	25'	36"	QE34=6-171	108'	1455	\$27,960
Q48120LSG204-48	671812138962	2	3	440-480	25'	48"	QE34=6-171	108'	1455	\$27,960
Q48120LSG204-60	671812138979	2	3	440-480	25'	60"	QE34=6-171	108'	1455	\$27,960
Q48120LSG205-24	671812139679	2	3	575	25'	24"	QE54=6-161	108'	1465	\$28,947
Q48120LSG205-36	671812139686	2	3	575	25'	36"	QE54=6-161	108'	1465	\$28,947
Q48120LSG205-48	671812139693	2	3	575	25'	48"	QE54=6-161	108'	1465	\$28,947
Q48120LSG205-60	671812139709	2	3	575	25'	60"	QE54=6-161	108'	1465	\$28,947
Q48120-Series Two-Stage Models										
Q48120LSGX202-24	671812138375	2	1	208-230	25'	24"	QE24H=6	185'	1469	\$30,139
Q48120LSGX202-36	671812138856	2	1	208-230	25'	36"	QE24H=6	185'	1469	\$30,139
Q48120LSGX202-48	671812138863	2	1	208-230	25'	48"	QE24H=6	185'	1469	\$30,139
Q48120LSGX202-60	671812138870	2	1	208-230	25'	60"	QE24H=6	185'	1469	\$30,139

Consult factory for information on simplex, duplex, and quadplex grinder packages and optional basin sizes - 800-543-2550.

Q48120-Series Pre-designed Quadplex Grinder Packages (cont)**Omnivore®**

US Dollars

Complete assembled grinder package includes 48" x 120" basin, four grinder pumps, QuickTree® float assembly, GR20 guide rails and QE-Series control panel. 24", 36", 48" or 60" discharge depth from top of the tank to center of the discharge is designated by -24, -36, -48 or -60 or model suffix. Consult factory for pricing and ordering information - 800-543-2550.

Model #	UPC#	hp	Ph	Volts	Cord Length	Discharge Depth	Panel	Max Head	LBS	List Price
Q48120-Series Two-Stage Models (cont)										
Q48120LSGX203-24	671812138917	2	3	208/230	25'	24"	QE34=6-511	185'	1479	\$31,430
Q48120LSGX203-36	671812138924	2	3	208/230	25'	36"	QE34=6-511	185'	1479	\$31,430
Q48120LSGX203-48	671812138931	2	3	208/230	25'	48"	QE34=6-511	185'	1479	\$31,430
Q48120LSGX203-60	671812138948	2	3	208/230	25'	60"	QE34=6-511	185'	1479	\$31,430
Q48120LSGX204-24	671812138986	2	3	440-480	25'	24"	QE34=6-171	185'	1489	\$31,430
Q48120LSGX204-36	671812138993	2	3	440-480	25'	36"	QE34=6-171	185'	1489	\$31,430
Q48120LSGX204-48	671812139006	2	3	440-480	25'	48"	QE34=6-171	185'	1489	\$31,430
Q48120LSGX204-60	671812139013	2	3	440-480	25'	60"	QE34=6-171	185'	1489	\$31,430
Q48120LSGX205-24	671812139716	2	3	575	25'	24"	QE54=6-161	185'	1499	\$31,845
Q48120LSGX205-36	671812139723	2	3	575	25'	36"	QE54=6-161	185'	1499	\$31,845
Q48120LSGX205-48	671812139730	2	3	575	25'	48"	QE54=6-161	185'	1499	\$31,845
Q48120LSGX205-60	671812139747	2	3	575	25'	60"	QE54=6-161	185'	1499	\$31,845

Control Panels for Quadplex Q4800-Series

Model #	UPC#	Amps	Ph	Volts	Cord Length	Floats	LBS	List Price
QE-Series Quadplex Control Panels								
QE24H=6	671812139068	15 - 20	1	208/230	20'	6	40	\$3,735
QE34=6-511	671812139075	9 - 14	3	208/240/480	20'	6	40	\$5,143
QE34=6-171	671812139082	6 - 10	3	208/240/480	20'	6	40	\$5,143
QE54=6-161	671812139754	4 - 6.3	3	575	20'	6	40	\$4,512

Options - Grinder Packages

Suffix	Description	Sample Model Number	Adder
"-S"	Stainless steel guide rail option for SIMPLEX grinder packages	2472LSG24-S	\$91
"-S"	Stainless steel guide rail option for DUPLEX grinder packages	D3672LSG-24-S	\$182
"-SC"	Steel cover option for 2400-Series	2472LSG24-SC	\$176
"-SC"	Steel cover option for 3600-Series	D3672LSG-24-SC	\$229
"TV2"	2" vent flange mounted on cover, for 2400 and D3600 series systems	2472LSG24-TV2	\$95
"TV3"	3" vent flange mounted on cover, for 2400 and D3600 series systems	D3672LSG-24-TV3	\$95

ASCENT™ II Macerating Toilet System

Model	UPC#	Description	LBS	List Price
ASCENT™ II Series				
ASCENTII-RSW	671812118728	Complete macerating toilet system, round front, white, HET, 1.28 GPF	115	\$1,260
ASCENTII-ESW	671812118674	Complete macerating toilet system, elongated, white, HET, 1.28 GPF	121	\$1,315
ASCENTII-MUW	671812118681	Macerating unit only, white	26	\$994
ASCENTII-TW	671812118704	Toilet tank and lid, white, insulated, with flush valve kit	34	\$158
ASCENTII-EW	671812118698	Toilet bowl, white, elongated, HET, 1.28 GPF	49	\$201
ASCENTII-RW	671812118735	Toilet bowl, white, round front, HET, 1.28 GPF	45	\$169
K001184	671812115284	Extension pipe, 4" x 18" with integral seal and trim ring	3	\$62

LowPro System

Model	UPC#	Description	LBS	List Price
LowPro41LP	671812106060	Low profile sewage system, 4/10 hp, 115V, assembled	90	\$1,121
LE41LP	671812106152	Replacement pump for LowPro41LP, 4/10 hp, 115V, manual (no switch)	38	\$434

Pre-Assembled Simplex Sewage Systems

Model	UPC#	hp	Ph	Volts	Cord Length	Discharge	Alarm	Max Head	LBS	List Price
Pro370-Series with QuickTree® Technology										
P372LE41	671812110333	4/10	1	115	10'	2"	No	20'	64	\$643
P372LE51	671812110340	1/2	1	115	10'	2"	No	25'	67	\$711
P372LE52	671812110357	1/2	1	208-230	10'	2"	No	25'	67	\$818
P372LE71	671812110364	3/4	1	115	10'	2"	No	28'	87	\$1,092
P372LE72	671812110371	3/4	1	208-230	10'	2"	No	28'	87	\$1,170
P372LE102	671812110388	1	1	208-230	10'	2"	No	36'	89	\$1,241
P372LEH102	671812110395	1	1	230	10'	2"	No	53'	89	\$1,377
P373LE41	671812110401	4/10	1	115	10'	3"	No	20'	67	\$709
P373LE51	671812110418	1/2	1	115	10'	3"	No	25'	71	\$774
P373LE52	671812110425	1/2	1	208-230	10'	3"	No	25'	71	\$859
P373LE71	671812110432	3/4	1	115	10'	3"	No	28'	89	\$1,185
P373LE72	671812110449	3/4	1	208-230	10'	3"	No	28'	89	\$1,262
P373LE102	671812110456	1	1	208-230	10'	3"	No	36'	91	\$1,339
P373LEH102	671812110463	1	1	230	10'	3"	No	53'	91	\$1,474

Pre-Assembled Simplex Sewage Systems (cont)

Model	UPC#	hp	Ph	Volts	Cord Length	Discharge	Alarm	Max Head	LBS	List Price
Pro370XL-Series With QuickTree® Technology										
IAPMO Listed, 10' Stack Test										
P372XLE41	671812112146	4/10	1	115	10'	2"	No	20'	67	\$714
P372XLE51	671812112177	1/2	1	115	10'	2"	No	25'	70	\$790
P372XLE52	671812112207	1/2	1	208-230	10'	2"	No	25'	70	\$888
P372XLE71	671812112214	3/4	1	115	10'	2"	No	28'	90	\$1,174
P372XLE72	671812112245	3/4	1	208-230	10'	2"	No	28'	90	\$1,254
P372XLE102	671812112122	1	1	208-230	10'	2"	No	36'	92	\$1,321
P372XLEH102	671812112252	1	1	230	10'	2"	No	53'	92	\$1,458
P373XLE41	671812112283	4/10	1	115	10'	3"	No	20'	70	\$779
P373XLE51	671812112290	1/2	1	115	10'	3"	No	25'	74	\$842
P373XLE52	671812112313	1/2	1	208-230	10'	3"	No	25'	74	\$939
P373XLE71	671812112320	3/4	1	115	10'	3"	No	28'	92	\$1,264
P373XLE72	671812112337	3/4	1	208-230	10'	3"	No	28'	92	\$1,344
P373XLE102	671812112269	1	1	208-230	10'	3"	No	36'	94	\$1,419
P373XLEH102	671812112344	1	1	230	10'	3"	No	53'	94	\$1,556
Pro380-Series With QuickTree® Technology										
P382LE41	671812110470	4/10	1	115	10'	2"	No	20'	65	\$643
P382LE51	671812110487	1/2	1	115	10'	2"	No	25'	68	\$711
P382LE52	671812110494	1/2	1	208-230	10'	2"	No	25'	68	\$818
P382LE71	671812110500	3/4	1	115	10'	2"	No	28'	88	\$1,092
P382LE72	671812110517	3/4	1	208-230	10'	2"	No	28'	88	\$1,170
P382LE102	671812110524	1	1	208-230	10'	2"	No	36'	90	\$1,241
P382LEH102	671812110531	1	1	230	10'	2"	No	53'	90	\$1,377
P383LE41	671812110548	4/10	1	115	10'	3"	No	20'	69	\$709
P383LE51	671812110555	1/2	1	115	10'	3"	No	25'	72	\$774
P383LE52	671812110562	1/2	1	208-230	10'	3"	No	25'	72	\$859
P383LE71	671812110579	3/4	1	115	10'	3"	No	28'	89	\$1,185
P383LE72	671812110586	3/4	1	208-230	10'	3"	No	28'	89	\$1,262
P383LE102	671812110593	1	1	208-230	10'	3"	No	36'	91	\$1,339
P383LEH102	671812110609	1	1	230	10'	3"	No	53'	91	\$1,474
Pro380XL-Series with QuickTree® Technology										
P382XLE41	671812112757	4/10	1	115	10'	2"	No	20'	68	\$714
P382XLE51	671812112764	1/2	1	115	10'	2"	No	25'	71	\$790
P382XLE52	671812112771	1/2	1	208-230	10'	2"	No	25'	71	\$888
P382XLE71	671812112788	3/4	1	115	10'	2"	No	28'	91	\$1,174
P382XLE72	671812112795	3/4	1	208-230	10'	2"	No	28'	91	\$1,254
P382XLE102	671812112801	1	1	208-230	10'	2"	No	36'	93	\$1,321
P382XLEH102	671812112818	1	1	230	10'	2"	No	53'	93	\$1,458
P383XLE41	671812112825	4/10	1	115	10'	3"	No	20'	72	\$779
P383XLE51	671812112832	1/2	1	115	10'	3"	No	25'	75	\$842
P383XLE52	671812112849	1/2	1	208-230	10'	3"	No	25'	75	\$939
P383XLE71	671812112856	3/4	1	115	10'	3"	No	28'	92	\$1,264
P383XLE72	671812112863	3/4	1	208-230	10'	3"	No	28'	92	\$1,344
P383XLE102	671812112870	1	1	208-230	10'	3"	No	36'	94	\$1,419
P383XLEH102	671812112887	1	1	230	10'	3"	No	53'	94	\$1,556
Pro380-Series with Side Discharge										
P382LE41SD-2	671812136531	4/10	1	115	25'	2"	No	20'	67	\$748
P382LE41SD-2/A2W	671812136548	4/10	1	115	25'	2"	Outdoor	20'	71	\$994
P382LE51SD-2	671812136555	1/2	1	115	25'	2"	No	25'	70	\$807
P382LE51SD-2/A2W	671812136562	1/2	1	115	25'	2"	Outdoor	25'	74	\$1,053
Pro380-Series with Vertical Float										
P382LE41V	671812136678	4/10	1	115	10'	2"	No	20'	65	\$643
P382LE41V/A2	671812136692	4/10	1	115	10'	2"	Indoor	20'	70	\$812
P382LE41V/A2W	671812136715	4/10	1	115	10'	2"	Outdoor	20'	69	\$889
P382LE41V-2	671812136685	4/10	1	115	25'	2"	No	20'	66	\$671
P382LE41V-2/A2	671812136708	4/10	1	115	25'	2"	Indoor	20'	71	\$840
P382LE41V-2/A2W	671812136722	4/10	1	115	25'	2"	Outdoor	20'	70	\$917
P382LE51V	671812136739	1/2	1	115	10'	2"	No	25'	68	\$711
P382LE51V/A2	671812136753	1/2	1	115	10'	2"	Indoor	25'	73	\$880
P382LE51V/A2W	671812136777	1/2	1	115	10'	2"	Outdoor	25'	72	\$957
P382LE51V-2	671812136746	1/2	1	115	25'	2"	No	25'	69	\$739
P382LE51V-2/A2	671812136760	1/2	1	115	25'	2"	Indoor	25'	74	\$908
P382LE51V-2/A2W	671812136784	1/2	1	115	25'	2"	Outdoor	25'	73	\$985

Available with pre-mounted alarms! For this and other options see page 29.

Pre-Assembled Simplex Sewage Systems with NightEye® Technology



Model	UPC#	hp	Ph	Volts	Cord Length	Discharge	Alarm	Max Head	LBS	List Price
Pro370-Series										
P372LE41/A2-EYE	671812138207	4/10	1	115	10'	2"	ALM-2-EYE	20'	69	\$1,084
P372LE41-2/A2-EYE	671812138214	4/10	1	115	25'	2"	ALM-2-EYE	20'	70	\$1,113
P372LE51/A2-EYE	671812138221	1/2	1	115	10'	2"	ALM-2-EYE	25'	72	\$1,152
P372LE51-2/A2-EYE	671812138238	1/2	1	115	25'	2"	ALM-2-EYE	25'	73	\$1,181
P373LE41/A2-EYE	671812138245	4/10	1	115	10'	3"	ALM-2-EYE	20'	72	\$1,150
P373LE51/A2-EYE	671812138252	1/2	1	115	10'	3"	ALM-2-EYE	25'	76	\$1,215
Pro380-Series										
P382LE41/A2-EYE	671812138108	4/10	1	115	10'	2"	ALM-2-EYE	20'	70	\$1,084
P382LE41-2/A2-EYE	671812138115	4/10	1	115	25'	2"	ALM-2-EYE	20'	71	\$1,112
P382LE41V/A2-EYE	671812138122	4/10	1	115	10'	2"	ALM-2-EYE	20'	70	\$1,084
P382LE41V-2/A2-EYE	671812138139	4/10	1	115	25'	2"	ALM-2-EYE	20'	71	\$1,112
P382LE51/A2-EYE	671812138146	1/2	1	115	10'	2"	ALM-2-EYE	25'	73	\$1,152
P382LE51-2/A2-EYE	671812138153	1/2	1	115	25'	2"	ALM-2-EYE	25'	74	\$1,180
P382LE51V/A2-EYE	671812138160	1/2	1	115	10'	2"	ALM-2-EYE	25'	73	\$1,152
P382LE51V-2/A2-EYE	671812138177	1/2	1	115	25'	2"	ALM-2-EYE	25'	74	\$1,180
P383LE41/A2-EYE	671812138184	4/10	1	115	10'	3"	ALM-2-EYE	20'	74	\$1,150
P383LE51/A2-EYE	671812138191	1/2	1	115	10'	3"	ALM-2-EYE	25'	77	\$1,215

Pro680-Series Pre-Assembled Duplex Sewage Systems

Model	UPC#	hp	Ph	Volts	Cord Length	Discharge	Enclosure	Max Head	LBS	List Price
Pro680-Series with LE-Series Pumps										
P682XLE41	671812137446	4/10	1	115	10'	2"	NEMA 1	20'	132	\$2,001
P682XLE41-2	671812137453	4/10	1	115	25'	2"	NEMA 1	20'	135	\$2,060
P682XLE41W	671812137460	4/10	1	115	10'	2"	NEMA 4X	20'	132	\$2,378
P682XLE41W-2	671812137477	4/10	1	115	25'	2"	NEMA 4X	20'	134	\$2,437
P682XLE51	671812137484	1/2	1	115	10'	2"	NEMA 1	25'	136	\$2,146
P682XLE51-2	671812137491	1/2	1	115	25'	2"	NEMA 1	25'	139	\$2,205
P682XLE51W	671812137507	1/2	1	115	10'	2"	NEMA 4X	25'	135	\$2,524
P682XLE51W-2	671812137514	1/2	1	115	25'	2"	NEMA 4X	25'	135	\$2,583
P682XLE52	671812137521	1/2	1	208-230	10'	2"	NEMA 1	25'	136	\$2,323
P682XLE52-2	671812137538	1/2	1	208-230	25'	2"	NEMA 1	25'	139	\$2,382
P682XLE52W	671812137545	1/2	1	208-230	10'	2"	NEMA 4X	25'	136	\$2,700
P682XLE52W-2	671812137552	1/2	1	208-230	25'	2"	NEMA 4X	25'	138	\$2,759

QuickTree® Float Kits

Model	UPC#	Description	LBS	List Price
Pro370-Series QuickTree® Kits				
QT370-115-10	671812110616	QuickTree®, fits Pro370-Series only, 115V, 10' cord	3	\$75
QT370-115-25	671812110623	QuickTree®, fits Pro370-Series only, 115V, 25' cord	4	\$90
QT370-230-10	671812110630	QuickTree®, fits Pro370-Series only, 230V, 10' cord	3	\$81
QT370-230-25	671812110647	QuickTree®, fits Pro370-Series only, 230V, 25' cord	4	\$100
Pro380-Series QuickTree® Kits				
QT380-115-10	671812110654	QuickTree®, fits Pro380-Series only, 115V, 10' cord	3	\$75
QT380-115-25	671812110661	QuickTree®, fits Pro380-Series only, 115V, 25' cord	4	\$90
QT380-230-10	671812110678	QuickTree®, fits Pro380-Series only, 230V, 10' cord	3	\$81
QT380-230-25	671812110685	QuickTree®, fits Pro380-Series only, 230V, 25' cord	4	\$100
ProVore® 680-Series QuickTree® Kits				
QT680-10	671812130232	QuickTree®, fits ProVore® 680-Series only, fits 115V or 230V, 10' cord	3	\$175
QT680-25	671812130249	QuickTree®, fits ProVore® 680-Series only, fits 115V or 230V, 25' cord	5	\$202

700-Series Pre-Assembled Simplex Sewage Systems

Model	UPC#	hp	Ph	Volts	Cord Length	Discharge	LBS	List Price
700-Series								
702/LE41A	671812104981	4/10	1	115	10'	2"	94	\$1,269
702/LE51A	671812100785	1/2	1	115	10'	2"	98	\$1,372
702/LE52A	671812100808	1/2	1	208-230	10'	2"	98	\$1,466
702/LE71A	671812100815	3/4	1	115	10'	2"	117	\$1,770
702/LE72A	671812100822	3/4	1	208-230	10'	2"	117	\$1,846
702/LE102A	671812100778	1	1	208-230	10'	2"	124	\$1,932
702/LEH102A	671812108699	1	1	230	10'	2"	121	\$2,067
703/LE41A	671812104998	4/10	1	115	10'	3"	98	\$1,356
703/LE51A	671812100860	1/2	1	115	10'	3"	101	\$1,461
703/LE52A	671812100877	1/2	1	208-230	10'	3"	101	\$1,558
703/LE71A	671812100884	3/4	1	115	10'	3"	121	\$1,887
703/LE72A	671812100891	3/4	1	208-230	10'	3"	121	\$1,962
703/LE102A	671812100853	1	1	208-230	10'	3"	124	\$2,057
703/LEH102A	671812108705	1	1	230	10'	3"	121	\$2,191

700-Series Pre-Assembled Simplex ProVore® Grinder Sewage Systems

Model	UPC#	hp	Ph	Volts	Cord Length	Discharge	Switch	LBS	List Price
702/PRG101A	671812140316	1	1	115	10'	2"	Auto	114	\$2,234
702/PRG102A	671812140323	1	1	230	10'	2"	Auto	114	\$2,256

1100-Series Pre-Assembled Duplex Sewage Systems

Model	UPC#	hp	Ph	Volts	Cord Length	Discharge	LBS	List Price
1100-Series								
1102/LE41M	671812104943	4/10	1	115	10'	2"	224	\$2,589
1102/LE51M	671812100044	1/2	1	115	10'	2"	230	\$2,755
1102/LE52M	671812100051	1/2	1	208-230	10'	2"	231	\$2,940
1102/LE71M	671812100068	3/4	1	115	10'	2"	264	\$3,560
1102/LE72M	671812100075	3/4	1	208-230	10'	2"	264	\$3,698
1102/LE73M	671812106039	3/4	3	208-230	25'	2"	269	\$4,451
1102/LE74M	671812104585	3/4	3	440-480	25'	2"	269	\$4,451
1102/LE102M	671812100020	1	1	208-230	10'	2"	271	\$3,873
1102/LE103M	671812100037	1	3	208-230	25'	2"	274	\$4,658
1102/LE104M	671812104615	1	3	440-480	25'	2"	274	\$4,658
1102/LE105M	671812116717	1	3	575	25'	2"	274	\$4,979
1102/LEH102M	671812108712	1	1	230	10'	2"	270	\$4,144
1102/LEH103M	671812108729	1	3	208-230	25'	2"	270	\$4,929
1102/LEH104M	671812108736	1	3	440-480	25'	2"	270	\$4,929
1102/LEH105M	671812116724	1	3	575	25'	2"	270	\$5,129
1102/LEH152M	671812116731	1-1/2	1	208-230	10'	2"	300	\$5,274
1102/LEH153M	671812116748	1-1/2	3	208-230	25'	2"	300	\$5,668
1102/LEH154M	671812116755	1-1/2	3	440-480	25'	2"	300	\$5,668
1102/LEH155M	671812116762	1-1/2	3	575	25'	2"	300	\$5,867
1102/LEH202M	671812116779	2	1	230	10'	2"	303	\$5,594
1102/LEH203M	671812116786	2	3	208-230	25'	2"	303	\$5,991
1102/LEH204M	671812116793	2	3	440-480	25'	2"	303	\$5,991
1102/LEH205M	671812116809	2	3	575	25'	2"	303	\$6,189
1103/LE41M	671812104950	4/10	1	115	10'	3"	231	\$2,755
1103/LE51M	671812100099	1/2	1	115	10'	3"	237	\$2,889
1103/LE52M	671812100105	1/2	1	208-230	10'	3"	237	\$3,043
1103/LE71M	671812100112	3/4	1	115	10'	3"	276	\$3,702
1103/LE72M	671812100129	3/4	1	208-230	10'	3"	276	\$3,841
1103/LE73M	671812100136	3/4	3	208-230	25'	3"	276	\$4,594
1103/LE74M	671812104646	3/4	3	440-480	25'	3"	276	\$4,594
1103/LE102M	671812100082	1	1	208-230	10'	3"	282	\$4,004
1103/LE103M	671812102062	1	3	208-230	25'	3"	282	\$4,788
1103/LE104M	671812104677	1	3	440-480	25'	3"	282	\$4,788
1103/LE105M	671812116816	1	3	575	25'	3"	282	\$4,985
1103/LEH102M	671812108743	1	1	230	10'	3"	279	\$4,276
1103/LEH103M	671812108750	1	3	208-230	25'	3"	279	\$5,057
1103/LEH104M	671812108767	1	3	440-480	25'	3"	279	\$5,057
1103/LEH105M	671812116823	1	3	575	25'	3"	279	\$5,256
1103/LEH152M	671812116830	1-1/2	1	208-230	10'	3"	339	\$5,400
1103/LEH153M	671812116847	1-1/2	3	208-230	25'	3"	339	\$5,795
1103/LEH154M	671812116854	1-1/2	3	440-480	25'	3"	339	\$5,795
1103/LEH155M	671812116861	1-1/2	3	575	25'	3"	339	\$5,992
1103/LEH202M	671812116878	2	1	230	10'	3"	345	\$5,723
1103/LEH203M	671812116885	2	3	208-230	25'	3"	345	\$6,117
1103/LEH204M	671812116892	2	3	440-480	25'	3"	345	\$6,117
1103/LEH205M	671812116908	2	3	575	25'	3"	345	\$6,316

Pump controls for 1100-Series duplex systems sold separately and are not included in pre-assembled pricing listed above. See duplex controls section, starting on page 32, for pricing and ordering information.

1100-Series Pre-Assembled Duplex ProVore® Grinder Sewage Systems

Model	UPC#	hp	Ph	Volts	Cord Length	Discharge	Auto	LBS	List Price
1102/PRG101M	671812140330	1	1	115	10'	2"	No	291	\$4,518
1102/PRG102M	671812140347	1	1	230	10'	2"	No	291	\$4,562

Pump controls for 1100-Series duplex systems sold separately and are not included in pre-assembled pricing listed above.

Options for Pre-Assembled Sewage and Grinder Systems

Suffix	Factory Installed Options	Adder Price
"-2" Simplex	25' Cord on all single-phase SIMPLEX models	\$28
"-2" Duplex	25' Cord on all single-phase DUPLEX models	\$33
"A2"	Simplex system with ALM-2 alarm option	\$169
"A2-EYE"	Simplex system with ALM-2-EYE alarm installed	\$441
"A21"	Simplex system with ALM-2-1 alarm option	\$162
"A2W"	Simplex system with ALM-2W alarm option	\$246
"A3W"	Simplex system with ALM-3W alarm option (not available on Pro370/380)	\$385
"S" Simplex	Galvanized discharge pipe option for 700-Series, SIMPLEX	\$59
"S" Duplex	Galvanized discharge pipe option for 1100-Series, DUPLEX	\$118
"V3"	3" Vent on a 2" discharge cover	\$22
X8	Factory Installed 8" basin extension for Pro370, Pro380 and ProVore® 380 systems	\$230
X8-D	Factory Installed 8" basin extension for ProVore® 680 systems	\$246

For additional inlets, side discharges and other options not listed, consult factory for pricing and ordering information - 800-543-2550.

Basins, Covers & Accessories

Model	UPC#	Description	LBS	List Price
Pro370-Series				
K001108	671812110784	Kit, Basin & Cover Assembly, 2" (Pro370-Series)	24	\$222
K001124	671812112351	Kit, Basin & Cover Assembly, 2" (Pro370XL-Series) IAPMO listed	27	\$309
K001118	671812111682	Kit, Basin & Cover Assembly, 3" (Pro370-Series)	24	\$222
K001125	671812112368	Kit, Basin & Cover Assembly, 3" (Pro370XL-Series) IAPMO listed	27	\$309
K001132	671812112917	Basin, Pro370-Series, polyethylene, 4" inlet	15	\$138
K001126	671812112375	Basin, Pro370XL-Series, polyethylene, 4" inlet (meets 10' stack)	18	\$191
K001101	671812110715	Cover, Pro-Series, polypropylene, 2" discharge & vent	9	\$81
K001127	671812112382	Cover, Pro370XL-Series, polypropylene, 2" discharge & vent (meets 10' stack)	9	\$120
K001102	671812110722	Cover, Pro-Series, polypropylene, 3" discharge & vent	9	\$82
K001128	671812112412	Cover, Pro370XL-Series, polypropylene, 3" discharge & vent (meets 10' stack)	9	\$120
Pro380-Series				
K001107	671812110777	Kit, Basin & Cover Assembly, 2" (Pro380-Series)	25	\$222
K001137	671812113020	Kit, Basin & Cover Assembly, 2" (Pro380XL-Series) IAPMO listed	26	\$309
K001130	671812112689	Kit, Basin & Cover Assembly, 3" (Pro380-Series)	25	\$222
K001138	671812113037	Kit, Basin & Cover Assembly, 3" (Pro380XL-Series) IAPMO listed	27	\$309
K001110	671812110807	Basin, Pro380-Series, polyethylene, 4" inlet	17	\$138
K001133	671812112924	Basin, Pro380XL-Series, polyethylene, 4" inlet (meets 10' stack)	20	\$191
K001101	671812110715	Cover, Pro-Series, polypropylene, 2" discharge & vent	9	\$81
K001127	671812112382	Cover, Pro380XL-Series, polypropylene, 2" discharge & vent (meets 10' stack)	9	\$120
K001102	671812110722	Cover, Pro-Series, polypropylene, 3" discharge & vent	9	\$82
K001128	671812112412	Cover, Pro380XL-Series, polypropylene, 3" discharge & vent (meets 10' stack)	9	\$120
Custom sizes available - consult factory - 800-543-2550.				
ProVore® 680-Series				
K001435	671812128406	Basin, (ProVore® 680) IAPMO listed	37	\$385
K001436	671812128413	Kit, Cover Assembly, (ProVore® 680)	9	\$128
K001437	671812128420	Kit, Basin & Cover Assembly, (ProVore® 680) IAPMO listed	46	\$513
8" Basin Extension for Pro-Series and ProVore® Systems				
X8	671812115567	8" basin extension for Pro370, Pro380 and ProVore® 380 systems	12	\$203
X8-D	671812125405	8" basin extension for ProVore® 680 systems	12	\$219
18" Access Riser, Fits Pro370 and Pro380-Series				
ARC18	671812108972	Kit, Access Riser with cover	28	\$274
AR18	671812108958	Access Riser 18" high, 31" diameter	20	\$169
AC18	671812108965	Cover, Access Riser (environmental green)	8	\$106
Access Riser Installation Kits (For ARC18)				
IKIT2-115	671812109009	Installation Kit 2", 115V	6	\$438
IKIT2-230	671812109016	Installation Kit 2", 230V	6	\$447
ARCKIT115	671812108989	Kit, Access Riser with Cover and 2" installation access - 115V	34	\$692
ARCKIT230	671812108996	Kit, Access Riser with Cover and 2" installation access - 230V	34	\$702
LowPro-Series Basins & Cover				
K001209	671812117059	Basin, LowPro-Series, gray polyethylene	35	\$375
K001208	671812117042	Cover, LowPro-Series, large cover with threaded discharge and vent	2	\$44
K001207	671812117035	Cover, LowPro-Series, small access cover	1	\$30
700-Series Basin & Cover				
K001219	671812117158	Kit, Basin & Cover Assembly, 2" (700-Series), incl 4" inlet hub	53	\$686
K001220	671812117165	Kit, Basin & Cover Assembly, 3" (700-Series), incl 4" inlet hub	53	\$686
K001199	671812116953	Basin, 700-Series 24" X 36" polyethylene with hub	40	\$443
K001217	671812117134	Cover, 700-Series, structural foam, 2" discharge & vent	13	\$243
K001218	671812117141	Cover, 700-Series, structural foam, 3" discharge & vent	13	\$243
1100-Series Basin & Cover				
K001204	671812117004	Kit, Basin & Cover Assembly, 2" (1100-Series), incl 4" inlet hub	127	\$1,605
K001206	671812117028	Kit, Basin & Cover Assembly, 3" (1100-Series), incl 4" inlet hub	127	\$1,605
K001202	671812116984	Basin, 1100-Series 30" X 36" polyethylene with hub	56	\$714
K001200	671812116960	Cover, 1100-Series, 1/4" steel, 2" discharge & vent	71	\$816
K001201	671812116977	Cover, 1100-Series, 1/4" steel, 3" discharge & vent	71	\$816
K001203	671812116991	Cover, 1100-Series, 10" inspection with float mounting pipe	6	\$89

Basins, Covers & Accessories (cont)

Model	UPC#	Description	LBS	List Price
24" Fiberglass Basins & Cover				
K001205	671812117011	Basin, 24" x 48", fiberglass w/ anti-float, 4" inlet hub, simplex GR20 lugs	76	\$732
K001198	671812116670	Basin, 24" x 60", fiberglass w/ anti-float, 4" inlet hub, simplex GR20 lugs	84	\$835
K001214	671812117103	Basin, 24" x 72", fiberglass w/ anti-float, 4" inlet hub, simplex GR20 lugs	91	\$987
K001212	671812117080	Basin, 24" x 84", fiberglass w/ anti-float, 4" inlet hub, simplex GR20 lugs	105	\$1,150
K001215	671812117110	Cover, 24" for above basins, fiberglass, solid	7	\$147
K001619	671812142440	Kit, Basin & Cover, 24" x 48" fiberglass w/ anti-float, 4" inlet hub, simplex GR20 lugs	88	\$879
K001620	671812142457	Kit, Basin & Cover, 24" x 60" fiberglass w/ anti-float, 4" inlet hub, simplex GR20 lugs	102	\$982
K001621	671812142464	Kit, Basin & Cover, 24" x 72" fiberglass w/ anti-float, 4" inlet hub, simplex GR20 lugs	108	\$1,134
K001622	671812142471	Kit, Basin & Cover, 24" x 84" fiberglass w/ anti-float, 4" inlet hub, simplex GR20 lugs	122	\$1,297
36" Fiberglass Basins & Cover				
K001210	671812117066	Basin, 36" x 48", fiberglass w/ anti-float, 4" inlet hub, duplex GR20 lugs	125	\$1,279
K001326	671812122329	Basin, 36" x 60", fiberglass w/ anti-float, 4" inlet hub, duplex GR20 lugs	139	\$1,430
K001211	671812117073	Basin, 36" x 72", fiberglass w/ anti-float, 4" inlet hub, duplex GR20 lugs	214	\$1,691
K001327	671812122305	Basin, 36" x 84", fiberglass w/ anti-float, 4" inlet hub, duplex GR20 lugs	233	\$2,059
K001328	671812122312	Basin, 36" x 96", fiberglass w/ anti-float, 4" inlet hub, duplex GR20 lugs	251	\$2,472
K001213	671812117097	Cover, 36" for above basins, fiberglass, solid	38	\$320
K001623	671812142488	Kit, Basin & Cover, 36" x 48" fiberglass w/ anti-float, 4" inlet hub, Duplex GR20 lugs	152	\$1,599
K001624	671812142495	Kit, Basin & Cover, 36" x 60" fiberglass w/ anti-float, 4" inlet hub, Duplex GR20 lugs	166	\$1,750
K001625	671812142501	Kit, Basin & Cover, 36" x 72" fiberglass w/ anti-float, 4" inlet hub, Duplex GR20 lugs	241	\$2,011
K001626	671812142518	Kit, Basin & Cover, 36" x 84" fiberglass w/ anti-float, 4" inlet hub, Duplex GR20 lugs	260	\$2,379
K001627	671812142525	Kit, Basin & Cover, 36" x 96" fiberglass w/ anti-float, 4" inlet hub, Duplex GR20 lugs	278	\$2,792
48" Fiberglass Basins & Cover				
K001283	671812140378	Basin, 48" x 48", fiberglass with anti-float 4" inlet hub, duplex GR20 lugs	200	\$2,133
K001570	671812139372	48" Solid fiberglass cover	95	\$804

Pump Accessories

Model	UPC#	Description	LBS	List Price
Sump Pump Accessories				
SP1822B	671812142655	Sump Pit, 18" x 22" injection molded with 4" rubber grommet	13	\$55
SC18B	671812142662	Cover for SP1822B sump pit. Includes gasket and hardware	3	\$32
SC18B-S	671812142754	Split style pit cover for SP1822B. Includes gasket and hardware	3	\$48
DHK-24	671812101379	Discharge hose kit, 1-1/4" X 24', 1-1/2" thread x 1-1/4" hose connector	2	\$15
DHK-245	671812122275	Discharge hose kit, 1-1/2" X 24', 1-1/2" thread x 1-1/2" hose connector	3	\$21
4445000	671812108248	"The Brick", sump pump platform	1	\$13
44450C0	50671812108243	"The Brick", sump pump platform, case qty (12) with P.O.P. carton	9	\$147
K001308	671812118483	Crawl space perforated basin and cover, 16.5" x 15"	10	\$114
K001529	671812136340	Kit, Level guard sump switch and mounting ties	2	\$195
Seals and Grommets				
K001648	671812143867	1.5" pipe seal grommet	1	\$15
K001014	671812109184	2" pipe seal grommet	1	\$13
K001649	671812143874	2.5" cord grommet, rubber, with single cord hole	1	\$13
K001651	671812143850	2.5" cord grommet, rubber, with 2 cord holes	1	\$13
K001141	671812113181	4" seal for inlet hub	1	\$29
K001392	671812124668	3" Threaded flange kit	1	\$21
Alarms				
ALM-2-1	671812113105	Alarm, 115V, 9V battery protected, float activated, horn & indicator light (indoor), 10' float cord	2	\$137
ALM-2-1-EYE	671812138405	Alarm, NightEye [®] wireless enabled, indoor, 115V, wide angle float with 10' cord	3	\$396
ALM-2	671812101263	Alarm, 115V, 9V battery protected, float activated, horn & indicator light (indoor), 20' float cord	3	\$144
ALM-2-EYE	671812138412	Alarm, NightEye [®] wireless enabled, indoor, 115V, wide angle float with 20' cord	4	\$416
ALM-2W	671812103434	Alarm, 115V, float activated, horn & beacon light, auxiliary contacts, weatherproof (indoor/outdoor)	4	\$222
ALM-230W	671812132472	Alarm, 230V, float activated, horn & beacon light, weatherproof	4	\$233
ALM-P1	671812116625	Alarm, 115V, w/ 9V battery, sensor probes clamp to 1-1/4" or 1-1/2" pipe, horn/indicator light, aux contacts,	2	\$165
ALM-P1-EYE	671812138399	Alarm, NightEye [®] wireless enabled, indoor, 115V, compact snap-on float with 10' cord	2	\$428
ALM-PK	671812142778	Alarm with puck/puddle sensor, 115V, 9V battery protected, auxiliary contacts, Indoor mount	3	\$197
ALM-PK-EYE	671812142785	Alarm, NightEye [®] wireless enabled, Indoor mount, with puck/puddle sensor, 115V, 9V battery protected, auxiliary	3	\$444
ALM-3W	671812102178	Alarm, same as ALM-2W except NEMA 4X (outdoor) & aux. contacts	5	\$360
ADC-1	671812116618	Auto Dialer Control, for use on alarms with auxiliary contacts	5	\$471
K001628	671812142532	Kit, terminal adapter for new style ALM-2 and ALM-P1-Series alarms (quick connect to bare leads)	1	\$20
K001633	671812142617	Kit, 3-way splitter for new style ALM-2 and ALM-P1-Series alarms, allows connection of 3 sensors	1	\$33
K001634	671812142624	Kit, puck/puddle sensor for new style ALM-2 and ALM-P1-Series alarms, 50' cord, w/ 3-way splitter	2	\$107
Check Valves				
Anti-siphon Check Valve				
ACV125	671812113945	Anti-siphon check valve, C.I., 1-1/4" FNPT	7	\$94
Economy Check Valves				
CV2N1	671812101355	Check valve, 1-1/4" or 1-1/2" combo, ABS, rubber slip connections	1	\$23
CV125S	671812120769	Check valve, 1-1/4", SOC x SOC, PVC	1	\$35
CV150	671812101324	Check valve, 1-1/2", ABS, rubber slip connections	1	\$20
CV150-125T	671812122572	Check valve, 1-1/2", MPT x 1-1/4" barb, PVC	1	\$8
CV150-150T	671812122589	Check valve, 1-1/2", MPT x 1-1/2" barb, PVC	1	\$8
CV200	671812101331	Check valve, 2", ABS, rubber slip connections	1	\$26
Heavy-duty Compression PVC Check Valves				
CV2N1C	671812106756	Check valve, 1-1/4" or 1-1/2" combo, HD, PVC, compression fit	1	\$24
CV200C	671812101348	Check valve, 2" HD, PVC, compression fit	2	\$40
CV300C	671812101362	Check valve, 3" HD, PVC, compression fit	5	\$133

Pump Accessories (cont)

Model	UPC#	Description	LBS	List Price
Ball/Check Valve Combinations, Heavy-duty PVC				
BCV150	671812115604	Ball/Check valve, 1-1/2" HD, PVC with union	2	\$49
BCV200	671812115611	Ball/Check valve, 2" HD, PVC with union	2	\$73
Quiet Check Valves, Heavy-duty PVC				
QCV150	671812115628	Check valve, 1-1/2" (.5 lb. spring-loaded), HD, PVC	2	\$37
QCV200	671812115635	Check valve, 2" (.5 lb. spring-loaded), HD, PVC	2	\$48
Cast Iron, High-temperature Check Valves 200° F.				
HCV150	671812115093	Cast iron check valve, high-temp. 1-1/2" FNPT	11	\$87
HCV200	671812115109	Cast iron check valve, high-temp. 2" FNPT	10	\$87
Guide Rail Kits for LE and FL-Series Pumps				
GR22-LE	671812117837	Guide rail, 2" cast iron, fits LE and LEH-Series Pumps, except LE40, LE50-Series	39	\$634
GR22-FL	671812117844	Guide rail, 2" cast iron, fits FL-Series Pumps	38	\$634
GR22-S	671812119398	Guide rail, 2" cast iron with split claw, fits LE40, LE50-Series	36	\$634
GR30	671812122466	Guide rail, 3" cast iron, fits LE and LEH-Series Pumps, except LE40, LE50-Series	60	\$714
*Guide Rail - Non-Sparking Kits for X-Series Pumps				
GR20NS	671812142112	Non-sparking guide rail for XLSG & XLSGX-Series models	30	\$662
GR22NS-FL	671812136876	Guide rail, 2", Non-sparking, bronze claw for XFL-Series	40	\$1,003
GR22NS-LE	671812136869	Guide rail, 2", Non-sparking, bronze claw for XLE and LEH-Series except LE40/50	41	\$1,003
GR30NS	671812136883	Guide rail, 3", Non-sparking, bronze claw for XLE and LEH-Series except LE40/50	64	\$1,361

*Consult GR-Series literature for proper pump fitment

Junction Boxes & Connectors

JB70	671812101386	Junction box, weatherproof, 5" X 4.5" X 3.5" inside	1	\$80
JB70-3	671812106589	Junction box, same as above and includes (3) mounted RCC8	1	\$110
JB120	671812108507	Pump station junction box, 120V receptacle, with terminal strip	3	\$231
JB230	671812108514	Pump station junction box, 230V receptacle, with terminal strip	3	\$255
RCC8	671812101935	Cable entrance, watertight, 0.300" to 0.450" cord diameter	1	\$11
RCC10	671812113624	Cable entrance, watertight, 0.450" to 0.700" cord diameter	1	\$13

Pilot Duty Switches for Panels and Alarms

K001134	671812112931	Switch, mechanical pilot duty, 115V, 20' cord	2	\$59
K001135	671812112948	Switch, mechanical pilot duty with weighted clamp	4	\$72

***Power Cords**

K001010	671812051568	Cord kit, 10' 115V, Quick-connect	1	\$28
K001008	671812104813	Cord kit, 25' 115V, Quick-connect	2	\$37
K001346	671812122640	Cord kit, 35' 115V, Quick-connect	3	\$79
K001345	671812122633	Cord kit, 50' 115V, Quick-connect	5	\$95
K001058	671812051575	Cord kit, 10' 230V, Quick-connect	1	\$33
K001059	671812104837	Cord kit, 25' 230V, Quick-connect	2	\$39
K001344	671812122626	Cord kit, 35' 230V, Quick-connect	3	\$71
K001343	671812122619	Cord kit, 50' 230V, Quick-connect	5	\$95
K001339	671812122497	Power Cord, 35', 230V, bare leads (no plug) for LSG & LSGX-Series	5	\$106
K001060	671812108774	Cord kit, 10' 115V, Quick-connect (for HT pumps)	1	\$40
K001061	671812108781	Cord kit, 25' 115V, Quick-connect (for HT pumps)	2	\$69

*Replacement power cord length must match the same length and type as originally installed on the Liberty product. Use of an improper length on pumps not rated for longer cords may lead to excessive voltage drop and/or exceeding electrical rating of the cord. Consult Liberty Pumps customer service for more information on proper replacement cord lengths - 800-543-2550.

***Float Controls - Pumps**

Model	UPC#	Description	Max hp	Max Amps	Volts	Cord	LBS	List Price
K001001	671812061017	Float control w/ series plug	3/4	13	115	10'	2	\$48
K001004	671812103724	Float control w/ series plug	3/4	13	115	25'	3	\$67
K001347	671812122657	Float control w/ series plug	3/4	13	115	35'	3	\$76
K001019	671812061024	Float control w/ series plug	1	13	230	10'	2	\$55
K001062	671812103748	Float control w/ series plug	1	13	230	25'	2	\$74
K001348	671812122664	Float control w/ series plug	1	13	230	35'	3	\$90
K001629	671812142563	Float control w/ series plug	3/4	13	115	15'	2	\$55
K001063	671812061314	HD, float control w/ series plug	1	15	115	10'	2	\$86
K001064	671812103762	HD, float control w/ series plug	1	15	115	25'	3	\$104
K001065	671812061321	HD, float control w/ series plug	2	15	230	10'	2	\$92
K001066	671812103786	HD, float control w/ series plug	2	15	230	25'	3	\$111
K001030	671812060355	Double float switch, variable level	3/4	13	115	20'	4	\$180
K001032	671812060362	Double float, variable level	1	13	230	20'	4	\$188
K001067	671812103809	High temp. float control w/series plug	3/4	13	115	10'	2	\$97
K001068	671812103816	High temp. float control w/series plug	3/4	13	115	25'	2	\$111
K001136	671812113013	Float control HD w/ series plug, type 6-20 plug for LSG & LSGX-Series pumps	2	15	230	25'	2	\$110
K001340	671812122527	Float Control HD, bare leads for LSG & LSGX-Series pumps	2	15	230	35'	5	\$173
K001029	671812109450	Switch, vertical style w/ clamp, piggyback, 10' cord	1/2	13	120	10'	2	\$68
K001480	671812132076	Switch, vertical style w/ clamp, piggyback, 25' cord	1/2	13	120	25'	3	\$85

Reverse (normally closed) switches available. Consult factory for model numbers and ordering information - 800-543-2550.

*Replacement float control cord lengths must match the same length and type as originally installed on the Liberty product. Use of an improper length on pumps not rated for longer cords may lead to excessive voltage drop and/or exceeding electrical rating of the cord. Consult Liberty Pumps customer service for more information on proper replacement cord lengths - 800-543-2550.

Standard Series Control Panels

SX-Series Simplex Control Panels

SX-Series controls are shipped complete with (3) pilot-duty floats. IMPORTANT: SX-Series panels come in varying amp ranges and must be ordered to match the pump's full-load amperage. Specify pump full load amperage when ordering or consult factory - 800-543-2550.

Model	UPC#	Full Load Amps	Ph	Volts	Enclosure	Cord	Floats	LBS	List Price
Single Phase									
SXH21=3	671812106831	15 - 20	1	120/208/240	NEMA 1	20'	3	15	\$645
SXH21=3-3	671812135190	15 - 20	1	120/208/240	NEMA 1	35'	3	17	\$723
SXH21=3-5	671812135541	15 - 20	1	120/208/240	NEMA 1	50'	3	23	\$758
SXL21=3	671812111996	0 - 14.9	1	120/208/240	NEMA 1	20'	3	15	\$645
SXL21=3-3	671812135176	0 - 14.9	1	120/208/240	NEMA 1	35'	3	16	\$723
SXL21=3-5	671812135527	0 - 14.9	1	120/208/240	NEMA 1	50'	3	23	\$758
SXH24=3	671812106848	15 - 20	1	120/208/240	NEMA 4X	20'	3	13	\$710
SXH24=3-3	671812135206	15 - 20	1	120/208/240	NEMA 4X	35'	3	15	\$788
SXH24=3-5	671812135558	15 - 20	1	120/208/240	NEMA 4X	50'	3	21	\$823
SXHC24=3-3	671812135152	15 - 20	1	120/208/240	NEMA 4X	35'	3	20	\$989
SXL24=3	671812112009	0 - 14.9	1	120/208/240	NEMA 4X	20'	3	13	\$710
SXL24=3-3	671812135183	0 - 14.9	1	120/208/240	NEMA 4X	35'	3	15	\$788
SXL24=3-5	671812135534	0 - 14.9	1	120/208/240	NEMA 4X	50'	3	21	\$823
Three Phase									
SX34=3-131	671812106855	1.6 - 2.5	3	208/240/480	NEMA 4X	20'	3	15	\$1,442
SX34=3-131-3	671812135213	1.6 - 2.5	3	208/240/480	NEMA 4X	35'	3	17	\$1,520
SX34=3-131-5	671812135565	1.6 - 2.5	3	208/240/480	NEMA 4X	50'	3	23	\$1,555
SX34=3-141	671812106862	2.5 - 4.0	3	208/240/480	NEMA 4X	20'	3	15	\$1,442
SX34=3-141-3	671812135220	2.5 - 4.0	3	208/240/480	NEMA 4X	35'	3	17	\$1,520
SX34=3-141-5	671812135572	2.5 - 4.0	3	208/240/480	NEMA 4X	50'	3	23	\$1,555
SX34=3-171	671812106886	4.0 - 6.3	3	208/240/480	NEMA 4X	20'	3	15	\$1,442
SX34=3-171-3	671812135237	4.0 - 6.3	3	208/240/480	NEMA 4X	35'	3	17	\$1,520
SX34=3-171-5	671812135589	4.0 - 6.3	3	208/240/480	NEMA 4X	50'	3	23	\$1,555
SX34=3-191	671812109481	6 - 10	3	208/240/480	NEMA 4X	20'	3	15	\$1,442
SX34=3-191-3	671812135244	6 - 10	3	208/240/480	NEMA 4X	35'	3	17	\$1,520
SX34=3-191-5	671812135596	6 - 10	3	208/240/480	NEMA 4X	50'	3	23	\$1,555
SX34=3-511	671812113587	9 - 14	3	208/240/480	NEMA 4X	20'	3	15	\$1,442
SX34=3-511-3	671812135251	9 - 14	3	208/240/480	NEMA 4X	35'	3	17	\$1,520
SX34=3-511-5	671812135602	9 - 14	3	208/240/480	NEMA 4X	50'	3	23	\$1,555
SX54=3-121	671812106893	1.6 - 2.5	3	575	NEMA 4X	20'	3	15	\$1,442
SX54=3-121-3	671812135268	1.6 - 2.5	3	575	NEMA 4X	35'	3	17	\$1,520
SX54=3-121-5	671812135619	1.6 - 2.5	3	575	NEMA 4X	50'	3	23	\$1,555
SX54=3-151	671812117219	2.5 - 4.0	3	575	NEMA 4X	20'	3	15	\$1,442
SX54=3-151-3	671812135275	2.5 - 4.0	3	575	NEMA 4X	35'	3	17	\$1,520
SX54=3-151-5	671812135626	2.5 - 4.0	3	575	NEMA 4X	50'	3	23	\$1,555
SX54=3-161	671812116700	4 - 6.3	3	575	NEMA 4X	20'	3	15	\$1,455
SX54=3-161-3	671812135282	4 - 6.3	3	575	NEMA 4X	35'	3	17	\$1,533
SX54=3-161-5	671812135633	4 - 6.3	3	575	NEMA 4X	50'	3	23	\$1,568

AE-Series Duplex Control Panels

AE-Series controls are shipped complete with pilot-duty floats. IMPORTANT: AE-Series panels come in varying amp ranges and must be ordered to match the pump's full-load amperage. Available in both 3 or 4 float configurations. Specify pump full load amperage when ordering or consult factory.

Model	UPC#	Full Load Amps	Ph	Volts	Enclosure	Cord Length	Floats	LBS	List Price
Single Phase									
AE21H=3	671812106930	15 - 20	1	120/208/240	NEMA 1	20'	3	24	\$1,027
AE21H=3-3	671812135312	15 - 20	1	120/208/240	NEMA 1	35'	3	26	\$1,105
AE21H=3-5	671812135664	15 - 20	1	120/208/240	NEMA 1	50'	3	32	\$1,140
AE21H=4	671812106954	15 - 20	1	120/208/240	NEMA 1	20'	4	26	\$1,103
AE21H=4-3	671812135428	15 - 20	1	120/208/240	NEMA 1	35'	4	28	\$1,207
AE21H=4-5	671812135787	15 - 20	1	120/208/240	NEMA 1	50'	4	34	\$1,255
AE21L=3	671812106923	0 - 14.9	1	120/208/240	NEMA 1	20'	3	24	\$1,027
AE21L=3-3	671812135299	0 - 14.9	1	120/208/240	NEMA 1	35'	3	26	\$1,105
AE21L=3-5	671812135640	0 - 14.9	1	120/208/240	NEMA 1	50'	3	32	\$1,140
AE21L=4	671812106947	0 - 14.9	1	120/208/240	NEMA 1	20'	4	26	\$1,103
AE21L=4-3	671812135404	0 - 14.9	1	120/208/240	NEMA 1	35'	4	28	\$1,207
AE21L=4-5	671812135763	0 - 14.9	1	120/208/240	NEMA 1	50'	4	34	\$1,255
AE24H=3	671812106978	15 - 20	1	120/208/240	NEMA 4X	20'	3	19	\$1,191
AE24H=3-3	671812135114	15 - 20	1	120/208/240	NEMA 4X	35'	3	20	\$1,269
AE24HC=3-3	671812135145	15 - 20	1	120/208/240	NEMA 4X	35'	3	29	\$1,755
AE24H=3-5	671812135671	15 - 20	1	120/208/240	NEMA 4X	50'	3	28	\$1,304
AE24H=4	671812106992	15 - 20	1	120/208/240	NEMA 4X	20'	4	22	\$1,201
AE24H=4-3	671812135435	15 - 20	1	120/208/240	NEMA 4X	35'	4	24	\$1,305
AE24H=4-5	671812135794	15 - 20	1	120/208/240	NEMA 4X	50'	4	30	\$1,353
AE24L=3	671812106961	0 - 14.9	1	120/208/240	NEMA 4X	20'	3	20	\$1,191
AE24L=3-3	671812135305	0 - 14.9	1	120/208/240	NEMA 4X	35'	3	22	\$1,269
AE24L=3-5	671812135657	0 - 14.9	1	120/208/240	NEMA 4X	50'	3	28	\$1,304
AE24L=4	671812106985	0 - 14.9	1	120/208/240	NEMA 4X	20'	4	22	\$1,201
AE24L=4-3	671812135411	0 - 14.9	1	120/208/240	NEMA 4X	35'	4	24	\$1,305
AE24L=4-5	671812135770	0 - 14.9	1	120/208/240	NEMA 4X	50'	4	30	\$1,353

Standard Series Control Panels (cont)

AE-Series Duplex Control Panels (cont)

AE-Series controls are shipped complete with pilot-duty floats. IMPORTANT: AE-Series panels come in varying amp ranges and must be ordered to match the pump's full-load amperage. Available in both 3 or 4 float configurations. Specify pump full load amperage when ordering or consult factory.

Model	UPC#	Full Load Amps	Ph	Volts	Enclosure	Cord Length	Floats	LBS	List Price
<i>Three Phase</i>									
AE34=3-131	671812107043	1.6 - 2.5	3	208/240/480	NEMA 4X	20'	3	28	\$2,020
AE34=3-131-3	671812135329	1.6 - 2.5	3	208/240/480	NEMA 4X	35'	3	30	\$2,098
AE34=3-131-5	671812135688	1.6 - 2.5	3	208/240/480	NEMA 4X	50'	3	38	\$2,133
AE34=3-141	671812107050	2.5 - 4.0	3	208/240/480	NEMA 4X	20'	3	28	\$2,020
AE34=3-141-3	671812135336	2.5 - 4.0	3	208/240/480	NEMA 4X	35'	3	30	\$2,098
AE34=3-141-5	671812135695	2.5 - 4.0	3	208/240/480	NEMA 4X	50'	3	38	\$2,133
AE34=3-171	671812107074	4.0 - 6.3	3	208/240/480	NEMA 4X	20'	3	28	\$2,020
AE34=3-171-3	671812135343	4.0 - 6.3	3	208/240/480	NEMA 4X	35'	3	30	\$2,098
AE34=3-171-5	671812135701	4.0 - 6.3	3	208/240/480	NEMA 4X	50'	3	38	\$2,133
AE34=3-191	671812109412	6.0 - 10	3	208/240/480	NEMA 4X	20'	3	28	\$2,020
AE34=3-191-3	671812135350	6.0 - 10	3	208/240/480	NEMA 4X	35'	3	30	\$2,098
AE34=3-191-5	671812135718	6.0 - 10	3	208/240/480	NEMA 4X	50'	3	38	\$2,133
AE34=3-511	671812113594	9 - 14	3	208/240/480	NEMA 4X	20'	3	30	\$2,020
AE34=3-511-3	671812135367	9 - 14	3	208/240/480	NEMA 4X	35'	3	30	\$2,098
AE34=3-511-5	671812135725	9 - 14	3	208/240/480	NEMA 4X	50'	3	38	\$2,133
AE54=3-121	671812107128	1.6 - 2.5	3	575	NEMA 4X	20'	3	28	\$2,020
AE54=3-121-3	671812135374	1.6 - 2.5	3	575	NEMA 4X	35'	3	30	\$2,098
AE54=3-121-5	671812135732	1.6 - 2.5	3	575	NEMA 4X	50'	3	38	\$2,133
AE54=3-151	671812117226	2.5 - 4.0	3	575	NEMA 4X	20'	3	28	\$2,020
AE54=3-151-3	671812135381	2.5 - 4.0	3	575	NEMA 4X	35'	3	30	\$2,098
AE54=3-151-5	671812135749	2.5 - 4.0	3	575	NEMA 4X	50'	3	38	\$2,133
AE54=3-161	671812116687	4.0 - 6.3	3	575	NEMA 4X	20'	3	28	\$2,020
AE54=3-161-3	671812135527	4.0 - 6.3	3	575	NEMA 4X	35'	3	30	\$2,098
AE54=3-161-5	671812135756	4.0 - 6.3	3	575	NEMA 4X	50'	3	38	\$2,133
AE34=4-131	671812107081	1.6 - 2.5	3	208/240/480	NEMA 4X	20'	4	30	\$2,129
AE34=4-131-3	671812135442	1.6 - 2.5	3	208/240/480	NEMA 4X	35'	4	32	\$2,233
AE34=4-131-5	671812135800	1.6 - 2.5	3	208/240/480	NEMA 4X	50'	4	40	\$2,281
AE34=4-141	671812107098	2.5 - 4.0	3	208/240/480	NEMA 4X	20'	4	30	\$2,129
AE34=4-141-3	671812135459	2.5 - 4.0	3	208/240/480	NEMA 4X	35'	4	32	\$2,233
AE34=4-141-5	671812135817	2.5 - 4.0	3	208/240/480	NEMA 4X	50'	4	40	\$2,281
AE34=4-171	671812107111	4.0 - 6.3	3	208/240/480	NEMA 4X	20'	4	30	\$2,129
AE34=4-171-3	671812135466	4.0 - 6.3	3	208/240/480	NEMA 4X	35'	4	32	\$2,233
AE34=4-171-5	671812135824	4.0 - 6.3	3	208/240/480	NEMA 4X	50'	4	40	\$2,281
AE34=4-191	671812109429	6.0 - 10	3	208/240/480	NEMA 4X	20'	4	30	\$2,129
AE34=4-191-3	671812135473	6.0 - 10	3	208/240/480	NEMA 4X	35'	4	32	\$2,233
AE34=4-191-5	671812135831	6.0 - 10	3	208/240/480	NEMA 4X	50'	4	40	\$2,281
AE34=4-511	671812113600	9 - 14	3	208/240/480	NEMA 4X	20'	4	30	\$2,129
AE34=4-511-3	671812135480	9 - 14	3	208/240/480	NEMA 4X	35'	4	32	\$2,233
AE34=4-511-5	671812135848	9 - 14	3	208/240/480	NEMA 4X	50'	4	40	\$2,281
AE54=4-121	671812107135	1.6 - 2.5	3	575	NEMA 4X	20'	4	30	\$2,129
AE54=4-121-3	671812135497	1.6 - 2.5	3	575	NEMA 4X	35'	4	32	\$2,233
AE54=4-121-5	671812135855	1.6 - 2.5	3	575	NEMA 4X	50'	4	40	\$2,281
AE54=4-151	671812117233	2.5 - 4.0	3	575	NEMA 4X	20'	4	28	\$2,129
AE54=4-151-3	671812135503	2.5 - 4.0	3	575	NEMA 4X	35'	4	32	\$2,233
AE54=4-151-5	671812135862	2.5 - 4.0	3	575	NEMA 4X	50'	4	40	\$2,281
AE54=4-161	671812116694	4.0 - 6.3	3	575	NEMA 4X	20'	4	30	\$2,129
AE54=4-161-3	671812135510	4.0 - 6.3	3	575	NEMA 4X	35'	4	32	\$2,233
AE54=4-161-5	671812135879	4.0 - 6.3	3	575	NEMA 4X	50'	4	40	\$2,281

IP-Series Control Panels

Model	UPC#	Full Load Amps	Ph	Volts	Enclosure	Cord Length	Float	LBS	List Price
<i>IPS-Series Simplex Control Panels</i>									
<i>Single Phase</i>									
IPS-24L	671812118919	0 - 14.9	1	120/208/240	NEMA 4X	20'	Level Sensor	16	\$1,388
IPS-24H	671812118926	15 - 20	1	120/208/240	NEMA 4X	20'	Level Sensor	16	\$1,529
IPS-24HC	671812119411	15 - 20	1	120/208/240	NEMA 4X	20'	Level Sensor	18	\$2,266
<i>Three Phase</i>									
IPS-34-131	671812118759	1.6 - 2.5	3	208/240/480	NEMA 4X	20'	Level Sensor	16	\$2,223
IPS-34-141	671812118766	2.5 - 4.0	3	208/240/480	NEMA 4X	20'	Level Sensor	16	\$2,223
IPS-34-171	671812118773	4.0 - 6.3	3	208/240/480	NEMA 4X	20'	Level Sensor	16	\$2,223
IPS-34-191	671812118780	6.0 - 10.0	3	208/240/480	NEMA 4X	20'	Level Sensor	16	\$2,223
IPS-34-511	671812118797	9.0 - 14.0	3	208/240/480	NEMA 4X	20'	Level Sensor	16	\$2,276
IPS-54-121	671812118803	1.6 - 2.5	3	575	NEMA 4X	20'	Level Sensor	16	\$2,276
IPS-54-151	671812118810	2.5 - 4.0	3	575	NEMA 4X	20'	Level Sensor	16	\$2,276
IPS-54-161	671812118827	4.0 - 6.3	3	575	NEMA 4X	20'	Level Sensor	16	\$2,276

IP-Series Control Panels (cont)

Model	UPC#	Full Load Amps	Ph	Volts	Enclosure	Cord Length	Float	LBS	List Price
IPD-Series Duplex Control Panels									
<i>Single Phase</i>									
IPD-24L	671812118933	0 - 14.9	1	120/208/240	NEMA 4X	20'	Level Sensor	23	\$1,822
IPD-24H	671812118940	15 - 20	1	120/208/240	NEMA 4X	20'	Level Sensor	23	\$1,908
IPD-24HC	671812119428	15 - 20	1	120/208/240	NEMA 4X	20'	Level Sensor	26	\$3,079
<i>Three Phase</i>									
IPD-34-131	671812118834	1.6 - 2.5	3	208/240/480	NEMA 4X	20'	Level Sensor	25	\$2,765
IPD-34-141	671812118841	2.5 - 4.0	3	208/240/480	NEMA 4X	20'	Level Sensor	25	\$2,765
IPD-34-171	671812118858	4.0 - 6.3	3	208/240/480	NEMA 4X	20'	Level Sensor	25	\$2,765
IPD-34-191	671812118865	6.0 - 10.0	3	208/240/480	NEMA 4X	20'	Level Sensor	25	\$2,765
IPD-34-511	671812118872	9.0 - 14.0	3	208/240/480	NEMA 4X	20'	Level Sensor	25	\$2,840
IPD-54-121	671812118889	1.6 - 2.5	3	575	NEMA 4X	20'	Level Sensor	25	\$2,840
IPD-54-151	671812118896	2.5 - 4.0	3	575	NEMA 4X	20'	Level Sensor	25	\$2,840
IPD-54-161	671812118902	4.0 - 6.3	3	575	NEMA 4X	20'	Level Sensor	25	\$2,840

PDC-Series ProVore® Duplex Control Panels

Model	UPC#	Amps	Ph	Volts	Enclosure	Cord Length	Float	LBS	List Price
PDC-115	671812127867	12	1	115	NEMA 1	10'	2	8	\$763
PDC-115-2	671812127874	12	1	115	NEMA 1	25'	2	9	\$791
PDC-230	671812127881	12	1	230	NEMA 1	10'	2	8	\$830
PDC-230-2	671812127898	12	1	230	NEMA 1	25'	2	9	\$858
PDCW-115	671812130508	12	1	115	NEMA 4X	10'	2	8	\$1,137
PDCW-115-2	671812130515	12	1	115	NEMA 4X	25'	2	9	\$1,165
PDCW-230	671812130522	12	1	230	NEMA 4X	10'	2	8	\$1,244
PDCW-230-2	671812130539	12	1	230	NEMA 4X	25'	2	9	\$1,272

Intrinsically Safe Control Panels

Model	UPC#	Full Load Amps	Ph	Volts	Enclosure	Float Cord Length	Floats	LBS	List Price
<i>Simplex</i>									
ISS24HS1=3-5	671812142839	20.0 - 30.0	1	120/208/240	NEMA 4X	50'	3	30	\$2,797
ISS24LC1=3-5	671812137811	0 - 15	1	120/208/240	NEMA 4X	50'	3	28	\$2,591
ISS34=3-131-5	671812137828	1.6 - 2.5	3	208/240/480	NEMA 4X	50'	3	28	\$3,123
ISS34=3-141-5	671812137835	2.5 - 4.0	3	208/240/480	NEMA 4X	50'	3	28	\$3,123
ISS34=3-171-5	671812137842	4.0 - 6.3	3	208/240/480	NEMA 4X	50'	3	28	\$3,123
ISS34=3-191-5	671812140699	6.0 - 10	3	208/240/480	NEMA 4X	50'	3	28	\$3,123
ISS34=3-511-5	671812142846	9.0 - 14.0	3	208/240/480	NEMA 4X	50'	3	30	\$3,296
ISS54=3-121-5	671812137859	1.6 - 2.5	3	575	NEMA 4X	50'	3	28	\$3,123
ISS54=3-151-5	671812137866	2.5 - 4.0	3	575	NEMA 4X	50'	3	28	\$3,123
ISS54=3-161-5	671812142853	4.0 - 6.3	3	575	NEMA 4X	50'	3	30	\$3,296
<i>Duplex</i>									
ISD24HS2=3-5	671812142860	20.0 - 30.0	1	120/208/240	NEMA 4X	50'	3	33	\$4,424
ISD24LC2=3-5	671812137750	0 - 15	1	120/208/240	NEMA 4X	50'	3	57	\$3,978
ISD34=3-131-5	671812137767	1.6 - 2.5	3	208/240/480	NEMA 4X	50'	3	57	\$3,925
ISD34=3-141-5	671812137774	2.5 - 4.0	3	208/240/480	NEMA 4X	50'	3	57	\$3,925
ISD34=3-171-5	671812137781	4.0 - 6.3	3	208/240/480	NEMA 4X	50'	3	57	\$3,925
ISD34=3-191-5	671812140705	6.0 - 10	3	208/240/480	NEMA 4X	50'	3	57	\$3,925
ISD34=3-511-5	671812142877	9.0 - 14.0	3	208/240/480	NEMA 4X	50'	3	33	\$4,163
ISD54=3-121-5	671812137798	1.6 - 2.5	3	575	NEMA 4X	50'	3	57	\$3,925
ISD54=3-151-5	671812137804	2.5 - 4.0	3	575	NEMA 4X	50'	3	57	\$3,925
ISD54=3-161-5	671812142884	4.0 - 6.3	3	575	NEMA 4X	50'	3	33	\$4,163

Economy Duplex Control

Model	UPC#	Description	LBS	List Price
5050-Series				
5050V	671812118629	Duplex control, for sump applications, 115V, vertical style floats	8	\$644
5050W	671812118636	Duplex control, for sump applications, 115V, wide angle floats	8	\$644



Liberty Pumps®

A Family and Employee Owned Company



ISO 9001 Registered Company

7000 Apple Tree Avenue - Bergen, NY 14416
Phone 800.543.2550 - Fax 585.494.1839

All pricing and specifications subject to change without notice.
Copyright © Liberty Pumps, Inc. 2019 All rights reserved.

LLIT-6774