

CRANE

®

PUMPS & SYSTEMS

Weinman

Column Sump - Sections 700 - 710 - 800

January 1, 2020

CONFIDENTIAL PRICE LIST

Prices Subject to Change Without Notice.

All prices in U.S. Dollars, F.O.B. Piqua, Ohio.

**All Terms & Conditions are subject to Crane Pumps & Systems Terms & Conditions.
Please visit www.cranepumps.com for comprehensive details of our Terms & Conditions.**

IMPORTANT NOTE: Please consult the catalog for important warnings, specifications and other vital information for the product(s) in which you are interested.

CRANE

A Crane Co. Company

PUMPS & SYSTEMS

USA: (937) 778-8947 • Canada: (905) 457-6223 • International: (937) 615-3598

Weinman - Column Sump

DATE	Page(s)	Change / Correction
03/20/17	700 PAGE 1, 710 PAGE 1	Corrected float switch style
03/20/17	800 PAGE 1	Corrected float switch style
07/23/18	All	Price increase
07/31/18	11, 15	Corrected prices on HW alarms. Removed 2 (obsolete)
01/01/19	All	Price increase
07/30/19	4, 9	Removed Float Switches & Alternators
01/01/20	All	Price increase

Weinman - Column Sump

CONFIDENTIAL

*All prices in U.S. dollars, F.O.B. Piqua, Ohio.
Prices subject to change without notice.*

SECTION	DESCRIPTION	PAGE
700	S, SA	4
700	Man Covers for Basins	5 - 6
700	Options for S, SA	7
710	MG-VS	8
710	Man Covers for Basins	9 - 10
710	Options for MG-VS	11
800	SM-VS, SML-VS	12
800	Man Covers for Basins	13 - 14
800	Options for SM-VS, SML-VS	15



PUMPS & SYSTEMS

A Crane Co. Company

USA: (937) 778-8947 • Canada: (905) 457-6223 • International: (937) 615-3598

CONFIDENTIAL

All prices in U.S. dollars, F.O.B. Piqua, Ohio.
Prices subject to change without notice.

Column Type Sump Pumps Low Capacity

Model "S", floor mounted 1ph motor, Square D 9036GG2 float switch					Model "SA", suspended type, 20" round (or pear shaped) steel cover, discharge pipe, 1 ph motor, Square D 9036GG2 float switch				
Model	Motor (hp)	Depth (ft)	Weight (lb)	List Price	Model	Motor (hp)	Depth (ft)	Weight (lb)	List Price
S3*-2	1/3	2	170	\$4,616	SA3*-2	1/3	2	200	\$4,824
S3*-4	1/3	4	190	\$5,234	SA3*-4	1/3	4	220	\$5,436
S3*-6	1/3	6	215	\$5,844	SA3*-6	1/3	6	280	\$6,048
S3*-8	1/3	8	245	\$6,457	SA3*-8	1/3	8	320	\$6,660
S5*-2	1/2	2	175	\$4,645	SA5*-2	1/2	2	210	\$4,851
S5*-4	1/2	4	195	\$5,258	SA5*-4	1/2	4	230	\$5,466
S5*-6	1/2	6	265	\$5,875	SA5*-6	1/2	6	280	\$6,077
S5*-8	1/2	8	325	\$6,486	SA5*-8	1/2	8	340	\$6,692
S7*-2	3/4	2	185	\$4,720	SA7*-2	3/4	2	230	\$4,919
S7*-4	3/4	4	205	\$5,333	SA7*-4	3/4	4	250	\$5,538
S7*-6	3/4	6	275	\$6,239	SA7*-6	3/4	6	320	\$6,146
S7*-8	3/4	8	335	\$6,558	SA7*-8	3/4	8	380	\$6,764

List Price additions or deductions () for special motors					
Motor (hp)	Drip Proof	Totally Enclosed		Explosion Proof	
	3ph	1ph	3ph	1ph	3ph
1/3	(\$9)	\$59	\$90	\$453	\$411
1/2	(\$24)	\$76	\$102	\$465	\$439
3/4	(\$49)	\$90	\$116	\$486	\$465

* Specify: S = 1ph, 60Hz, 115v or 230v
P = 3ph, 60Hz, 230v or 460v

Modifications	List Price additions for accessories	
	Simplex	Duplex
Watertight float switch, Square D 9036 DW-1	\$608	\$704
Explosion proof float switch, Square D 9036 DR-1	\$644	\$1,237
Mechanical alternator (in lieu of two float switches) Square D 9038 AG-1	-	\$971
Mechanical alternator (in lieu of two float switches) Square D 9038 AW-1 (watertight)	-	\$1,400
Mechanical alternator (in lieu of two float switches) Square D 9038 AR-1 (explosion proof)	-	\$1,487
Stainless steel float and rod	\$394	\$800

- Refer to factory for export boxing or special voltages.

Cover adders, round and square

Column Type Sump Pumps Low Capacity

CONFIDENTIAL

All prices in U.S. dollars, F.O.B. Piqua, Ohio.

Prices subject to change without notice.

Simplex Covers – Round

Sump Diameter (in)	Cover Diameter (in)	Plate Thickness (in)	Plain		With Manhole (11" x 15")		Drilled Covers
			Weight (lb)	List Price	Weight (lb)	List Price	List Adder
18	20	.31	30	\$1,574	-	0	\$246
24	27	.31	65	\$1,910	-	0	\$246
30	34	.31	130	\$2,520	140	\$2,674	\$246
36	40	.38	190	\$3,206	200	\$3,403	\$323
42	46	.38	250	\$3,715	260	\$3,928	\$371
48	52	.50	340	\$4,367	340	\$4,603	\$434

Simplex Covers – Square

Sump Square (in)	Cover Square (in)	Plate Thickness (in)	Plain		With Manhole (11" x 15")		Drilled Covers
			Weight (lb)	List Price	Weight (lb)	List Price	List Adder
18	20	.31	45	\$1,574	-	0	\$246
24	27	.31	80	\$1,910	-	0	\$246
30	34	.31	170	\$2,520	180	\$2,674	\$246
36	40	.38	240	\$3,206	250	\$3,403	\$323
42	46	.38	320	\$3,715	330	\$3,928	\$371
48	52	.50	450	\$4,367	450	\$4,603	\$434

Simplex – Curb Ring Add to cover list prices - NEW INSTALLATIONS ONLY

Sump Diameter or Square (in)	Cover Diameter or Square (in)	Without Anchors		With Anchors	
		Weight (lb)	List Adder	Weight (lb)	List Adder
18	20	18	\$623	24	\$926
24	27	24	\$783	30	\$1,179
30	34	31	\$1,164	38	\$1,745
36	40	40	\$1,538	50	\$2,312
42	46	44	\$1,774	56	\$2,678
48	52	50	\$2,114	62	\$3,181

- For fiberglass basins contact the factory with mounting dimensions desired for pricing.

Cover adders, round and square

Column Type Sump Pumps Low Capacity

CONFIDENTIAL

All prices in U.S. dollars, F.O.B. Piqua, Ohio.

Prices subject to change without notice.

Duplex Covers – Round

Sump Diameter (in)	Cover Diameter (in)	Plate Thickness (in)	Plain		With Manhole (11" x 15")		Drilled Covers
			Weight (lb)	List Price	Weight (lb)	List Price	List Adder
24	27	.31	165	\$2,885	-	0	\$292
30	34	.31	185	\$3,246	200	\$3,373	\$323
36	40	.38	210	\$3,949	220	\$4,050	\$394
42	46	.38	285	\$4,488	295	\$4,597	\$452
48	52	.50	375	\$5,132	375	\$5,269	\$516

Duplex Covers – Square

Sump Square (in)	Cover Square (in)	Plate Thickness (in)	Plain		With Manhole (11" x 15")		Drilled Covers
			Weight (lb)	List Price	Weight (lb)	List Price	List Adder
24	27	.31	165	\$2,885	-	0	\$292
30	34	.31	190	\$3,246	200	\$3,373	\$323
36	40	.38	265	\$3,949	275	\$4,050	\$394
42	46	.38	355	\$4,488	365	\$4,597	\$452
48	52	.50	500	\$5,132	500	\$5,269	\$516

Duplex – Curb Ring Add to cover list prices - NEW INSTALLATIONS ONLY

Sump Diameter or Square (in)	Cover Diameter or Square (in)	Without Anchors		With Anchors	
		Weight (lb)	List Adder	Weight (lb)	List Adder
24	27	20	\$1,170	20	\$1,754
30	34	30	\$1,193	30	\$1,797
36	40	40	\$1,576	50	\$2,529
42	46	44	\$1,827	56	\$2,747
48	52	50	\$2,183	62	\$3,272

- For fiberglass basins contact the factory with mounting dimensions desired for pricing.

CONFIDENTIAL

Column Type Sump Pumps Low Capacity

All prices in U.S. dollars, F.O.B. Piqua, Ohio.

Prices subject to change without notice.

Vapor Tight Construction

Consists of neoprene seal around float rod, cover gaskets, threaded vent and includes drilling of sump cover to match curb ring or sump tank.	List Price additions or deductions () for vapor tight construction	
	Simplex	Duplex
	\$582	\$875

Standard Vent Size			
Model	SA3	SA5	SA7
Size (in)	2.5	2.5	2.5

Diameter (in)	List Adder (vents with vapor tight construction)		List Adder (vents without vapor tight construction)	
	Threaded Vent	Flanged Vent	Threaded Vent	Flanged Vent
2.5	standard	\$100	\$77	\$194
3	\$49	\$107	\$81	\$209
4	\$81	\$161	\$161	\$297
5	\$90	\$212	\$0	\$406
6	\$100	\$261	\$194	\$482

Under Cover Discharge *Add to cover list prices*

It is not recommended to stop discharge below cover, but to extend it through cover and cap it and use a tee in the discharge pipe. Under cover tees are normally threaded but can be furnished flanged.	List Adder				
	Discharge Pipe Size (in)	Threaded (standard)		Flanged	
		Simplex	Duplex	Simplex	Duplex
1.5	\$132	\$242	\$334	\$672	
2	\$161	\$305	\$434	\$875	
3	\$235	\$457	\$506	\$1,025	
4	\$336	\$672	\$672	\$1,343	
6	\$672	\$1,313	\$1,279	\$1,812	

- Refer to factory for export boxing.

CONFIDENTIAL

Column Type Sump Pumps High Capacity

All prices in U.S. dollars, F.O.B. Piqua, Ohio.
Prices subject to change without notice.

Model	228MG-VS	236MG-VS	328MG-VS	336MG-VS	428MG-VS	438MG-VS	635MG-VS
Discharge Pipe Size (in)	2	2	3	3	4	4	6
Standard Sump Depth (ft)	5	5	5	5	5	6	6

Table No. 1 - Simplex Pump		Weight (lb)						
		540	610	630	730	945	1470	1550
		List Price						
1	Base list price, includes a Square D 9036GG2 float switch with stand, float, float rod and pear shaped auxiliary cover. For standard or shallower sump depth:	\$9,574	\$10,894	\$10,332	\$11,121	\$11,577	\$12,846	\$16,838
2	Per foot of sump depth in excess of standard; up to 15' total basin depth	\$504	\$504	\$631	\$631	\$631	\$918	\$918
3	For 316 stainless steel shaft per foot of sump depth:	\$150	\$150	\$150	\$150	\$150	\$431	\$431
4	For rubber cutless bottom bearing:	\$519	\$519	\$519	\$519	\$519	\$519	\$519
5	For watertight or explosion resistant float switch in lieu of standard:	\$519	\$519	\$519	\$519	\$519	\$519	\$519
6	For stainless steel float and rod:	\$704	\$704	\$704	\$704	\$704	\$704	\$704
7	Graphite bearings	\$858						

Add list price for cover plate from page 9 noting minimum sump depths and diameter from Catalog section 710 pages 4-12.
For motors see CP&S Motor Price Book

Table No. 2 - Duplex Pump		Weight (lb)						
		1080	1220	1260	1460	1890	2940	3100
		List Price						
7	Base list price of 2 pumps, includes a Square D 9038AG1C mechanical alternator, stand, float, float rod and 2 pear shaped auxiliary covers. For standard or shallower sump depth:	\$18,018	\$21,396	\$19,832	\$21,327	\$22,212	\$24,653	\$32,389
8	Per foot of sump depth in excess of standard; up to 15' total basin depth	\$994	\$994	\$1,295	\$1,295	\$1,295	\$1,648	\$1,648
9	For 316 stainless steel shaft per foot of sump depth:	\$288	\$288	\$288	\$288	\$288	\$858	\$858
10	For rubber cutless bottom bearing:	\$994	\$994	\$994	\$994	\$994	\$1,019	\$1,019
11	For watertight or explosion resistant float switch in lieu of standard:	\$776	\$776	\$776	\$776	\$776	\$776	\$776
12	For stainless steel float and rod:	\$704	\$704	\$704	\$704	\$704	\$704	\$704
13	Graphite bearings	\$1,717						

Add list price for cover plate from page 10, noting minimum sump depths and diameter.
See catalog dimension pages for further clarification

- List prices are for standard fitted construction. Consult factory for other available materials.
- 1/2hp is the minimum recommended motor size.
- 190°F maximum.

CONFIDENTIAL

All prices in U.S. dollars, F.O.B. Piqua, Ohio.

Prices subject to change without notice.

Simplex Covers – Round

Sump Diameter (in)	Cover Diameter (in)	Plate Thickness (in)	Plain		With Manhole (11" x 15")		Drilled Covers
			Weight (lb)	List Price	Weight (lb)	List Price	List Adder
18	20	.31	30	\$1,543	-	0	\$244
24	27	.38	70	\$1,878	-	0	\$244
30	34	.38	140	\$2,474	140	\$2,622	\$244
36	40	.50	200	\$3,149	200	\$3,340	\$317
42	46	.50	260	\$3,647	260	\$3,854	\$365
48	52	.50	340	\$4,285	340	\$4,511	\$426

Simplex Covers – Square

Sump Square (in)	Cover Square (in)	Plate Thickness (in)	Plain		With Manhole (11" x 15")		Drilled Covers
			Weight (lb)	List Price	Weight (lb)	List Price	List Adder
18	20	.31	45	\$1,543	-	0	\$244
24	27	.38	85	\$1,878	-	0	\$244
30	34	.38	180	\$2,474	180	\$2,622	\$244
36	40	.50	250	\$3,149	250	\$3,340	\$317
42	46	.50	330	\$3,647	330	\$3,854	\$365
48	52	.50	450	\$4,285	450	\$4,511	\$426

Simplex – Curb Ring Add to cover list prices - NEW INSTALLATIONS ONLY

Sump Diameter or Square (in)	Cover Diameter or Square (in)	Without Anchors		With Anchors	
		Weight (lb)	List Adder	Weight (lb)	List Adder
18	20	18	\$606	24	\$628
24	27	24	\$774	30	\$797
30	34	31	\$1,141	38	\$1,171
36	40	40	\$1,511	50	\$1,558
42	46	44	\$1,743	56	\$1,797
48	52	50	\$2,078	62	\$2,140

- For fiberglass basins contact the factory with mounting dimensions desired for pricing.

CONFIDENTIAL

All prices in U.S. dollars, F.O.B. Piqua, Ohio.

Prices subject to change without notice.

Duplex Covers – Round

Sump Diameter (in)	Cover Diameter (in)	Plate Thickness (in)	Plain		With Manhole (11" x 15")		Drilled Covers
			Weight (lb)	List Price	Weight (lb)	List Price	List Adder
30	34	.38	200	\$3,183	185	\$3,310	\$317
36	40	.50	220	\$3,877	220	\$3,979	\$385
42	46	.50	295	\$4,405	295	\$4,508	\$446
48	52	.50	375	\$5,037	375	\$5,173	\$506
60	66	.50	600	\$7,021	600	\$7,158	\$721
72	78	.63	825	\$10,635	825	\$10,736	\$1,065

Duplex Covers – Square

Sump Square (in)	Cover Square (in)	Plate Thickness (in)	Plain		With Manhole (11" x 15")		Drilled Covers
			Weight (lb)	List Price	Weight (lb)	List Price	List Adder
30	34	.38	200	\$3,183	200	\$3,310	\$317
36	40	.50	275	\$3,877	275	\$3,979	\$385
42	46	.50	365	\$4,405	365	\$4,508	\$446
48	52	.50	500	\$5,037	500	\$5,173	\$506
60	66	.50	750	\$7,021	750	\$7,158	\$721
72	78	.63	1050	\$10,635	1050	\$10,736	\$1,065

Duplex – Curb Ring Add to cover list prices - NEW INSTALLATIONS ONLY

Sump Diameter or Square (in)	Cover Diameter or Square (in)	Without Anchors		With Anchors	
		Weight (lb)	List Adder	Weight (lb)	List Adder
30	34	30	\$1,171	35	\$1,757
36	40	40	\$1,546	50	\$2,477
42	46	44	\$1,797	56	\$2,694
48	52	50	\$2,140	62	\$3,210
60	66	100	\$3,021	93	\$3,870
72	78	120	\$4,824	145	\$5,590

- For fiberglass basins contact the factory with mounting dimensions desired for pricing.

Modifications	List Price additions for accessories	
	Simplex	Duplex
Watertight float switch, Square D 9036 DW-1	\$608	\$704
Explosion proof float switch, Square D 9035 DR-1	\$644	\$1,237
Mechanical alternator (in lieu of two float switches) Square D 9038 AG-1	--	\$971
Mechanical alternator (in lieu of two float switches) Square D 9038 AW-1 (watertight)	--	\$1,400
Mechanical alternator (in lieu of two float switches) Square D 9038 AR-1 (explosion proof)	--	\$1,487
Stainless steel float and rod	\$394	\$800

CONFIDENTIAL

Column Type Sump Pumps High Capacity

All prices in U.S. dollars, F.O.B. Piqua, Ohio.

Prices subject to change without notice.

Vapor Tight Construction

Consists of neoprene seal around float rod, cover gaskets, threaded vent and includes drilling of sump cover to match curb ring or sump tank.	List Price additions for vapor tight construction	
	Simplex	Duplex
	\$572	\$858

Standard Vent Size

Model	228MG-VS	236MG-VS	328MG-VS	336MG-VS	428MG-VS	438MG-VS	635MG-VS	
Size (in)	2.5	2.5	2.5	2.5	4	4	6	
Diameter (in)	List Adder (vents with vapor tight construction)			List Adder (vents without vapor tight construction)				
	Threaded Vent		Flanged Vent		Threaded Vent		Flanged Vent	
2.5	standard		\$98		\$77		\$192	
3	\$47		\$104		\$81		\$202	
4	\$81		\$158		\$158		\$292	
5	\$89		\$210		--		\$394	
6	\$98		\$250		\$192		\$468	

Under Cover Discharge Add to cover list prices

Discharge Pipe Size (in)	List Adder				It is not recommended to stop discharge below cover, but to extend it through cover and cap it and use a tee in the discharge pipe. Under cover tees are normally threaded but can be furnished flanged.
	Threaded (standard)		Flanged		
	Simplex	Duplex	Simplex	Duplex	
1.5	\$129	\$238	\$323	\$662	
2	\$158	\$301	\$426	\$858	
3	\$232	\$449	\$499	\$1,006	
4	\$331	\$662	\$662	\$1,314	
6	\$662	\$1,295	\$1,252	\$1,781	

High Water Alarms

		List Price
HW-106N1	General purpose (switch only)	\$1,047
HW-107N1	General purpose (switch & horn)	\$1,156
HW-143N7	Explosion proof (switch only)	\$2,072
HW-164N7	Explosion proof (switch & horn)	\$2,822
Remote bell or horn with a general purpose enclosure (specify voltage on order).		\$1,004

Single pole contacts close on high liquid level. High water alarms are complete units consisting of switch, or switch and horn, all mounted within the same housing (cannot be wired to a remote panel). Contains pressure tube, no float required.

- Refer to factory for export boxing.

CONFIDENTIAL

Column Type Non-Clog Sewage Ejectors

All prices in U.S. dollars, F.O.B. Piqua, Ohio.
Prices subject to change without notice.

Model	3322	3323	4322	4323	3402	3403	4402	4403
Discharge Pipe Size (in)	3		4		3		4	
Standard Sump Depth (ft)	5		5		6		6	

Table No. 1 - Simplex Pump

		Weight (lb)			
		945	1055	1470	1590
		List Price			
1	Base list price, includes a Square D 9036GG2 float switch with stand, float, float rod and pear shaped auxiliary cover. For standard or shallower sump depth:	\$12,041	\$12,342	\$12,759	\$13,086
2	Per foot of sump depth in excess of standard; up to 15' total basin depth	\$658	\$716	\$836	\$891
3	For 316 stainless steel shaft per foot of sump depth:	\$155	\$155	\$449	\$449
4	For rubber cutless bottom bearing:	\$538	\$538	\$750	\$750
5	For watertight or explosion resistant float switch in lieu of standard:	\$538	\$538	\$538	\$538
6	For stainless steel float and rod:	\$730	\$730	\$730	\$730
7	Graphite bearings	\$891			

Add list price for cover plate from page 13 noting minimum sump depths and diameter from section 800 pages 4-12.
For motors see CP&S Motor Price Book

Table No. 2 - Duplex Pump

		Weight (lb)			
		1890	1940	2940	2990
		List Price			
7	Base list price of 2 pumps, includes a Square D 9038AG1C mechanical alternator, stand, float, float rod and pear shaped auxiliary cover For standard or shallower sump depth:	\$23,819	\$24,116	\$25,054	\$25,653
8	Per foot of sump depth in excess of standard; up to 15' total basin depth	\$1,312	\$1,432	\$1,668	\$1,793
9	For 316 stainless steel shaft per foot of sump depth:	\$297	\$297	\$891	\$891
10	For rubber cutless bottom bearing:	\$1,033	\$1,033	\$1,057	\$1,057
11	For watertight or explosion resistant float switch in lieu of standard:	\$808	\$808	\$808	\$808
12	For stainless steel float and rod:	\$730	\$730	\$730	\$730
13	Graphite bearings	\$891			

Add list price for cover plate from pages 14, noting minimum sump depths and diameter.
See catalog dimension pages for further clarification

For motors see CP&S Motor Price Book

- List prices are for standard fitted construction. Consult factory for other available materials.
- 1/2hp is the minimum recommended motor size.
- 190°F maximum.

CONFIDENTIAL

All prices in U.S. dollars, F.O.B. Piqua, Ohio.
Prices subject to change without notice.

Simplex Covers – Round

Sump Diameter (in)	Cover Diameter (in)	Plate Thickness (in)	Plain		With Manhole (11" x 15")		Drilled Covers
			Weight (lb)	List Price	Weight (lb)	List Price	List Adder
24	27	0.38	70	\$1,950	-	0	\$253
30	34	0.38	140	\$2,569	140	\$0	\$253
36	40	0.5	200	\$3,274	200	\$3,471	\$329
42	46	0.5	260	\$3,789	260	\$4,004	\$380
48	52	0.5	340	\$4,454	340	\$4,695	\$443

Simplex Covers – Square

Sump Square (in)	Cover Square (in)	Plate Thickness (in)	Plain		With Manhole (11" x 15")		Drilled Covers
			Weight (lb)	List Price	Weight (lb)	List Price	List Adder
24	27	0.38	85	\$1,950	-	0	\$253
30	34	0.38	180	\$2,569	180	0	\$253
36	40	0.50	250	\$3,274	250	\$3,471	\$329
42	46	0.50	330	\$3,789	330	\$4,004	\$380
48	52	0.50	450	\$4,454	450	\$4,695	\$443

Simplex – Curb Ring Add to cover list prices - NEW INSTALLATIONS ONLY

Sump Diameter or Square (in)	Cover Diameter or Square (in)	Without Anchors		With Anchors	
		Weight (lb)	List Adder	Weight (lb)	List Adder
18	20	18	\$631	24	\$654
24	27	24	\$805	30	\$828
30	34	31	\$1,188	38	\$1,218
36	40	40	\$1,572	50	\$1,622
42	46	44	\$1,812	56	\$1,866
48	52	50	\$2,160	62	\$2,229

- For fiberglass basins contact the factory with mounting dimensions desired for pricing.

CONFIDENTIAL

All prices in U.S. dollars, F.O.B. Piqua, Ohio.

Prices subject to change without notice.

Duplex Covers – Round

Sump Diameter (in)	Cover Diameter (in)	Plate Thickness (in)	Plain		With Manhole (11" x 15")		Drilled Covers
			Weight (lb)	List Price	Weight (lb)	List Price	List Adder
48	52	0.5	375	\$5,238	375	\$5,379	\$530
60	66	0.5	600	\$7,299	600	\$7,443	\$750
72	78	0.63	825	\$11,062	825	\$11,164	\$1,109

Duplex Covers – Square

Sump Square (in)	Cover Square (in)	Plate Thickness (in)	Plain		With Manhole (11" x 15")		Drilled Covers
			Weight (lb)	List Price	Weight (lb)	List Price	List Adder
48	52	0.5	500	\$5,238	500	\$5,379	\$530
60	66	0.5	750	\$7,299	750	\$7,443	\$750
72	78	0.63	1050	\$11,062	1050	\$11,164	\$1,109

Duplex – Curb Ring Add to cover list prices - NEW INSTALLATIONS ONLY

Sump Diameter or Square (in)	Cover Diameter or Square (in)	Without Anchors		With Anchors	
		Weight (lb)	List Adder	Weight (lb)	List Adder
48	52	50	\$2,229	62	\$3,340
60	66	100	\$3,133	93	\$4,027
72	78	120	\$5,016	145	\$5,813

- For fiberglass basins contact the factory with mounting dimensions desired for pricing.

Modifications for Nema 4	List Price additions
	Duplex
Watertight float switch, Square D 9036 DW-1	\$704
Explosion proof float switch, Square D 9035 DR-1	\$1,237
Mechanical alternator (in lieu of two float switches) Square D 9038 AG-1	\$971
Mechanical alternator (in lieu of two float switches) Square D 9038 AW-1 (watertight)	\$1,400
Mechanical alternator (in lieu of two float switches) Square D 9038 AR-1 (explosion proof)	\$1,487
Stainless steel float and rod	\$800

CONFIDENTIAL

Column Type Non-Clog Sewage Ejectors

All prices in U.S. dollars, F.O.B. Piqua, Ohio.
Prices subject to change without notice.

Vapor Tight Construction

Consists of neoprene seal around float rod, cover gaskets, threaded vent and includes drilling of sump cover to match curb ring or sump tank.	List Price additions for vapor tight construction	
	Simplex	Duplex
	\$593	\$891

Standard Vent Size								
Model	3322	3323	4322	4323	3402	3403	4402	4403
Size (in)	4	4	4	4	4	4	4	4

Diameter (in)	List Adder (vents with vapor tight construction)		List Adder (vents without vapor tight construction)	
	Threaded Vent	Flanged Vent	Threaded Vent	Flanged Vent
4	standard	\$162	\$162	\$293
5	\$91	\$217	\$0	\$411
6	\$102	\$261	\$199	\$488

Under Cover Discharge Add to cover list prices

Discharge Pipe Size (in)	List Adder			
	Threaded (standard)		Flanged	
	Simplex	Duplex	Simplex	Duplex
3	\$242	\$468	\$519	\$1,048
4	\$344	\$689	\$689	\$1,370

It is not recommended to stop discharge below cover, but to extend it through cover and cap it and use a tee in the discharge pipe. Under cover tees are normally threaded but can be furnished flanged.

High Water Alarms

			List Price
HW-106N1	General purpose (switch only)		\$1,047
HW-107N1	General purpose (switch & horn)		\$1,156
HW-143N7	Explosion proof (switch only)	For NEMA 4 (watertight) use explosion proof prices, and specify form W.	\$2,072
HW-164N7	Explosion proof (switch & horn)		\$2,822
Remote bell or horn with a general purpose enclosure (specify voltage on order).			\$1,045

Single pole contacts close on high liquid level. High water alarms are complete units consisting of switch, or switch and horn, all mounted within the same housing (cannot be wired to a remote panel). Contains pressure tube, no float required.

- Refer to factory for export boxing.