

Table of Contents

Message from Bob Walker	1	Boom Sprayer	41
Customer Profile: Natural Creations	2	48" Dozer Blade	41
Customer Fronte. Natural Creations	∠	Add-ons: Ontions	
The Walker Advantage		Add-ons: Options Comfort Seat	12
Front-Mount Deck	4	Suspension Seat	
Short Deck Coupling	4	Armrests	
Interchangeable Decks and Add-ons	5	Utility Bed	
Tilt-Open Bodies and Tilt-Up Decks	5	Headlights	
Compact		5	
Precision Steering and Handling	6	Cup Holder Instrument Panel Cover	
Grass Handling System® (GHS)			
Integrated Components		Power Dump	
		Hi-Dump®	
Customer Profile: Home Owner, Bill Caudill	8	Large Hole Screen	
Madala		No-Catch Deflector	
Models	10	GHS Blower Lockout	
Model S		Dump Bag	
Model C		Dump Bins	
Model T		Deck Height Adjuster	
Model D		Deck Height Washers	
Model R		Curb Jumper	
Model B		Power Tilt-Up®	47
Model H	22	Deck Lift	47
Customer Profile: Spring Green Landscaping	24	Break Away Blades	47
Customer Frome. Spring Green Landscaping	4	Adjustable Footrests	47
Decks		Deck Cuff	48
Mulching Decks and Kits	26	Spread Axle Tail Wheel	48
Collection Decks	27	Dual Tail Wheel	48
Side Discharge Decks	28	Single Wide Tail Wheel	48
Rear Discharge Decks		Tail Wheel Lock	49
Multi-Deck		18 x 7-8 Turf Tire	49
Deck Compatibility		18 x 7-8 Directional AT Tire	49
		18 x 8.5-10 Turf Tire	49
Customer Profile: Blueville Nursery	32	18 x 8.5-10 AT Tire	50
		18 x 9.5-8 Turf Tire	50
Add-ons: Implements	7.4	18 x 10.5-10 Turf Tire	50
Implement Hitch		18 x 11-10 AT Tire	50
Option: Tail Weights		22 x 10.5-12 Turf Tire	50
Rotary Broom		23 x 10.5-12 AT Tire	
Dozer Blade (48" or 60")		23 x 10.5-12 Directional AT Tire	
Loader Bucket		Pneumatic Deck Tire	
Debris Blower		Semi-Pneumatic Deck Tire	
Two-Stage Snowblower (42" or 50")	37	Tire Chains	
Add-ons: Attachments		Add-on Compatibility	52
Hard Cab	38	Walker Mower Specifications	
Soft Cab		·	
ROPS			
Single-Stage Snowblower 36"			



Since my dad, brother, and I designed the first Walker Mower in 1977, it has always been intentionally different from other lawn mowers. At the time, my family was frustrated with the challenges we were having with mowing our own lawns quickly, easily, and with satisfying results. There was simply no riding mower available that could mow the way we wanted, so we designed and built our own. If you can't buy it, build it, and so we did.

Over the years we have continued to improve the design of the Walker Mower, with each change improving the Walker's agility, ease of use, and cut quality. Our family has set a high standard of performance, and every aspect of the Walker Mower is created with that standard in mind.

Today Walker Mowers are American-made and hand-built with pride in Fort Collins, Colorado. When you buy a Walker, you are not only buying a high-quality product, you are joining the Walker Mower family.



Bel Weller

Bob Walker, Chairman Walker Manufacturing





Customer Profile: Natural Creations

Time is money for the team at Natural Creations in Nashville, Tennessee, and that was exactly their guiding principle as they looked to improve their mowing efficiency a few years ago. "We were looking to grow bottom line profit through efficiency gains rather than volume growth," explains Adam Marrale, "and we believed running Walkers could do that for us."

Marrale and his co-worker, Paul Ballenger, put their plan into action by introducing Walker Models B and H into a single crew, and the hours saved in productivity that year equaled \$25,000 in labor hours. According to Marrale and Ballenger, the hours they freed up also allowed them to add more value to their high-end properties and add on additional revenue generating work. After a single year of research, they now have the basis for putting Walker Mowers on each of their six crews.

Ballenger also mentions one other benefit of switching to Walker Mowers, "The beautiful results we are getting on each property are just a bonus for investing in Walkers—we made the right choice."



Front-Mount Deck

Achieving a beautiful cut has been our focus from the very first Walker Mower design. Positioning the mowing deck in front of the machine is fundamental to producing high-quality results. The front-mount deck of the Walker reduces impact on the turf prior to cutting, resulting in a more consistent, carpet-like finish. This result is achieved by transferring weight from the deck caster tires which minimizes matting of the grass.

The Walker torsion-flex carrier frame allows the deck to freely articulate and flex laterally, producing a smooth cut, even over complicated ground contours. This makes Walker Mowers ideal for mowing uneven turf.







Short Deck Coupling

Front-mount decks also create a shorter distance between the contact point of the drive tire and the contact point of the front caster tire, allowing Walker decks to precisely follow ground contours. Compared to mid-mount hanging decks, Walker mowing decks scalp less and leave less uncut grass in the valleys of ground contours.

SCALP LESS GRASS ON THE CREST




CUT MORE GRASS IN THE VALLEY



Interchangeable Decks and Add-ons

Whether handling grass, leaves, debris, or snow, Walker Mowers are designed for year-round productivity. On most models, decks can easily be switched for larger or smaller, collection, mulching, or discharge decks to suit the task at hand. Plus with dozens of add-ons,







Tilt-Open Bodies and Tilt-Up Decks

Each Walker features a tilt-open body, quickly exposing the drive belts, electrical system, engine, and drivetrain, making service and maintenance easy. No special tools or equipment are needed. Simply release the body latch, and the gas spring assisted enclosure opens up for unobstructed access to all of the Walker's working components.

All Walker decks quickly tilt-up, making maintenance tasks safe and easy. It takes seconds to unlock, lift, and secure the deck in an up position, providing access to the blades, housing, and chute. H models also have an optional Power Tilt-Up® deck lift. Walker tilt-up decks also minimize wasted space when storing the Walker Mower.







Compact

Most lawns have areas with low hanging branches, narrow gates, or other obstacles that are difficult to mow. The compact size of the Walker Mower gives you the ability to mow challenging properties easily and efficiently.

The Walker Mower has a small footprint designed to get into and out of tight places like gates, between beds and trees, fence corners, and other similar landscape features.



Walker T27i with 52" deck footprint: 53" (134.62 cm) W 95" (241.30 cm) L versus a Z Master with 52" deck: 68" (172.72 cm) W 102" (259.08 cm) L

Precision Steering and Handling

With an operator-friendly combination of finger-tip steering and the Forward Speed Control, the Walker Mower goes precisely where you want it to with little effort.

FORWARD SPEED CONTROL

Once in the drive position, the Forward Speed Control uses a friction lock to work as a cruise control, allowing you to control the mower by simply applying pulling pressure on the steering levers. To stop, pull the Forward Speed Control back to the Neutral-Park position.

STEERING LEVERS


Walker Mower steering levers take control the moment pressure is applied. Each steering lever is spring-dampened, providing smooth machine operation. You can easily steer the machine by controlling both levers with a single hand, only using gentle fingertip pressure. The steering system is designed for precision steering and handling, using optimal linkage geometry and high-quality components.



Grass Handling System® (GHS)

Walker invented the internal Grass Handling System® on its first mower, and it remains the most efficient way to vacuum grass clippings, leaves, and debris from the lawn.

Collection decks move clippings to a center, rear discharge chute where an internal blower vacuums grass clippings and debris, and then blows it directly into a compact, rear-mounted grass catcher box. The PowerFil® oscillating chute evenly packs clippings, and the Grass-Pak® full signal alerts the operator when it is time to empty the catcher. To dump clippings, the operator simply lifts the catcher with the side handles, or utilizes the optional Power Dump or Hi-Dump® add-ons from the operator seat.



Pictured: S14i with optional Power Dump

Integrated Components


Walker Mowers are engineered to ensure the entire grass collection system is internal. This intentional effort has allowed Walker Mowers to retain their compact footprint. There are no bulky tubes or bags extending beyond the footprint of the mower. By positioning the GHS blower internally, a powerful vacuum action is achieved, leaving a carpet-like appearance to your lawn in spring, summer, and fall.



Internal GHS 12.75" (32.38 cm) Blower (Model S)



Internal GHS 10.5" (26.67 cm) Blower (Models C, T, D)





Customer Profile: **Bill Caudill**

Bill Caudill of Vancouver, Washington, has a quiet retreat for a back yard. This beautiful slice of heaven was landscaped 12 years ago by a friend of the family to prepare for Bill and his wife, Sandy, to host the wedding and reception of one of their twin daughters. Lowering the growing surface and repurposing the dirt as a barrier at the back of the yard were the primary jobs and were done masterfully to create an elegantly tiered yard that includes luxurious plantings and a beautiful stand of Kentucky bluegrass.

To maintain the turf, Bill recently purchased a Walker Model R. He says he wishes he had purchased a Walker many years prior: "I told Sandy that if I had bought a Walker 30 years ago, I am certain it would still be running because of how easy it is to work on, and I know the turf would have been beautiful all of these years."

Bill says the back yard at their residence continues to be a source of enjoyment. "We continue to do things for our grandkids to be able to enjoy visiting," shares Bill. "The perimeter path for the kids to ride their bikes is just the start; we are planning an in-ground trampoline as well."





Model S Standard Features

- High capacity, commercial engine air filtration
- Precision steering system
- Forward Speed Control
- Hydro-Gear ZT3100 transmissions
- Tilt-up decks and tilt-open body
- Flexible deck-carrier frame
- Grass Handling System® (GHS)
- 12.75 inch (32.38 cm) Thru-Shaft® PTO GHS blower
- Oscillating PowerFil® chute with Grass-Pak® full signal
- 7 bushel (8.7 cu. ft.) grass catcher

Model S Popular Add-ons

- Power Dump
- LED Headlights
- Adjustable Footrests
- Dethatcher
- 48 inch (121.92 cm) Dozer Blade
- 36 inch (91.44 cm) Single-Stage Snowblower
- Spyker Spreader and Mount


\mathbb{S} 14i

- 14 HP Kohler Command Pro EFI engine
- Superior fuel efficiency
- 6.5 MPH (10.5 km/h) ground speed
- 1.9 gallon (7.2 liter) fuel tank
- Deck options: 3 collection, 3 mulching, 2 discharge

\mathbb{S}_{18}

- 18 HP Briggs and Stratton Vanguard engine
- Increased displacement and torque
- 7.4 MPH (11.9 km/h) ground speed
- 4 gallon (15.1 liter) fuel tank
- Deck options: 5 collection, 4 mulching, 5 discharge









See more details at: walker.com/model-s







Model C Standard Features

- High capacity, commercial engine air filtration
- Precision steering system
- Forward Speed Control
- Eaton Model 7 transmission with ductile cast iron gearbox final drive
- Tilt-up deck and tilt-open body
- Flexible deck-carrier frame
- 4 gallon (15.1 liter) fuel tank
- Grass Handling System® (GHS)
- 10.5 inch (26.67 cm) GHS blower
- Oscillating PowerFil® chute with Grass-Pak® full signal
- 7 bushel (8.7 cu. ft.) grass catcher

Model C Popular Add-ons

- LED Headlights
- Comfort Seat
- Dethatcher
- Operator Soft Cab
- Implement Hitch with electric ram lift
- 42 inch (106.68 cm) Two-Stage Snowblower
- Power Dump
- 48 inch (121.92 cm) Dozer Blade



- 19 HP Kohler Command Pro CH620 engine
- Entry level commercial mower
- Deck options: 6 collection, 4 mulching, 7 discharge



- 19 HP Kohler Command Pro ECH630 EFI engine
- Superior fuel efficiency
- Deck options: 7 collection, 4 mulching, 7 discharge







Pictured: C19i with a 42 inch (106.68 cm) collection deck

See more details at: walker.com/model-c







Model T Standard Features

- Commercial air filter with remote air intake and turbine pre-cleaner
- Precision steering system
- Forward Speed Control
- Eaton Model 7 transmission with ductile cast iron gearbox final drive
- Flexible deck-carrier frame
- Tilt-up deck and tilt-open body
- 4.7 gallon (17.8 liter) fuel tank
- Grass Handling System® (GHS)
- 10.5 inch (26.67 cm) GHS blower
- Oscillating PowerFil® chute with Grass-Pak® full signal
- 10 bushel (12.4 cu. ft.) grass catcher

Model T Popular Add-ons

- Hi-Dump® grass catcher system raises 67 inches (170.18 cm) with automatic catcher door actuation
- Power Dump
- LED Headlights
- Dethatcher
- Implement Hitch with electric ram lift
- 42 inch (106.68 cm) Two-Stage Snowblower
- 48 inch (121.92 cm) Dozer Blade
- Spyker Spreader and Mount

\mathbb{Z}_{23}

- 23 HP Kohler Command Pro CH680 engine
- Commercial mower with carbureted engine
- Comfort Seat with optional armrests
- Non-collection version is available
- Deck options: 7 collection, 5 mulching, 8 discharge

727i

- 26.5 HP Kohler Command Pro ECH749 EFI engine
- Superior fuel efficiency
- Simple, reliable operation with easy starting
- Comfort Seat with optional armrests
- Non-collection version is available
- Deck options: 7 collection, 5 mulching, 8 discharge

















Model D Standard Features

- Automatic glow plug preheat
- Transverse engine mount
- Liquid-cooled with self-cleaning radiator
- Impressive 34 ft-lb torque
- High-capacity, commercial-engine air filtration
- Precision steering system
- Forward Speed Control
- Eaton Model 7 transmission with ductile cast iron gearbox final drive
- Grammer 4-way adjustable Suspension Seat
- Tilt-up deck and tilt-open body
- Flexible deck-carrier frame
- High output 40-amp charging system
- Grass Handling System® (GHS)
- 10.5 inch (26.67 cm) GHS blower
- Oscillating PowerFil® chute with Grass-Pak® full signal

Model D Popular Add-ons

- Hi-Dump® grass catcher system raises 67 inches (170.18 cm) with automatic catcher door actuation
- Power Dump
- LED Headlights
- Dethatcher
- Operator Soft Cab
- Implement Hitch with electric ram lift
- 42 inch (106.68 cm) Two-Stage Snowblower
- 48 inch (121.92 cm) Dozer Blade



- 20.9 HP three cylinder Kubota D722 diesel engine
- 10 bushel (12.4 cu. ft.) grass catcher
- Deck options: 7 collection, 5 mulching, 8 discharge







Pictured: D21d with a 52 inch (132.08 cm) collection deck





Model R Standard Features

- 21 HP Kohler KT620 with Smart-Choke® technology for easy starts in hot and cold weather
- Hydro-Gear EZT transmissions
- Ogura® electric blade clutch and brake with easy pull/push switch operation
- Tilt-up deck and tilt-open seat
- 3 gallon (11.4 liter) custom molded, low profile fuel tank with integrated fuel level gauge
- Flexible deck-carrier frame
- Precision steering lever control system
- Forward Speed Control
- Two drive belts with spring-loaded tensioning idler pulleys: ground drive and blade drive

Model R Popular Add-ons

- Comfort Seat
- Tow Hitch
- Mulching Kit including bolt-in baffles and serrated mulching blades
- Accelerator® 3.3 bushel (4.2 cu. ft.) side-mount grass catcher
- LED Light Kit



The Model R features a 3-year, 300 hour, caster-to-caster residential warranty. All parts and components are covered against manufacturer's defect.

\mathbb{R} 21 with S42 deck

- 42 inch (158.99 cm) cutting width
- Belt-driven blades with dampened belt tensioner for smooth, quiet operation
- Custom blade spindles with grease zerk and bleed valve
- Molded rubber side discharge deflector shield

\mathbb{R} 21 with S48 deck


- 48 inch (181.70 cm) cutting width
- Belt-driven blades with dampened belt tensioner for smooth, quiet operation
- Custom blade spindles with grease zerk and bleed valve
- Molded rubber side discharge deflector shield



See more details at: walker.com/model-r







Model B Standard Features

- High-capacity, commercial engine air filtration
- Precision steering system
- Forward Speed Control
- Hydro-Gear ZT3100 transmissions
- Flexible deck-carrier frame
- Tilt-up deck and tilt-open body

Model B Popular Add-ons

- Utility Bed
- LED Headlights
- Suspension Seat
- Dethatcher
- 48 inch (121.92 cm) Dozer Blade
- 36 inch (91.44 cm) Single-Stage Snowblower
- Spyker Spreader and Mount
- Big Tire Kit



- 26.5 HP Kohler Command Pro ECH749 EFI engine
- Superior fuel efficiency and economy
- Integrated electric Ogura® electric clutch with Soft Start
- Comfort Seat
- 4.7 gallon (17.8 liter) fuel tank
- Deck options: 5 mulching, 7 discharge



Pictured: B27i with a 52 inch (132.08 cm) mulching deck





Model H Standard Features

- Grammer 4-way adjustable Suspension Seat
- High capacity, commercial engine air filtration
- Precision steering system
- Hydro-Gear ZT3400 transmissions
- 3 Model H-specific mowing decks with integrated
 Deck Height Adjuster and Adjustable Foot Rest
- Flexible deck carrier frame
- Tilt-up deck and tilt-open body
- 9.4 gallon (35.6 liter) fuel capacity, dual tanks
- Deck options: 1 mulching, 9 discharge

Model H Popular Add-ons

- Power Tilt-Up® deck lift
- Operator Hard Cab
- LED Headlights

#24d

- Deck arm adapter kit, allowing compatibility with 6 additional Walker mowing decks
- Implement Hitch with electric ram lift
- 50 inch (127.00 cm) Two-Stage Snowblower

23.7 HP Kohler KDW1003 diesel engine

Liquid cooled with self-cleaning radiator

Automatic glow plug preheat

Rubber isolation engine mounts

Standard ROPS and Utility Bed

- 60 inch (152.40 cm) Rotary Broom
- 60 inch (152.40 cm) Dozer Blade

//27i

- 26.5 HP Kohler Command Pro ECH749 EFI engine
- Superior fuel efficiency
- Lightest weight Model H, minimizing tire marks and turf damage

川37i

- 37 HP Briggs and Stratton Vanguard Delphi fuel injected engine
- Superior fuel efficiency
- High output 50-amp charging system







Pictured: H37i (left, middle) and H24d (right) both with a 64 inch (162.56 cm) rear discharge deck

See more details at: walker.com/model-h



Customer Profile: Spring Green Landscaping

Paul Camara of Spring Green
Landscaping in Exeter, Rhode Island,
is a craftsman, plain and simple. This
third generation business owner has
a natural eye for excellence, and an
old-school bent for hard work, with
beautifully finished results as his primary
enjoyment. Paul is a hands-on owner
who, along with his three employees,
fill their five-day work week with the
maintenance, including bed, plant, tree
and lawn care, for 15 estate properties
along the coast of Rhode Island.

Even though Spring Green only cuts lawns for two days a week, Paul says the Walker plays a critical role in Spring Green's success in maintaining these beautiful properties. "Without a doubt, we have to make the lawns look as good as the rest of the properties, and we have found no other mower gives us the finished quality like we get with the Walker Mower."

Camara says his company's reputation depends on the work they produce using the right tools. "Our ongoing success relies on our customers knowing that they are receiving the best care on their entire property whether we are trimming a tree, shaping a bush or striping a lawn."









Mulching Decks

Mulching decks are designed to efficiently re-cut material to fine particles and return them to the turf, leaving a beautiful cut.



M36 36 inch (91.44 cm)



M42 42 inch (106.68 cm)



M42B 42 inch (106.68 cm)



Pictured: B27i with a 52 inch (132.08 cm) mulching deck

S42-R/S48-R Mulch Kits Mulch Kits for S42-R/S48-R (Model R only)



M48 48 inch (121.92 cm)



M52 52 inch (132.08 cm)



S52 Mulch Kit Mulch Kit for S52 (P/N 8691)



S61 Mulch KitMulch Kit for S61
(P/N 2692-1)

walker.com



Collection Decks

Collection decks are compatible with the Walker Grass Handling System® (GHS) Models S, C, T, and D. Clippings are discharged from the deck through the internal blower and discharge chute, and stored in the GHS catcher box.



C42R 42 inch (106.68 cm) Reverse Rotation



C4848 inch (121.92 cm)
Standard Rotation



C36R 36 inch (91.44 cm) Reverse Rotation



C48R 48 inch (121.92 cm) Reverse Rotation



C42 42 inch (106.68 cm) Standard Rotation



C52R 52 inch (132.08 cm) Reverse Rotation

Standard vs Reverse Rotation

Standard rotation blades come together at the front of the deck, moving material directly into the rear discharge chute. Standard rotation decks are ideal for users who need to collect thick, heavy clippings, including leaves and other yard debris.

Reverse rotation blades come together at the rear of the deck, moving material around the edges of the deck before it is channeled into the discharge chute. Reverse rotation decks are ideal for users looking for exceptional cut quality, in mowing conditions without wet, heavy clipings or debris.





Side Discharge Decks

Compatible with all Walker Mowers, side discharge decks cleanly and evenly discharge cut grass from under the deck housing.



\$36 36 inch (91.44 cm) Gear Drive



\$42 42 inch (106.68 cm) Gear Drive



\$42-R/\$48-R 42/48 inch (106.68/121.92 cm) Belt Drive (Model R only)



\$48 48 inch (121.92 cm) Gear Drive



\$52 52 inch (132.08 cm) Belt Drive



\$56 56 inch (142.24 cm) Gear Drive



\$61 61 inch (154.94 cm) Belt Drive (Model H only)



\$62 62 inch (157.48 cm) Belt Drive



\$7474 inch (187.96 cm)
Gear Drive

walker.com



Rear Discharge Decks

Designed specifically for Model H mowers with high production and fast mowing speeds, Walker rear discharge decks process clippings numerous times before cleanly and evenly discharging clippings out the back of the deck, leaving an evenly cut turf.



R52 52 inch (132.08 cm) (Model H only)



R64 64 inch (162.56 cm) (Model H only)

Gear vs Belt Drive

Walker gear-driven decks utilize aluminum or cast iron gearboxes with bevel Zerol gear technology for durable and quiet function. The timed blades provide exceptional cut quality and striping, and allow a compact design for improved trimming and maneuverability.

Walker belt-driven decks use a robust spindle and belttensioning idler design, and are best suited for rougher mowing conditions with debris or ground contact occurring. Walker belt-driven decks feature tool-free belt change and easy-to-maintain spindles and components.



Multi-Deck

Designed for customers who need to collect and side discharge throughout the season, the Walker Multi-Deck is a cost effective way to have two mowing styles in a single deck. This quiet, belt-driven deck uses a torsion-flex carrier to freely articulate and follow ground contour for a beautiful cut. And, like other Walker decks, the underside and blades are accessible with the tilt-up function for easy transition between configurations and maintenance.



U4848 inch (121.92 cm)
(Collection configuration)



U4848 inch (121.92 cm)
(Side Discharge configuration)



Available Deck Add-ons*

- Dethatcher attachment
- Boom Sprayer attachment
- Pneumatic Deck Tires
- Deck Height Adjuster
- Adjustable Footrests
- Spyker Spreader and Mount
- Deck Cuff Kit
- Break Away Blades

- Curb Jumper
- Power Tilt-Up® Deck Lift for S61, R52, R64 decks

*Visit walker.com for deck add-on compatibility.

Deck Compatibility

Collection Decks

	S	С	Т	D	R	В	Н
C36R	•	•	•	•			
C42/R	•	•	•	•			
C48/R		•	•	•			
C52R		•	•	•			

■ Model S18 only, C48R deck only. ● Model C19i only.



Deck Compatibility continued

Discharge Decks

	S	С	Т	D	R	В	Н
S36	•	•	•	•		•	
S42	•	•	•	•		•	
S42-R					•		
S48-R					•		
S48		•	•	•		•	A
S52		•	•	•		•	A
R52							•
R64							•
S56		•	•	•		•	A
S61							•
S62		•	•	•		•	A
S74			•	•		•	A



Mulching Decks

	S	С	Т	D	R	В	Н
M36	•	•	•	•		•	
M42	•	•	•	•		•	
M42B	•	•	•	•		•	
S42-R Kit					•		
S48-R Kit					•		
M48		•	•	•		•	A
M52			•	•		•	
S52 Kit		•	•	•		•	A
S61 Kit							•

▲ Requires Deck Arm Adapter Kit P/N 2430-10. ■ Model S18 only.

Multi-Deck

	S	С	Т	D	R	В	Н
U48		•	•	•			

■ Model S18 only.








Customer Profile: Blueville Nursery

No matter what the four seasons bring to the Manhattan, Kansas area, the seven landscape maintenances crews of Blueville Nursery will be in action with their fleet of Walker Mowers. During the heavy grass growth of spring, it will be Walker collection decks paired with their GHS equipped mowers. In the summer heat, it will be efficient mulching decks for increased productivity and healthy turf. When the leaves of autumn start flying, Blueville shifts back to Walker collection decks for leaf cleanups. And, when winter snow starts piling up, the Walker Mower paired with a Walker Dozer Blade or Snowblower makes quick work of winter cleanup.


Jade Barta, Maintenance Division Head for Blueville Nursery, says the Walker is key to the year-round success of the company. He points to the Walker's compact design and precision steering and handling as two of his favorite advantages. "With the Walker, we can do a better job than larger mowers on the lawns. Plus, in winter, we are so much more efficient than walkbehind snowblowers. Whether we are handling eight inches of snow or ice, collecting leaves or just making lawns beautiful in the summer, the Walker is a key part of our efficiency while also keeping our customers satisfied."



eliveries







Implement Hitch

The Implement Hitch replaces the mower deck and installs on the tractor in just a few minutes. Implements then slide onto the hitch and lock in place with the flip of a lever for true "quick-change" capability. The Hitch assembly includes operator footrests and an electric

power lift. A switch raises and lowers implements and is quadrant mounted on the Forward Speed Control lever for convenient operation.

Models C, T, D:	P/N H10
Model H:	P/N H19

Option: Tail Weights

Tail weights are used for counterbalancing many Walker front-mounted addons such as a snowblower, loader bucket, or rotary broom. Tail weights also improve handling when using large decks on the lighter models. The castiron weights bolt directly to the chassis frame or the split-axle tail.

Model B: 10 lb	P/N 2647-3
Model H: 50 lb	P/N 2647-10
Model H: 55 lb	P/N 2647-11
Extra 55 lb weight	P/N 2647-6
Model C, T, D: 85 lb	P/N 7647
Extra 10 lb weight	P/N 7647-5



Rotary Broom

The Rotary Broom, with a 47" or 60" sweeping path and five-position angle head, is ideal for sweeping debris or light snow from hard surfaces.

The Rotary Broom excels at sweeping and removing gravel and debris from turf areas along roads, paths, and playing fields, and can also be used for lawn dethatching and raking. Down pressure is spring counter-weighted and is adjustable for great sweeping action and minimum brush wear. The Rotary Broom is another way to extend the usability of the Walker commercial riding lawn mower. Requires Implement Hitch (see page 34).

Models C, T, D: 47".....P/N H13 Model H: 60".....P/N H20

Optional Gauge Wheels are available to better control depth of brush engagement. It is especially useful when working on turf. *P/N 1399*





35



Dozer Blade (48" or 60")

The Dozer Blade is a powerful tool able to tackle a variety of tasks, from cleaning up after a snow storm to backfilling irrigation trenches. It is designed and built by Walker, using the latest fabrication technology, precision tooling, and quality workmanship.


Blade design features a simple foot-actuated angle-adjust mechanism that allows the operator to quickly set the blade to five different positions, and also employs trip-over protection with adjustable preload. The steel cutting edge is replaceable, with four mounting positions for extended life.

Requires Implement Hitch (see page 34).

Models C, T, D, H: 48" (121.92 cm)......P/N H11 Models T, D, H: 60" (152.4 cm)......P/N H16

An optional Polyurethane Wear Strip Kit is available for use on sensitive surfaces:

48" (121.92 cm) P/N 6625-10 60" (152.4 cm) P/N 6625-11



Loader Bucket

A versatile tool for landscaping work, the Loader Bucket will push, scoop, haul and grade dirt, stone, gravel, and mulch. It lifts approximately 180 lb (82kg), holds 2.25 cu. ft. (64 liter) of material, and features 14" (35.56 cm) ground clearance for transport. The Loader Bucket has a high-strength steel cutting edge with tilting action, is powered by a 500 lb electric ram. It is available for use on models C, T, and D. It requires an Implement Hitch (see page 34). *P/N H18*





Debris Blower

Useful for landscape clean-up and leaf removal, the Debris Blower quickly mounts to the Implement Hitch and gives the Walker Mower owner full three-season use.

The 13.5" (34.29 cm) Debris Blower delivers 125 MPH velocity and a 230 degree manual directional control. The same high-quality construction found in each of our commercial mowers is built into this and each implement we offer. It requires an Implement Hitch (see page 34). *P/N H14*

Two-Stage Snowblower (42" or 50")

This powerful add-on throws snow up to 40 feet (12.192 meters) with a directional discharge spout that can be adjusted 228 degrees from the operator seat. The chute pitch-adjustment allows for fine control of throw angle and distance, and comes with an optional electric control kit. With the electric height-adjustment of the Implement Hitch, the Snowblower will make quick work of even the deepest of snowfalls. It requires an Implement Hitch (see page 34).

Models C, D, T, H: 42" (106.68 cm)......P/N H12 Model H: 50" (127.00 cm)......P/N H17

Optional Chute Control Kit: *P/N 6623-4*





Add-ons: Attachments

Attachments mount interchangeably on most Walker models and do not require the use of an Implement Hitch. Some attachments replace the deck, while others attach to the deck or to the tractor body.





Hard Cab

The Hard Cab shields the operator from winter weather when using a Snowblower, Rotary Broom or Dozer Blade. It includes two hinged doors, glass windshield with electric windshield wiper, LED headlights, and circulation fan. It requires a ROPS kit for mounting (see page 39).

Model H:.....P/N A33

Optional Operator Cab Heater (use only with H37i): P/N 2200-24



Soft Cab

The Soft Cab shields the operator from winter weather when using a Snowblower, Rotary Broom or Dozer Blade. It features a hinged door with glass windshield, electric windshield wiper, and LED Headlights.

Front Cab Extension Flap (protects operator when using Dozer Blade): *P/N 7661-4*

walker.com

ROPS

The Walker Roll-Over Protection Structure (ROPS) consists of a high-strength steel roll bar and retracting inertial-reel seat belt. The ROPS system features a hinged roll bar that can be folded down for convenient transport and storage.



Single-Stage Snowblower 36"

Just the right size for tackling sidewalks and driveways, the 36" (91.44 cm) Single-Stage Snowblower attachment mounts directly in place of the mower deck in just a few minutes. A simple manual lifting mechanism and footrests are integrated with the Snowblower mount. No separate implement hitch is required. The Snowblower is compatible with models S, C, T, D, and B. The Snowblower is the perfect winter season add-on to give the Walker year-round versatility. It is a compact, powerful addition to the Walker Mower, throwing snow up to 20 feet. *P/N A11*



The Spyker Spreader Attachment combines a Spyker S80-12010 Pro-Series Spreader with the versatile Walker Mower. No tools are needed to secure the spreader to the carrier frame of the Walker 42 inch, 48 inch, or 52 inch gear-driven decks.

Spyker Spreader and Mount...... P/N A39 Spyker Spreader Mount only...... P/N A38







Dethatcher

The Dethatcher on the front of the Walker Mower is the ideal setup to quickly dethatch and mow a property. When used with the Grass Handling System on Models S, C, T, and D, lawn thatch and debris are lifted, vacuumed, and collected in one pass. The Dethatcher features front-gauge wheels which allow the dethatching tines to maintain consistent depth on uneven or articulating properties.

The Dethatcher quickly attaches to the front of most 36", 42", 48", and 52" Walker gear-driven decks with integrated adjustable mounting saddles. A lift lever with foot trigger lowers and raises the Dethatcher for easy transport when driving between lawn areas. Gauge wheels are adjustable to set and tune tine depth. The foldable handle allows the Dethatcher to be stored vertically against a shop wall or tied down against a trailer sidewall. *P/N A10*





Optional Wall Mount: Securely and compactly mount the Dethatcher off the floor in a spacesaving manner on your shop or garage wall. *P/N 6606-11*

Boom Sprayer

A helpful attachment for property maintenance, the Boom Sprayer easily mounts to all 42", 48", 52", 56", and 62" Walker decks, and offers a 96" (243.84 cm) spray pattern, allowing operators to apply fertilizer or weed control in an efficient manner.

A spray gun with a 20-foot (6.09 meter) hose allows the operator to leave the mower and apply liquid material to all landscape features. The spray tip adjusts to offer varying output, from a mist to a 35-foot (10.66 cm) stream. The 25-gallon (94.63 liter) tank allows easy cleaning of the tank and spray system. *P/N A16*

Mounting on 52" & 62" decks requires two Rear Sprayer Supports *P/N B037*





48" Dozer Blade

Developed to provide a durable, simple, and productive attachment for the Walker, the Dozer Blade incorporates a manual lifting mechanism not requiring an implement hitch. The Dozer Blade features a foot-actuated, angle-adjust mechanism that allows the operator to quickly set the blade to five different angles. The blade employs trip-over protection with adjustable preload to allow operators to focus on productivity, and not on what is hiding under the snow or dirt. A replaceable steel wear strip comes standard, and an optional polyurethane wear strip is also available. *P/N A32*

Adapter kits are required for using the A32 Dozer Blade:

Options are available for the A32 Dozer Blade:

Polyurethane Wear Strip Kit 48" P/N 6625-10 Blade Attachment Power Lift Kit P/N 6622-17



Add-ons: Options



Comfort Seat

The Comfort Seat (shown left) is custom-designed with improved seat-bolstering and back profile for increased posture and support. The base cushion features Elastometric Vibration Control which greatly increases comfort during operation.

The Comfort Seat cover is made of marine grade, UV resistant industrial vinyl and features impermeable contrasting yellow stitching and subdued Walker branding embroidered on the seat back. The wear-resistant seat cover is easily replaceable. Matching armrests are available as an optional upgrade. The comfort seat comes standard on Models T and B.

Models T, D	P/N 6104-8
Models B, S, C	P/N 6104-9
Model R	P/N 6104-10
Optional Armrests	P/N 6104-6

Suspension Seat

Made by Grammer, this full-spring Suspension Seat includes dampening and adjustments for back angle, lumbar support and operator weight. Armrests are standard on the Suspension Seat. It is standard on Models D21d and H24d.

Model B	P/N 4103-1
Model C	P/N 6103-43
Model T	P/N 6103-46
Models D. H	P/N 6103-14



Foldable armrests can be added to the Comfort or Standard Seat. They offer enhanced operator comfort and security. Armrests conveniently fold up when not in use. Armrests are standard equipment on the Suspension Seat.

Standard Seat: P/N 5885 Comfort Seat: P/N 6104-6



Utility Bed

The Utility Bed can replace the rear body assembly on the Model B, providing convenient storage and transport of material or tools. With manual dump functionality, the Utility Bed also adds all-season versatility to the Model B or H24d. It is standard on Models H24d, and the non-collection versions of T23, T27i, and D21d. *P/N* 4650-2





Headlights

The LED Headlights incorporate a durable, cast aluminum housing with five LED lamps in each light assembly. The lights are positioned to illuminate the front and sides of the mower deck, providing increased situational awareness and safety for both the operator and bystanders.

Models B, C, H27i, H24d	P/N 5989-13
Model S	P/N 5989-14
Model R	P/N 5989-15
Models D, T	P/N 7989-14
Model H37i	P/N 2989-12

Cup Holder

Featuring a unique front-mount design, the Cup Holder gives the operator easy access to his or her drink. The Cup Holder frame is powder-coated metal and incorporates rubber tabs to secure different sized and shaped cups and tumblers up to 3.25 inches in diameter. It is not Model R compatible. *P/N 5744-9*



Instrument Panel Cover

This sturdy canvas Instrument Panel Cover protects the instrument panel on Walker Models D and T when parked outside or trailered in rain or snow. *P/N 7307-2*







Power Dump

The Walker Power Dump provides convenience and time-saving to commercial mowing companies and homeowners alike by giving the operator the ability to dump the grass catcher from the operator seat. A toggle switch operates the 12-volt electric linear actuator that provides the dumping and door-opening action, which completes in about 10 seconds.



Hi-Dump®

The Walker Hi-Dump® raises up 67 inches (170.18 cm) and dumps collected grass and debris into a truck or trailer in a 20-second cycle without the operator ever needing to leave the seat. Powered by a 12-volt electric/hydraulic system, the lifting and dumping functions work independently and are controlled by two toggle switches near the operator's seat. It is available for Models D and T. *P/N A21*

Large Hole Screen

When mowing in wet conditions, this screen with 3/4" holes stays cleaner to help prevent clogging. This screen easily interchanges with the standard screen.

7.0 bu. Catcher: P/N 7512-7 10.0 bu. Catcher: P/N 7512-11



No-Catch Deflector

The No-Catch Deflector easily installs in the grass catcher door frame to allow "non-collection" rear-discharge mowing with GHS models. Grass clippings are safely deflected downward and spread across

the door opening.

7.0 bu. Catcher: P/N 7500-2 10.0 bu. Catcher: P/N 8500-2



GHS Blower Lockout

The Blower Lockout disengages the Grass Handling System® (GHS) blower to reduce noise and increase power when using a side discharge deck, mulching deck or PTO-driven attachment or implement. Disengaging the blower also prevents grass, snow, or debris from entering the grass catcher. *P/N 7541-1*



Dump Bag

The reusable, fabric Dump Bag helps make on-thejob cleanup a lot easier. It is sized to fit the grass catcher door opening, allowing the operator to cleanly handle clippings and easily transport them.

9.5 bu. Catcher: P/N 5598 10.0 bu. Catcher: P/N 5598-2



Dump Bins

These two bins slide into the Walker 10-bushel catcher, making the dumping of grass clippings much easier by dividing the clippings in half. This is especially useful for single operators working by themselves.

Set of Dump Bins......P/N 8510-11 Left Side Dump BinP/N 8510-9 Right Side Dump Bin......P/N 8510-10







Deck Height Adjuster

The mechanical Deck Height Adjuster installs directly onto the Walker mowing deck. It offers quick and easy cutting height adjustments in 1/4 inch increments, using a single hand lever within reach of the operator's seat.

C36R, S36, M36	P/N A22
C42, S42, M42	P/N A23
C48, S48, M42B, M48	P/N A24
C48R, C52R	P/N A25
S52*	P/N A26
S62**	P/N A27
S56	P/N A28
C42R	P/N A29

^{*}A26 SN 163318 and prior S52 decks.

Deck Height Washers

Deck Height Washers allow finer adjustments of cutting height on compatible decks. Use these to adjust deck height by 1/4 inch.

36", 42", 48", 52", and 56" gear drive decks.....P/N 5727-1 52", 62" belt drive, 74" gear drive decks......P/N 8727





^{**}A27 SN 187999 and prior S62 decks.

Power Tilt-Up®

Available for the Model H, the Power Tilt-Up® makes it easy to automatically tilt up decks for maintenance, transportation and storage. Tilt-up action uses a 12-volt electric linear-actuator easily mounted to any Model H mower equipped with an S61, R52, or R64 deck with adjustable footrests. The use of a tailweight is suggested (see page 34).

Models H27i, H37i P/N A35 Model H24d......P/N A36





Deck Lift

The Deck Lift raises the front casters of the deck a few inches off the ground to avoid wear and tear on the deck while transporting. The Deck Lift mounts directly to a Walker tractor and deck. Compatible only when Standard Seat is installed.

Model B......P/N 4645 Models C, T, D.....P/N 8645

Break Away Blades


Use Break Away Blades in mowing conditions with frequent ground contact and/or excessive debris. Break Away Blades lessen the impact and shock loading on the deck drive-train and reduce blade damage. Cutting blades can be easily replaced or removed for sharpening.

\$56......P/N 5705-32 \$42.....P/N 5705-33 \$74.....P/N 5705-34 \$48.....P/N 7705-8



Adjustable Footrests

These Adjustable Footrests clamp onto the carrier frame. They are easy to install and adjust, making for a comfortable ride for operators with shorter legs.







Deck Cuff

Airflow and deck contour tend to push grass at the very edges of the deck away from the cutting blades. The Deck Cuff acts as a channel to direct grass at the edge of the deck into the blade cutting path, restoring full deck cutting width.

C36R	P/N 7704-2
C48R	P/N 7704-4
C52R	P/N 7704-5

Spread Axle Tail Wheel

The Spread Axle Tail Wheels track in line with the drive tires for grass conditions where the center tail wheel track may not be preferred. This offers a clean look to the striping, improves straight tracking, and also contributes to stability when operating on hillsides.



Dual Tail Wheel

The Dual Tail Wheel comes standard on Models T and D. Featuring two independent pneumatic tires, it offers less turning resistance than the Single Wide Tail Wheel, offering mowing with greater agility and precision. *P/N 7420-20*

Single Wide Tail Wheel

The Single Wide Tail Wheel creates a single, uniform tire stripe in the middle of the cutting width for a clean-looking stripe-pattern. It is not recommended for delicate turf, D Models, or machines equipped with a Hi-Dump® due to the increased turning friction at the contact patch of the tail wheel. *P/N 8049*





Tail Wheel Lock

The Tail Wheel Lock uses a locking solenoid and detent to hold the tail wheel into a "straight ahead" position. This dramatically improves the ability to create straight stripes and stability for hillside mowing. An On/Off toggle switch located on the Forward Speed Control makes it easy to control from the operator seat. *P/N 8540*

18 x 7-8 Turf Tire

The $18 \times 7-8$ Turf Tire is ideal for use with narrow decks, attachments, or implements. With these tires, the overall width of the tractor stays within the cut width of Walker's 36 inch decks. These tires come standard on the Model S14i. *P/N* **5033-6**

18 x 7-8 Directional AT Tire

The 18 x 7-8 AT Tire features a high-traction, directional tread. It is ideal for increased traction in a variety of situations such as snow removal, dirt work, and mowing where a narrow, aggressive tire is needed. It is perfectly paired with the 36 inch Single-Stage Snowblower, the 48 inch Dozer Blade, or 36 and 42 inch decks.

Left Drive Tire: P/N 5034-1 Right Drive Tire: P/N 5034-2

18 x 8.5-10 Turf Tire

The 18 x 8.5-10 Turf Tire features a low profile sidewall for increased stability on slopes and less sidewall flex in turns. The 18 x 8.5-10 Turf Tire keeps overall tractor width less than 42 inches, ideal for narrower decks, attachments, or implements. This tire is standard on Models B, C, S18, and Models T and D with ROPS. *P/N 5075-3*








18 x 8.5-10 AT Tire

These aggressive 18 x 8.5-10 high-traction tires feature increased traction useful for snow removal, dirt work, and other challenging mowing conditions. The tire width maximizes deck overhang for improved trimming capability, as well as dozer blade overhang to increase blade side reach. *P/N 8070-9*



The 18 x 9.5-8 Turf Tire is a good balance of low ground pressure, operator comfort, and deck overhang for trimming ability. It is the standard tire on Model T and Model D Walker Mowers without ROPS. *P/N 7070-2*

18 x 10.5-10 Turf Tire

The 18 x 10.5-10 Turf Tire provides optimum traction and a large contact area, reducing ground pressure and protecting the turf. The low profile sidewall improves hillside handling. Due to its width, and for optional trimming, it should be paired with 48 inch or larger decks. *P/N 8075-4*

18 x 11-10 AT Tire

The 18×11 -10 All Terrain Tire is ideal for increased traction in a variety of situations ranging from hillside mowing to snow removal. It also features a low profile sidewall for increased stability and performance. *P/N* 8070-6

22 x 10.5-12 Turf Tire

The 22 x 10.5-12 Turf Tire provides optimum traction while minimizing turf damage in normal mowing conditions for the Model H. This tire is standard on the Model H. P/N 2071



23 x 10.5-12 AT Tire

The 23 x 10.5-12 All-Trail Tire features a moderately aggressive, bi-directional tread pattern ideal for challenging turf applications. The All-Trail Tire improves traction and hillside performance for the Model H. P/N 2071-2







23 x 10.5-12 Directional AT Tire

The 23 x 10.5-12 Directional All-Terrain Tire provides improved traction for the Model H and is ideal for snow, dirt, and challenging mowing and implement conditions. The Directional AT tread layout is open enough to shed snow and mud, yet the tire rolls smoothly and performs well on manicured turf. *Left Tire: P/N 2070-5, Right Tire: P/N 2070-6*







Pneumatic Deck Tire

For operators who like the ability to fine-tune the performance and ride of their Walker Deck, we offer a pneumatic tire option. The Pneumatic Deck Tires replace the standard semi-pneumatic tires and allow for adjustment of air pressure.

Tire and inner tube only: P/N 5715-15
Tire, inner tube, and wheel assembly: P/N 5715-17







Semi-Pneumatic Deck Tire

Never again experience the downtime of having a flat deck tire. The Semi-Pneumatic Deck Tires are molded, structural rubber with a hollow core, and come standard on most Walker Decks.

Tire, wheel and axle assembly: P/N 5715-22 Tire only: P/N 5715-16







Tire Chains

The Tire Chains are used for extra traction while working in snow with a Walker Snowblower, Rotary Broom or Dozer Blade. There are tire chains to fit every Walker model.





Add-on Compatibility

Implements	S	С	Т	D	R	В	Н
Implement Hitch ¹		•	•	•			•
47" Rotary Broom		•	•	•			
60" Rotary Broom							•
48" Dozer Blade		•	•	•			•
60" Dozer Blade			•	•			•
Loader Bucket		•	•	•			
Debris Blower		•	•	•			
42" Two-Stage Snow Blower		•	•	•			
50" Two-Stage Snow Blower							•

Attachments	S	С	T	D	R	В	Н
Operator Soft Cab		•	•	•			
Operator Hard Cab							•
ROPS		•	•	•			•
36" Single-Stage Snow Blower	•	•	•	•		•	
Dethatcher ²	•	•	•	•		•	
Boom Sprayer ²	•	•	•	•		•	•
48" Dozer Blade	•	•	•	•		•	
Spyker Spreader and Mount	•	•	•	•		•	

Options	S	С	T	D	R	В	Н
Comfort Seat	•	•	•	•	•	•	
Suspension Seat		•	•	•		•	•
Armrests	•	•	•	•	•	•	•
Utility Bed			•	•		•	
Headlights	•	•	•	•	•	•	•
Cup Holder	•	•	•	•		•	•
Instrument Panel Cover			•	•			
Tail Weights		•	•	•		•	•
Power Dump	•	•	•	•			

Options (continued)	S	С	Т	D	R	В	Н
Hi-Dump®			•	•			
Large Hole Screen	•	•	•	•			
No-Catch Deflector	•	•	•	•			
GHS Blower Lockout		•	•	•			
Dump Bag	•	•	•	•			
Dump Bins			•	•			
Deck Height Adjuster ²	•	•	•	•		•	•
Deck Height Washers ²	•	•	•	•		•	•
Curb Jumper ²	•	•	•	•		•	•
Power Tilt-Up®							•
Deck Lift	•	•	•	•		•	•
Break Away Blades²	•	•	•	•		•	
Adjustable Footrests ²	•	•	•	•		•	•
Deck Cuff ²	•	•	•	•			
Spread Axle Tail Wheel		•	•	•			
Dual Tail Wheel			•	•			
Single Wide Tail Wheel			•	•			
Tail Wheel Lock			•	•			
18 x 7-8 Turf Tire	•	•	•	•	•	•	
18 x 7-8 Directional AT Tire	•	•	•	•	•	•	
18 x 8.5-10 Turf Tire	•	•	•	•	•	•	
18 x 8.5-10 AT Tire	•	•	•	•	•	•	
18 x 9.5-8 Turf Tire	•	•	•	•	•	•	
18 x 10.5-10 Turf Tire		•	•	•		•	
18 x 11-10 AT Tire		•	•	•		•	
22 x 10.5-12 Turf Tire							•
23 x 10.5-12 AT Tire							•
23 x 10.5-12 Directional AT Tire							•
Pneumatic Deck Tire ²	•	•	•	•		•	•
Semi-Pneumatic Deck Tire ²	•	•	•	•		•	
Tire Chains³	•	•	•	•	•	•	•

¹ Required for use of compatible implements. ² Visit walker.com for a full list of compatible decks. ³ Visit walker.com for a full list of compatible tires.

Walker Mower Specifications

	S14i	S18	C19	C19i	T23	T27i	D21d	R21	B27i	H24d	H27i	H37i
Engine	Kohler ECH440	B&S Vanguard	Kohler CH620	Kohler ECH630	Kohler CH680	Kohler ECH749	Kubota D722	Kohler KT620	Kohler ECH749	Kohler KDW1003	Kohler ECH749	B&S Vanguard
Fuel System	EFI	Carb	Carb	띩	Carb	EFI	Diesel	Carb	图	Diesel	띰	뛴
Cooling System	Air	Air	Air	Air	Air	Air	Liquid	Air	Air	Liquid	Air	Air
Displacement (cc)	429	570	674	694	674	747	719	660	747	1028	747	993
HР @ 3600 RPM	14	18	19	19	22.5	26.5	20.9	21	26.5	23.7	26.5	37
Max Torque (ft-lbs)	22.7	29.2	35	34.2	37.9	40	34	35.9	40	36.8	40	53
Fuel Capacity US gal (liter)	1.9 (7.2)	4 (15.1)	4 (15.1)	4 (15.1)	4.7 (17.8)	4.7 (17.8)	4.7 (17.8)	3 (11.4)	4.7 (17.8)	9.4 (35.6)	9.4 (35.6)	9.4 (35.6)
Drive Tire Size (diameter x width)	18×7	18×8.5	18×8.5	18×8.5	18×9.5	18x9.5	18x9.5	18×8.5	18×8.5	22x10.5	22x10.5	22×10.5
Top Speed (MPH & km/h)	6.5 (10.5)	7.4 (12)	6.5 (10.5)	6.5 (10.5)	6.5 (10.5)	6.5 (10.5)	6.5 (10.5)	7 (11.3)	8 (13)	10 (16)	10 (16)	10 (16)
Tractor + Deck¹ Length inch (cm)	87 (220.98)	89.25 (226.69)	89.25 (226.69)	89.25 (226.69)	93 (236.22)	93 (236.22)	93 (236.22)	93 ¹ (236.22)	90.75 (230.50)	107 (271.78)	107 (271.78)	108 (274.32)
Tractor + Deck ¹ Tilted Length inch (cm)	77 (195.58)	77 (195.58)	77 (195.58)	77 (195.58)	77 (195.58)	77 (195.58)	77 (195.58)	77 (195.58)	72 (182.88)	87.75 (222.88)	87.75 (222.88)	87.75 (222.88)
Height inch (cm)	46.5 (118.11)	46.5 (118.11)	47.5 (120.65)	47.5 (120.65)	50 (127)	50 (127)	50 (127)	42 (106.68)	39.5 (100.33)	50.5 ³ (128.27)	46.5 (118.11)	46.5 (118.11)
Tractor Only Width inch (cm)	36.25 (92.07)	36.25 (92.07)	37.75 (95.88)	37.75 (95.88)	39 (99.06)	39 (99.06)	39 (99.06)	39 (99.06)	38.5 (97.79)	46.5 (118.11)	(118.11)	46.5 (118.11)
Tractor Only Weight (lb & kg)	596 (270)	636 (289)	734 (333)	739 (335)	790 (358)	787 (357)	959 (435)	404 (183)	610 (277)	997 (452)	748 (340)	778 (353)
Tractor + Deck² Weight (lb & kg)	767 (348)	827 (390)	925 (420)	930 (422)	1009 (458)	1006 (457)	1178 (534)	575 (260)	848 (385)	1434 (650)	1185 (537)	1215 (551)
) ; ;) - - -		!	;					

S6C: C42, T6D: C48, R: S48, B: M48, H: R64. 2S: C36, C: C42, T 6 D: C48, R: 42" B: S48, H: R64. POPS folded. Note: The A21 Hi-Dump Kit weighs 175 lbs (79 kg)

Gasoline engines require unleaded 87+ octane

- Diesel engines require 2-D
- Full pressure lube systems with filter. S14i has mechanical splash lube system
- 12V electrical systems
- Flywheel alternator charging, D21d has belt-driven alternator
- Internal mechanical parking brake
- Ignition lockout by seat switch, transmission neutral, blade clutch, and parking brake
- push switch operation on Models R Electric blade clutch with easy pull/ and B27i
- Dual-lever steering, precision friction-lock Forward Speed Control

lever with neutral/park position

- All machines feature dual, independent hydrostatic transmissions
- Heavy-duty stamped steel cutting 4.5", or 1" to 5", varies per model
- belt tightener Blade clutch and brake with manual
- Welded, heavy gauge, steel chassis
- Cutting height 1.5" to 4", 1.5" to Decks and add-ons powered by
- blades, tempered
- - Deck carrier frame with flexible except for the Model R and counterweight springs splined PTO shaft with dual u-joints deck suspension, caster wheels, allowing dynamic articulation,
- Welded, 11 gauge steel decks Welded, 14 gauge steel bodies