# Rapid Deploying Composite Mats for Shelter Flooring, Work Platforms and Temporary Roadways







QUICK TO DEPLOY, EASY TO TRANSPORT, RELIABLE COMPOSITE MATTING SYSTEMS

### The Support You Need – Ready for Deployment Under the Harshest Conditions

Forward operating bases need two things above all else: to be completely mobile at a moment's notice and they need to protect people and equipment.

Signature manufactures a complete line of military-grade composite matting systems that are engineered to meet the rigorous demands of military applications and disaster relief operations without delay.

Signature provides shelter flooring for military and disaster relief organizations around the world.

Keep your personnel safe with stable working platforms and temporary structure flooring.

Provide easy-to-clean shelter flooring that keeps equipment dry, no matter the environment.

 Quickly build temporary roadways that allow vehicles to traverse ravaged terrain.

Speed up rescue, recovery, and relief efforts with reliable accessways.





## 

Heavy-duty drivable flooring for tents, storage facilities, mobile hospitals, and staging areas

Light-duty tent and temporary

structure flooring, pedestrian

walkways, and staging areas



**ACTUAL PANEL DIMENSIONS:** 

4 ft L x 4 ft W x 1<sup>1</sup>/<sub>2</sub> in H (16 ft<sup>2</sup>) 1.2 m x 1.2 m x 3.8 cm (1.49 m<sup>2</sup>) USABLE PANEL DIMENSIONS: 43.625 in X 43.625 in (13.216 ft<sup>2</sup>) 1.108 m x 1.108 m (1.23 m<sup>2</sup>) WEIGHT: 50 lbs. ea. (22.7 kg ea.) LOAD CAPACITY: 450 psi

40' ISO HC: 840 panels

#### **ACTUAL PANEL DIMENSIONS:**

4 ft L x 4 ft W x 1½ in H (16 ft<sup>2</sup>) 1.2 m x 1.2 m x 3.8 cm (1.49 m<sup>2</sup>)

**USABLE PANEL DIMENSIONS:** 

43.625 in X 43.625 in (13.216 ft<sup>2</sup>) 1.108 m x 1.108 m (1.23 m<sup>2</sup>) WEIGHT:

30.5 lbs. ea. (13.8 kg ea.) LOAD CAPACITY:

225 psi

40' ISO HC: 960 panels

SIZE: 6 ft L x 3 ft W x 1½ in H (18 ft<sup>2</sup>) 1.8 m x 0.9 m x 3.8 cm (1.67 m<sup>2</sup>) 40' ISO HC: 708 panels

Heavy-duty drivable flooring for tents, storage facilities, mobile hospitals, and staging areas



Light-duty tent and temporary structure flooring, pedestrian walkways, and staging areas



SIZE: 6 ft L x 3 ft W x 1<sup>1</sup>/<sub>2</sub> in H (18 ft<sup>2</sup>) (1.8 m x 0.9 m x 3.8 cm (1.67 m<sup>2</sup>) WEIGHT: 36 lbs. ea. (16.3 kg ea.) LOAD CAPACITY: 200 psi 40' ISO HC: 708 panels

## 



WEIGHT: 58.5 lbs. ea. (26.5kg ea.) LOAD CAPACITY: 600 psi





Heavy-duty temporary roadways, helicopter landing pads, and hangar floors

ALSO AVAILABLE WITH S<sup>2</sup> LOCK<sup>™</sup> CONNECTION SYSTEM



**SIZE:** 7.5 ft L x 14 ft W x 4 in H (2.3 m x 4.3 m x 10.16 cm) **WEIGHT:** 1,025 lbs. ea. (464.9 kg ea.) **LOAD CAPACITY:** 4,500 tons / 600 psi **40' ISO HC:** 42 mats

# SIGNA**ROAD**®

Fast deployment roadway and platform access matting for vehicles and equipment



SIZE: 6.8 ft L x 10 ft W x 2.5 in H (2.1 m x 3 m x 6.4 cm) WEIGHT: 496 lbs. ea. (225 kg ea.) LOAD CAPACITY: 1,950 tons / 400 psi 40' ISO HC: 90 mats

2

## 

Trackout system for minimizing the amount of dirt or sediment tracked from job sites



2.13 m L x 3.66 m W x 9.53 cm H (7.8 m<sup>2</sup>) **DIAMOND HEIGHT:** 2.875 IN (7.3 cm<sup>2</sup>) **WEIGHT:** 435 lbs (197.3 kg) **LOAD CAPACITY:** 45,000 lbs per diamond / 800 psi

7 ft L x 12 ft W x 3.75 in H (84 ft<sup>2</sup>)

**40' ISO HC:** Up to 96 mats

SIZE:

### DURA**DECK**®

Light-duty matting for near-instant access, temporary roadway and equipment support



SIZE: 4 ft L x 8 ft W x .5 in H (1.22 m x 2.4 m x 1.3 cm) WEIGHT: 87 lbs. ea. (40 kg ea.) LOAD CAPACITY: Up to 80 tons / 200 psi 40' ISO HC: 500 mats

23



### **STRENGTH IN BUSINESS**

### Signature Has Been a Global Leader in Composite Mats and Ground Protection Systems for Over 25 Years

### IN-HOUSE ENGINEERING

In-house engineering and manufacturing to ensure superior product performance

#### LATEST TECHNOLOGIES

Uses latest technologies for energy-efficient manufacturing processes and sustainability

#### SUSTAINABLE

Product lines provide customers with a sustainable ground protection solution

#### ESTABLISHED REPUTATION

Established reputation as a trusted partner to rental houses worldwide

 OUR COMMITMENT TO ESG
Integrated Environmental, Social, and Governance into every aspect of our business

#### LARGE AFTERMARKET

Large aftermarket support team is committed to customer success and exceptional service



#### **RECYCLING PROGRAM**

Signature has developed a verified Recycling Program for end of life products as part of our commitment to sustainability.



Protecting the world from the ground up.



US +1 972-684-5736 | UK +44 1642 744990 signature-systems.com