



RADIANS®

WORK HARD. STAY SAFE.®

CANADA PPE CATALOGUE



RADIANS CANADA DISTRIBUTION INC.

1487 Lindsey Place • Delta, B.C. V3M 6V1
Phone: 604-528-3564 • 877-723-4267
www.radians.com • sales@radians.com



WELCOME TO RADIANS LEADING THE WAY TO A SAFER TOMORROW






In 20 years, Radians has become a major leader in the safety industry by manufacturing high performance Personal Protective Equipment (PPE) for the industrial, construction, and safety markets. Fostering a culture of innovation, flexibility, and excellence, we create products, services and experiences that are leading the way to a safer tomorrow.

We manufacture premium product lines, such as DEWALT® and Crossfire®, and performance value brands. Our comprehensive line of safety equipment provides a variety of PPE solutions to satisfy style demands, comfort requirements, compliance concerns, and price considerations of end users.

You are important to us. We don't take our relationships and partnerships for granted. We are continuously evolving and expanding our product lines, our capabilities, and our processes to be your top tier supplier of quality safety solutions for the end user while consistently meeting our partners' expectations.

EYEWEAR STANDARDS

STANDARD	IMPACT SPEED	CALIBER / SIZE	PROJECTILE
CSA Z94.3-2015 Impact Resistance	152.6 feet / second	0.25 inch diameter steel projectile (25 caliber)	
	46.5 meters / second		
ANSI Z87 + High Velocity	150 feet / second	0.25 inch diameter steel ball (25 caliber)	
	45 meters / second		
High Mass Impact	17.6 oz / 50 in height	17.6 oz / 500 g pointed projectile dropped	
	500 g / 127cm height		



CSA Z94.3

- All styles indicated with Z94.3 are 3rd party tested
- Similar requirements to Z87.1
- Increased requirement for front side and side coverage area
- Test for Optical Resolution of lens tested over a greater portion of the lens
- Ignition and Flame Resistance

ANSI Z87.1

- All styles 3rd party tested
- Optics standards tested
- Impact Rated (High Velocity Impact, High Mass, Penetration)
- Meets coverage area standards
- Ignition and flame resistant

POLARIZED LENSES

The sun's rays reflect off of surfaces such as sand, water, and snow causing glare. Crossfire's polarized lens technology prevents glare by filtering out the reflected bent light and glare resulting in enhanced vision in harsh environments.




HD LENS TECHNOLOGY


Crossfire's High Definition (HD) Lens Technology provides enhanced vision by filtering the most damaging blue rays and allowing for more transmission of the High Definition light spectrum.



ENHANCED OPTICAL CLARITY



The optically correct portion of the lens blank is pinpointed and marked at the focal point.



The de-centered lens is cut to match the focal point with actual line of sight, ensuring optical clarity.

FRAME TECHNOLOGY

- TPR Technology increases the grip to keep glasses on your face.
- All polycarbonate lenses provide 99.9% UV protection and comply with ANSI Z87.1+ standards. Hard Coat provides scratch resistance.
- Flexible and durable Nylon materials on frames provide added durability and protection.

CSA Z96-15

- Similar to ANSI/ISEA 107 in terms of material and design requirements
- All background materials and retroreflective tape 3rd party certified
- Requires X on back
- Minimum area defined as full upper torso coverage including area under arm
- Available In:
 - Class I- Reduced requirements similar to ANSI 107 Type O (Offroad)
 - Class II- Maximum performance garment alone can achieve with full upper torso coverage and minimum amount of retroreflective tape
 - Class III can only be achieved by a class II garment with the addition of complaint arm and leg bands. Bands can be made onto sleeve and/or pants




WORKSAFE PPE-2 (BRITISH COLUMBIA)

- Reduced requirements for background materials and retroreflective tape as compared to ANSI/ISEA 107 and CSA Z96-15.
- Requires contrasting trim along with retroreflective tape.
- Available in:
 - Class I- similar to CSA Z96 Class II vests
 - Class II- Jackets
 - Class III- Harness or reduced requirement garment similar to CSA Z96 Class I
- CSA Z96 garments can be used in place of Worksafe PPE-2 compliant garments in British Columbia as well

ANSI/ISEA 107

- All background materials and retroreflective tape 3rd party certified
- Minimum requirements for product design, background area, striping patterns and area
- Available in Type O, Type R Class II, Type R Class III and Type P Class II/III

HEARING STANDARDS



NOISE REDUCTION

Although hearing protection regulations have been in place for decades, Noise Induced Hearing Loss (NIHL) is still a major occupational illness. Hearing loss is imperceptible at first with no pain or trauma. Unfortunately, once hearing damage occurs, it is irreversible; and your lifestyle at work and at home can be negatively impacted.

STANDARDS & TESTING

- **TESTED** - Radians tests all of our products against the current regulatory standards for their specific marketed regions.
- **UNIQUE** - Radians has installed a state-of-the-art hearing protection laboratory accredited through National Voluntary Laboratory Accreditation Program (NVLAP Lab 500090-0) for testing of hearing protection products to ANSI S3.19 and ANSI S12.6.
- **FOCUSED** - Radians focuses intently on product quality, regulatory standards, and testing.

Trusted by Radians



- Competitive Pricing
- Quality Performance
- Trusted Solutions



Classes Are Derived From Attenuation Data

A is the highest performance, L means protector has improved low frequency performance (per Z94.2-14)

$L_{ex,8h}$ (dBA)	Recommended Class
≤ 90	C
> 90 up to and including 95	B or BL
> 95 up to and including 105	A or AL
> 105	Dual*

*Dual hearing protection shall be used. A minimum of a Class B earmuff and a Class A earplug shall be used. Also, it is recommended that exposure durations be limited. As required by Clause 9.6.6.2, octave-band analyses shall be conducted for attenuation predictions, and more frequent audiometric testing shall be provided.

HEATED JACKET TECHNOLOGY



3-Zone Up to 7 hours of runtime on low setting using the 20V MAX* compact 1.5 Ah battery.



4-Zone Up to 5.5 hours of runtime on low setting using the 20V MAX* compact 1.5 Ah battery.



PROVIDE HOURS OF CORE BODY WARMTH AND CONTINUOUS HEAT



LED CONTROLLER OFFERS 3 TEMPERATURE SETTINGS WITH PRE-HEAT FUNCTION



DURABLE WIND RESISTANT OUTER SHELL. SELECT STYLES ARE ALSO WATER RESISTANT



USB POWER PORT FOR CHARGING PORTABLE ELECTRONICS




INCLUDES BATTERY FUEL GAUGE

With respect to 20V MAX, maximum initial battery voltage (measured without a workload) is 20 volts. Nominal voltage is 18.

With respect to 12V MAX, maximum initial battery voltage (measured without a workload) is 12 volts. Nominal voltage is 10.8.

**Actual run time varies depending on battery type and heat setting

Standardized testing of gloves ensures that the proper glove can be selected based on the hazards present. Current testing includes ratings for abrasion, tear, cut, and puncture. The new ANSI/ISEA 105-2016 standards and EN388 Testing methods have both adopted the TDM100 to provide consistency between the two tests. Also, ANSI cut levels have increased from five to nine. In addition to the old numerical designation (1-5), the new standards incorporate the alphabetical designation (A1-A9).




QUALITY ASSURANCE



The International Organization for Standardization (ISO) 9001 specifies requirements for a quality management system where an organization needs to demonstrate its ability to consistently provide product that meets customer and applicable statutory and regulatory requirements.

PRODUCT INNOVATION



Radians is not only a manufacturer and supplier of quality safety products, we develop and design new products

- To satisfy our customers' changing safety needs.
- To stay abreast of evolving market trends.
- To produce the highest quality PPE products at lowest possible costs to offer a value proposition.

EYEWEAR



REVELATION™



Fully Adjustable Temples - 5 Position Ratchet / 4 Position Length
Built-In Ventilation Channels and Rubber Nosepiece
Z94.3 Compliant & ANSI Z87.1 Compliant



PART NUMBER	LENS COLOR
RV0111D CA	Clear Anti-Fog
RV0121D CA	Smoke Anti-Fog
RV0190D CA	Indoor/Outdoor



MIRAGE™



Dual, Wraparound 9.75 Base Polycarbonate Lens
Sleek, Lightweight Design
Z94.3 Compliant & ANSI Z87.1 Compliant



Z94.3 / Z87.1

Z87.1

PART NUMBER	LENS COLOR
MRO110ID CA	Clear
MRO120ID CA	Smoke
MRO190ID CA	Indoor/Outdoor

PART NUMBER	LENS COLOR
MRO140ID	Amber
MRO160ID	Silver Mirror
MRO1B0ID	Light Blue



RAD-ATAC™



Lightweight Frame with One-Piece Polycarbonate Lens
Soft, Rubber Temples
Z94.3 Compliant & ANSI Z87.1 Compliant



PART NUMBER	LENS COLOR
AT1-10 CA	Clear
AT1-20 CA	Smoke
AT1-70 CA	Blue Mirror
AT1-90 CA	Indoor/Outdoor



CONCEALER™



Dual Injected Rubber Comfort Seal
Built-in Ventilation Channel



PART Number	LENS COLOR
DPG82-11	Clear Anti-Fog



EYEWEAR DISPLAY



PART Number	Description
9523	12 Pair Spinning Counter Display

* Product sold separately on all displays.

RAD-SEQUEL™



Soft, Rubber Tipped Temples and Nosepiece
Lightweight Design with Polycarbonate Lens
Z94.3 Compliant & ANSI Z87.1 Compliant



PART NUMBER	LENS COLOR
RS1-10 CA	Clear
RS1-11 CA	Clear Anti-Fog
RS1-20 CA	Smoke
RS1-60 CA	Silver Mirror
RS1-90 CA	Indoor/Outdoor



DPG51 RADIUS™

Soft, Rubber Nosepiece
Rubber-Tipped Temples
Z94.3 Compliant & ANSI Z87.1 Compliant



PART #	LENS COLOR
DPG51-1D	Clear
DPG51-2D	Smoke



DPG52 CONTRACTOR PRO™

Rubber-Tipped Temples
Soft, Rubber Nosepiece
Z94.3 Compliant & ANSI Z87.1 Compliant



PART #	LENS COLOR
DPG52-1D	Clear
DPG52-2D	Smoke



DPG54 PROTECTOR™

Ergonomic Lightweight Design
Rubber-Tipped Temples
Z94.3 Compliant & ANSI Z87.1 Compliant



PART #	LENS COLOR
DPG54-1D	Clear
DPG54-2D	Smoke



mp7

Full frame design with foam lining
Dual mold rubber temple grips
Z94.3 Compliant & ANSI Z87.1 compliant



2461 AF

Model #	Frame Color	Lens
2461 AF	Shiny Black	Smoke Anti-Fog
2444 AF	Crystal Black	Clear Anti-Fog
24615 AF	Shiny Pearl Gray	Indoor/Outdoor Anti-Fog
24116 AF	Brown/Foam Lined	HD Brown Anti-Fog
24223	Chrome/Foam Lined	Silver Mirror
24263	Pink/Foam Lined	Silver Mirror



shield

Eva foam-lined frame protects against dust and debris
Frameless lightweight design for all day comfort
Z94.3 Compliant & ANSI Z87.1 compliant



Model #	Frame Color	Lens
541 AF CA	Crystal Black	Smoke Anti-Fog
554 AF CA	Crystal Clear	Clear Anti-fog
5515 AF	Crystal Clear	Indoor/Outdoor Anti-Fog



m6a

Sleek full frame design for maximum protection
Rubber nosepiece for all day comfort



20278

Part Number	Frame Color	Lens
20278	White	Blue Mirror
20291	Crystal Black	Smoke
201615	Pearl Gray	Indoor/Outdoor



sniper

Vented rubber nosepiece for added comfort
Lightweight, flexible temples for a comfortable fit
ANSI Z87.1 compliant



9233



91116



91721

Model #	Frame Color	Lens
924	Matte Black	Clear
921	Matte Black	Smoke
9215	Shiny Pearl Gray	Indoor/Outdoor
91116	Crystal Brown	HD Medium Copper
9614	Shiny Black	Smoke Polarized



Part Number	Frame Color	Lens
925	Matte Black	Yellow
9117	Crystal Brown	HD Brown Mirror
9141	Yellow	Smoke
9233	Crystal Burgundy	Silver Mirror
91721	Military Camo	Green



es5

Rubber nosepiece for all day comfort
Dual mold rubber temple grips for better stability
ANSI Z87.1 compliant



291113

Part Number	Frame Color	Lens
2961	Shiny Pearl Gray	Smoke
2968	Shiny Black	Blue Mirror
29117	Crystal Brown	HD Brown Mirror
29215	Matte Black	I/O
291113	Crystal Brown	HD Brown Polarized



infinity

Vented rubber nosepiece for breathability
Dual mold rubber temple grips
ANSI Z87.1 compliant



2812



21126

Model #	Frame Color	Lens
241	Crystal Black	Smoke
21126	Crystal Brown	HD Brown Polarized



Part Number	Frame Color	Lens
224	Gray	Clear
263	Black	Silver Mirror
2117	Crystal Brown	HD Brown Mirror
2243	Pearl White	Silver Mirror
2812	Black-Orange	Gold Mirror
22528	Pink	Smoke



es4

Adjustable rubber nosepiece for added comfort
Dual mold, rubber temple grips for better stability



2169

Part Number	Frame Color	Lens
2123	Shiny Black	Silver Mirror
2141	Crystal Black	Smoke
2169	Matte Black	HD Red Mirror
211125	Crystal Brown	HD Brown Mirror



EYEWEAR



crucible



Adjustable rubber nosepiece for added comfort
Dual mold rubber temples for all day comfort



Part Number	Frame Color	Lens
40412	Crystal Black	Indoor/Outdoor

core

Rubber nosepiece for all day comfort
Rubber insert, sport temple grips for a snug fit



Part Number	Frame Color	Lens
1821	Black	Smoke
18615	Gun Metal	I/O
1864 AF	Gray	Clear Anti-Fog

core camo



18146



Part Number	Frame Color	Lens
181813	Mocha	HD Brown Polarized
18146	Woodland Camo	HD Brown

Kcbr



Vented rubber nosepiece for breathability
Dual mold, rubber temple grips for better stability



1583



Part Number	Frame Color	Lens
1524	Shiny Black	Clear
1583	Black-Orange	Silver Mirror
15117	Brown	HD Brown Mirror
15415	Black	I/O

093



Fits over glasses for protection



3116



Large to XLarge Sizes (141mm)

Part Number	Frame Color	Lens
3114	L/XL Pearl Gray	Clear
3116	L/XL Black	Smoke

brigade



Vented rubber nosepiece for breathability
Lightweight, half frame for all day use



1733



Part Number	Frame Color	Lens
1731	Matte Black	Smoke
1733	Shiny Black/Red	Silver Mirror
1734	Matte Black	Clear

rpg

Sleek, modern full-frame design for added protection
Dual mold, rubber temple grips for better stability



23125

Part Number	Frame Color	Lens
23125	Burnt Orange	HD Copper Mirror
23117	Brown	HD Brown Mirror
23233	Black-Red	Silver Mirror
23421	Crystal Black	Smoke
23615	Pearl Gray	I/O



23226



Model #	Frame Color	Lens
23226	Matte Black	HD Blue Mirror Polarized

ar3



Adjustable rubber nosepiece for added comfort
Dual mold rubber temple grips for better stability



Part Number	Frame Color	Lens
16146	Woodland Brown Camo	HD Brown

concept



Eva foam-lined frame protects against dust and debris
Vented rubber nosepiece for added comfort
ANSI Z87.1 Compliant



Model #	Frame Color	Lens
821 AF	Matte Black	Smoke Anti-Fog
844 AF	Crystal Black	Clear Anti-Fog
873	Orange/Black	Silver Mirror



710



Integral strap attachment without removing temples
EVA Foam-Lined frame protects against dust and debris



3541



Part Number	Frame Color	Lens
3541	Crystal Black	Smoke Anti-Fog
3564	Pearl Gray	Clea Anti-Fog

mk12



EVA Foam-Lined Frame protects against dust and debris
Adjustable temples to fit a wider range of faces



Part Number	Frame Color	Lens
1161 AF	Shiny Pearl Gray/Foam Lined	Smoke Anti-Fog
11615 AF	Shiny Pearl Gray/Foam Lined	I/O Anti-Fog

blade

Vented rubber nosepiece for breathability
One-piece, frameless lens for greater coverage



30210

Part Number	Frame Color	Lens
3023	Black	Silver Mirror
30210	Black	Emerald Mirror



blade anti-fog



30219 AF

Part Number	Frame Color	Lens
3021 AF	Black	Smoke Anti-Fog
3024 AF	Black	Clear Anti-Fog
3025 AF	Black	Yellow Anti-Fog
30219 AF	Black	Orange Anti-Fog



talon



Vented rubber nosepiece for breathability
Rubber insert temple grips for a snug fit



Part Number	Frame Color	Lens
124	Matte Black	Clear
12415	Matte Black	Clear, 1.5 diopter
12420	Matte Black	Clear, 2.0 diopter
12425	Matte Black	Clear, 2.5 diopter



accessories



Adjustable length
Lightweight and comfortable




Use to wipe lenses
Secure closure

Part Number	Description
G4	3/16 Adjustable Neck Cord
CR1	Black Microfiber Bag

UNIVERSAL FLEX SIDESHIELD™



SideShields are a quick and inexpensive way of supplying additional protection to visitors and employees wearing personal prescription eyewear. Flexible sideshields are engineered to fit all types of eyewear by easily attaching to temples and fronts.



99705

- Easy-on, easy-off; weaves through the temple
- No parts or tools required
- No metal parts
- Blocks 100% of U.V. rays
- Molded of soft bendable vinyl .075
- Absorbs the energy of impact
- Allows temples to fold correctly
- Conforms to ANSI Z87.1 Standards
- Patented
- Package: 60/pr per box

Model #	Color
99705	Clear
99706	Smoke





LENS CLEANING

LCS080600



Lens Cleaning Station

- 8oz. Cleaner
- 600 Low Lint Tissues
- Prevents Fogging
- Reduces Static



RESPIRATOR WIPES



**ALCOHOL FREE
RWF-100**

- 100 Count Alcohol Free Respirator Wipes
- Pre-Moistened
 - Individually Packaged
 - For use on Respirators and other PPE

**ALCOHOL
RW-100**

- 100 Count Respirator Wipes
- Pre-Moistened
 - Individually Packaged
 - For use on Respirators and other PPE



LENS CLEANING

LCD 100



100 Count Lens Cleaning Towelettes

- Cleans Polycarbonate and Glass Lenses
- Prevents Fogging
- Reduces Static
- Low Lint, Non Abrasive Towelette

LENS CLEANING TISSUES

Heavy Duty, Lint Free Tissues are strong and won't scratch lenses. Made of 100% recycled fiber.



1WT730

- K-Lens-M® Lint Free Tissue
- 4.25" x 8.5"

LENS CLEANING LIQUID

VisionAid Lens Cleaning Liquid is safe for cleaning glass, plastic, and polycarbonate lenses.

1LCL211BWSP

- 16oz. Bottle with Spray Pump



RAINWEAR



**ERW™ 35
RS01-NSYV**

ERW™ 35 RAINSUIT

Includes: Jacket, Bib, and Detachable Hood
35mm PVC/POLY
Fold Down Collar
Snap Front Closure
Vented Back Cape
Bib Style Overall

SIZES: M-6X



**DRIRAD™ 28
RS15-NSYV**

DURABLE RAINSUIT

Includes: Jacket, Bib, and Hood
28mm PVC/POLY/PVC
Self Extinguishing PVC
SE D6413 Tested

SIZES: M-5X



SV030X-2



HI-VIZ HEAVY DUTY CRUISER VEST

CSA Z96-2015: CLASS 2, LEVEL 2
WorkSafe BC PPE-2 Type 1
ANSI/ISEA 107-2015: TYPE R, CLASS 2

2" Silver Reflective Tape
 Zipper Closure
 X-Back Tape Design
 10 Pockets,
 includes 2 water bottle
 holders and 2 interior
 tablet pockets.)

SIZES: S-4X



SV020X-2



HI-VIZ HEAVY DUTY CRUISER VEST

CSA Z96-2015: CLASS 2, LEVEL 2
WorkSafe BC PPE-2 Type 1
ANSI/ISEA 107-2015: TYPE R, CLASS 2

2" Silver Reflective Tape
 Tear Away at Shoulders and Waist
 X-Back Tape Design
 Solid Front and Mesh Back
 100% Polyester Mesh
 7 Pockets (Includes
 credential holder,
 radio pocket, and
 3 interior pockets.)

SIZES: S-4X



SV010X-1



HI-VIZ ECONOMY VEST

CSA Z96-2015: CLASS 1, LEVEL 2
ANSI/ISEA 107-2015: TYPE R, CLASS 2

2" Silver Reflective Tape
 Adjustable Waist with Hook
 & Loop Closure
 Breakaway at Shoulders
 2 Pockets: Left Chest
 & Right Waist
 100% Polyester Mesh

SIZES: M/2X



SV020X-1



HI-VIZ HEAVY DUTY CRUISER VEST

CSA Z96-2015: CLASS 1, LEVEL 2
ANSI/ISEA 107-2015: TYPE O, CLASS 1

2" Silver Reflective Tape
 Tear Away at Shoulders and Waist
 X-Back Tape Design
 Solid Front and Mesh Back
 100% Polyester Mesh
 7 Pockets (Includes
 credential holder,
 radio pocket, and
 3 interior pockets.)

SIZES: S-4X



ST11BX-2

HI-VIZ SHORT SLEEVE COLOR BLOCKED T-SHIRT

CSA Z96-2015: CLASS 2, LEVEL 2
WorkSafe BC PPE-2 Type 1
ANSI/ISEA 107-2015: TYPE R, CLASS 2

2" Premium Heat Transferred, Stretchable
 Reflective Tape with Contrasting Trim
 Pockets: Left Chest
 100% Wicking Polyester Mesh
 Color Blocking at Base
 High Visibility
 Green Only

SIZES: S-4X



SJ01X-2

HOODED SWEATSHIRT WITH ZIPPER

CSA Z96-2015: CLASS 2, LEVEL 2
WorkSafe BC PPE-2 Type 1
ANSI/ISEA 107-2015: TYPE R, CLASS 2

2" Silver Reflective Material Tape with Contrasting Trim
 Full Front Zipper Closure
 Black Elastic Knit Waistband and Cuffs
 Materials: Polyester Fleece
 2 Lower Pouch Pockets
 Birds-Eye Mesh Lined Hood
 with Adjustable Pull Cords
 Low Piling Fleece
 High Visibility Green

SIZES: S-4X



SV030X-1



HI-VIZ HEAVY DUTY CRUISER VEST

CSA Z96-2015: CLASS 1, LEVEL 2
ANSI/ISEA 107-2015: TYPE O, CLASS 1

2" Silver Reflective Tape
 Zipper Closure
 X-Back Tape Design
 10 Pockets (Includes
 2 water bottle holders
 and 2 interior tablet
 pockets.)

SIZES: S-4X



SV030-1B
BLACK

SV030-1RO
ROYAL BLUE

SV030-1R
RED

SJ510X-3

4-IN-1 REVERSIBLE QUILTED JACKET WITH ZIP-OFF SLEEVES

CSA Z96-2015: CLASS 2, LEVEL 2
WorkSafe BC PPE-2 Type 1
ANSI/ISEA 107-2015: TYPE R, CLASS 2

Heavy Duty #5 Zipper Closure
 2" Silver Reflective Material Tape with Contrasting Trim
 Reflective Zippers
 Hidden Zipper Access in Back
 for Screenprinting
 Multiple Pockets
 Heavy Duty Coated Polyester
 High-Visibility Green & Grey

SIZES: S-4X



DCHJ060A S-3XL



DCHJ060AB - Black

SOFT SHELL

OUTER SHELL - POLYESTER SOFT SHELL
INNER SHELL - POLYESTER

- Now with heated arms
- Soft water and wind resistant polyester blend outer shell
- Adjustable cuffs and waistline
- 5 Pockets: L&R Waist, 1 external accessory pocket and 2 internal accessory pockets
- Expandable battery pocket to accept DEWALT XR 4.0 Ah battery packets

COMPLETE KIT (D1)

Includes: DCHJ060A Heated Jacket, DCB203 20V MAX* Lithium-Ion Battery (2.0 Ah), Charger and DCB092 USB Power Adapter

DCHJ072 M-2XL



LIGHTWEIGHT SOFT SHELL

OUTER SHELL - POLYESTER SOFT SHELL
INNER SHELL - POLYESTER FLEECE

- Durable water and wind resistant polyester outer shell
- Reflective piping and zipper for increased visibility
- 5 pockets: 2 zipper slash pockets, 1 external and 2 internal accessory pockets
- Adjustable cuffs and waistline
- Expandable battery pocket

COMPLETE KIT (D1)

Includes: DCHJ072 Heated Jacket, DCB203 20V MAX* Lithium-Ion Battery (2.0 Ah), Charger and DCB092 USB Power Adapter

BARE KIT (B)

Includes: DCHJ072 Heated Jacket, DCB092 USB Power Adapter

DCHJ075 S-3XL



QUILTED SOFT SHELL

OUTER SHELL - POLYESTER
INNER SHELL - POLYESTER

- Durable water and wind resistant polyester outer shell
- Quilted, insulated warmth without weight
- Reflective piping & zipper for increased visibility
- 5 Pockets: 2 zipper slash pockets, 1 external and 2 internal accessory pockets
- Expandable battery pocket

COMPLETE KIT (D1)

Includes: DCHJ075 Heated Jacket, DCB203 20V MAX* Lithium-Ion Battery (2.0 Ah), Charger and DCB092 USB Power Adapter

DCHJ076A S-3XL



DCHJ076AT - Tobacco

DCHJ076AB - Black

HEAVY DUTY

OUTER SHELL - 100% COTTON DUCKCLOTH
INNER SHELL - POLYESTER FLEECE

- Now with heated arms
- Durable water and wind resistant cotton outer shell
- Integrated drawstring hood
- Flannel lined hood, fleece lined body
- Hideaway cotton storm cuffs
- Flexible swing back detail in shoulders
- 2 large front pouch waist pockets, 1 vertical chest pocket, 1 internal accessory pocket

COMPLETE KIT (D1)

Includes: DCHJ076A Heated Jacket, DCB203 20V MAX* Lithium-Ion Battery (2.0 Ah), Charger and DCB092 USB Power Adapter

BARE KIT (B)

Includes: DCHJ076A Heated Jacket, DCB092 USB Power Adapter

DCHJ077 XS-2XL



WOMEN'S QUILTED

OUTER SHELL - POLYESTER
INNER SHELL - POLYESTER

- Quilted polyfill for comfortable wear
- Durable water and wind resistant polyester outer shell
- Contoured seams for a flattering look
- Hideaway cuffs with thumb holes
- 5 pockets: 2 front waist, 1 front chest and 2 internal accessory pockets

COMPLETE KIT (D1)

Includes: DCHJ077 Heated Jacket, DCB203 20V MAX* Lithium-Ion Battery (2.0 Ah), Charger and DCB092 USB Power Adapter

DCHJ067 M-3XL



FLEECE HOODIE

- Durable wind resistant cotton, polyester outer shell
- Waffle knit lining
- Built-in hood with adjustable drawstrings
- 3 total pockets: L&R waist, Inside Left Chest

BARE KIT (B)

Includes: DCHJ067 Heated Jacket, DCB092 USB Power Adapter

RWG603



Sizes: S,M,L,XL,XXL

OIL AND GAS

13 Ga Pepper HPPE Shell W/ Fiberglass

Sandy Foam Nitrile Palm Dip

TPR Overlays

Tested to EN 388:2016



U.S. Patent No. 9,241,519

RWG604



Sizes: S,M,L,XL,XXL

CUT PROTECTION

2 Ply 13 Ga Pepper HPPE Outer Shell

7 Ga Terry Acrylic Inner Shell

Black Micro Nitrile Palm Coating

TPR Overlays on Fingers and Back

Tested to EN 388:2003



U.S. Patent No. 9,241,519

RWG605



Sizes: S,M,L,XL,XXL

(Sold in dozens only)

WINTER CUT PROTECTION

2 Ply 13 Ga Blue and White HPPE Outer Shell

Waterproof Blue Smooth Latex Coating

Black Foam Latex Palm Dip

7 Ga Acrylic Terry Liner

Tested to EN 388:2003



CAUTION
Product Contains Latex

RWG800



COLD WEATHER HI-VIZ PERFORMANCE GLOVE

REFLECTIVZ™ Waterproof Plated Thermal Lined Palm
Synthetic Leather Nail Guards
Reflective Knuckle Strap
Wraparound Index Finger Seam

SIZES: M-XL



RWG532

TOUCHSCREEN

13 Ga Black HPPE Shell

Foam NBR Palm Dip

Tested to EN 388:2003

SIZES: M-XL



EN388:2003



4 3 4 3

4 - Abrasion
3 - Cut
4 - Tear
3 - Puncture



Meets ANSI/ISEA 105:2016 Cut Level A2



RWG550



CUT PROTECTION

13 Ga HPPE Shell

Polyurethane Palm Dip

Tested to EN 388:2016

SIZES: S-XXL



EN388:2016



4 2 4 2 B

Meets ANSI/ISEA 105:2016 Cut Level A2

RWG555

CUT PROTECTION

13 Ga Salt-N-Pepper HPPE Shell

Foam Nitrile Palm Dip

Tested to EN 388:2003

SIZES: S-XXL



EN388:2016



4 X 4 4 D

Meets ANSI/ISEA 105:2016 Cut Level A4

RWG533



CUT PROTECTION

18 Ga Green HPPE Shell

Sandy Foam Nitrile Palm Dip

Tested to EN 388:2003

SIZES: S-XXL



EN388:2003



4 3 4 1

Meets ANSI/ISEA 105:2016 Cut Level A2

RWG13

PU PALM DIPPED

15 Ga Gray Nylon Shell
Foam Nitrile Palm Dip
Tested to EN 388:2016

SIZES: S-XXL



RWG15

SMOOTH NITRILE PALM DIPPED

13 Ga Black Polyester Shell
Gray Smooth Nitrile Coating
Tested to EN 388:2016

SIZES: S-XL



RWG16

BLUE CRINKLE LATEX DIPPED

10 Ga Gray Polyester Shell
Blue Crinkle Latex Coating
Tested to EN 388:2016

SIZES: M-XL



CAUTION
Product Contains Latex



DPG20

ALL PURPOSE UTILITY
ToughGrip™ Thumb Saddle
Padded Palm & Knuckle
Elastic Wrist Strap

SIZES: M-XL



DPG212

PERFORMANCE DRIVER HYBRID
Rugged Reverse Leather Overlays
Premium Grade Cowhide Leather
Reinforced Thumb Saddle

SIZES: L-XL



DPG780

PERFORMANCE MECHANIC GRIP
Tacky Silicone Fingertip Grips
PVC Palm Grip Overlays
TPR Knuckle Guards
Leather Nail Guards

SIZES: M-XL



U.S. Patent No. 9,241,519



DPG737

2-IN-1 CWS™ THERMAL GRIPPER
Wicking Nylon Outer Shell
Acrylic Thermal Liner
Microfoam Latex ¾ Dip & Palm

SIZES: L-XL



DPG740

MILD CONDITION FLEECE
Wind/Water Resistant Shell
Palm & Finger Overlays
Reinforced Thumb Saddle

SIZES: M-XL



DPG70

TEXTURED RUBBER GRIP
Textured Rubber Palm
Breathable Knit Back
Ergonomic Design
Seamless Fit

SIZES: M-XL



CAUTION
Product Contains Latex



CAUTION
Product Contains Latex

Resistor



CSA Z94.2-15 Class AL
Style - Disposable
NRR - 32
Shape - Tapered Bullet
Color - Orange
Dielectric - Yes
Material - Polyurethane Foam
Size - Regular

FP70BG50 - Uncorded - 50pr Bag

FP70 - Uncorded - 200 Box / 2000 Case
FP71 - Corded - 100 Box / 1000 Case

Resistor



CSA Z94.2-15 Class BL
Style: Reusable
NRR: 27
Shape: 4 Flange Tapered
Color: Orange
Dielectric: Yes
Size: Regular

FP41 - Corded - 100 Box / 1000 Case

RAD BAND 2

BANDED HEARING PROTECTION

CSA Z94.2-15 Class BL
Style - Reusable
NRR - 25
Shape - Pronged
Color - Orange
Dielectric - Yes
Material - Polyurethane Foam
Size - Regular
Includes 1 pair replacement pods



RB2100 - Orange Band / Orange Pods



CUSTOM MOLDED EARPLUGS

CSA Z94.2-15 Class AL
Molds in 10 minutes
Soft, Permanent, Custom Fit
All Day Comfort
Easy to Follow Instructions
Safe, Non-toxic
Hypo-allergenic
Environmentally Friendly
Long Lasting and Washable

CEP002-B Blue Box
CEP002-T Tan Box
CEP002-R Red Box



SILENCER™

Rugged construction
Dielectric design
Padded headband

Individually Packed
in a Resealable Polybag

SLO1301D - Black and Red



CAP MOUNT

CSA Z94.2-15 Class B
Universal design
Fits virtually all slotted hard hats
Adjustable side wire guides
Soft, foam padded earcups



*Hard hats sold separately

CMT26 - Black Earcups



CSA Z94.2-15 Class AL
Adjustable Moisture Wicking Headband
Folding Feature



TRO160CS - Black

COOLING TOWEL

with Advanced ARCTIC™ Technology

Dimensions: 26" x 17" • Reusable Packaging • Cools up to 5 hours




RCS10
BLUE




COOLING WRAP

with Advanced ARCTIC™ Technology

Dimensions: 26" x 8.25" • Reusable Packaging • Cools up to 5 hours



RCS50
BLUE



HEADBAND

Headband Stretch Fit Design is protected under Patent Number D712,094



RCS105
BLUE



RCS109
CAMO



HEAD SHADE

Head Shade Stretch Fit Design is protected under Patent Number D746,555



RCS308
BLUE PAISLEY



RCS309
CAMO



PARTICULATE RESPIRATOR WITH ARCTIC VALVE™

The Cool, Clear Way To Breathe

- Quickly Disperses Heat Build-Up In Your Mask When Exhaling
- Reduces Fogging On Glasses
- Soft Liner/Soft Against Face
- Adjustable Nose Clip
- Comfort Straps



10 Per Box



PARTICULATE RESPIRATOR

- Soft Liner/Soft Against Face
- Adjustable Nose Clip
- Comfort Straps



20 Per Box



CANADA DISTRIBUTION

1487 Lindsey Place • Delta, B.C. V3M 6V1
Phone: 604-528-3564

Toll Free: 877-723-4267 • Fax: 901-266-2558
sales@radians.com • www.radians.com



HEADQUARTERS

5305 Distriplex Farms Drive
Memphis, TN 38141

Toll Free: 877-723-4267 • Fax: 901-266-2558
sales@radians.com • www.radians.com