



RADIANS®



RETRACTABLE TETHERS



sales@radians.com | www.radians.com | 877-723-4267

TETHER VESTS

SV59ZT S-5XL

HEAVY DUTY SURVEYOR with ZIPPER

- 8 Grommeted pockets for retractable tethers: Back of neck, front chest pocket, upper chest, back plan pocket and 4 in lower pockets
- Static attachment at back of neck for hard hat lanyard
- D-ring slot at back for use with fall protection
- ID credential pocket
- Heavy Webbing Reinforced Edging
- 2" Glass Bead Reflective Tape
- Mic Tab on Left Shoulder
- Grommets at Neck for Tool Tethers



ANSI/ISEA



Compliant Anchor Points

U.S. Pat. No. 10,299,572 B2



RRT-1344 – Small Radio Tether



RRT-1820 – Hard Hat Tether



RRT-0828 – Smart Phone Tether



RRT-0336 – Pen/Pencil Tether



RRT-2038 – Tool/Tape Measure Tether



RRT-2440 – Tablet/Radio Tether

RRT-1648 – 1lb Tool Tether

RRT-3253 – 2lb Tool Tether

RRT-MLTLAN – For Easy Tool Switching



TETHER VESTS

SV272T-2 M-5XL

MULTI-PURPOSE SURVEYOR VEST

- 5 Grommets pockets for retractable tethers: Back of neck, front chest pocket and 3 in lower pockets
- Static attachment at back of neck for hard hat lanyard
- D-ring slot at back for use with fall protection
- ID credential pocket
- 2" Silver Reflective Material Tape
- 1 Horizontal Stripe
- Contrasting Trime
- Mic Tab on Both Shoulders



ANSI/ISEA



Compliant Anchor Points

U.S. Pat. No. 10,299,572 B2



RRT-1820 – Hard Hat Tether



RRT-2038 – Tool/Tape Measure Tether
RRT-2440 – Tablet/Radio Tether



RRT-1344 – Small Radio Tether



RRT-0336 – Pen/Pencil Tether



RRT-0828 – Smart Phone Tether

RRT-1648 – 1lb Tool Tether

RRT-3253 – 2lb Tool Tether

RRT-MLTLAN – For Easy Tool Switching



Why is ANSI/ISEA 121 so important?

The product meets a testing performance standard that insures safety for both you and your coworkers!

- Tethers need to meet a 2x drop/2x length test from a solid anchor point under ambient/hot/cold temp and moisture.
- Anchor points need to meet a 1x load/2x length test with a non-shock absorbing lanyard.

RETRACTORS

The Radians Retractable Tether and Vest system provides you everything you need to conveniently access and secure tools and accessories that you normally carry in your vests. The durable and retractable tethers help avoid tool drops, improve productivity and create smart and safe work environments where tethering is necessary.

- Attaches gear to retractable cords for improved drop safety
- Quick Connect system for easy tool removal
- Pivoting ball connection reduces cable wear
- Versions available to fit various tools and accessories
- Works with Radians new specially designed tether vests

RRT-1344



Small Radio Tether

- 13 oz / 369 gm Load Limit
- 9 oz / 255 gm Retraction Force
- 44" / 111.8 cm Max Extension
- Spectra/Nylon Line
- Stainless Steel Spring & Hardware

Complies With ANSI/ISEA



RRT-0828



Smart Phone Tether

- 8 oz / 227 gm Load Limit
- 2.5 oz / 71 gm Retraction Force
- 28.5" / 72.4 cm Max Extension
- Spectra/Nylon Line
- Stainless Steel Spring & Hardware

Complies With ANSI/ISEA



RRT-1820



Hard Hat Tether

- 18 oz / 510 gm Load Limit
- 2.5 oz / 71 gm Retraction Force
- 20" / 50.8 cm Max Extension
- Spectra/Nylon Line
- Stainless Steel Spring & Hardware

Complies With ANSI/ISEA



RRT-0336



Pen/Pencil Tether

- 3 oz / 85 gm Load Limit
- 2.5 oz / 71 gm Retraction Force
- 36" / 91.4 cm Max Extension
- Spectra/Nylon Line
- Stainless Steel Spring & Hardware

Complies With ANSI/ISEA



RRT-1648



1lb Tool Tether

- 16 oz / 454 gm Load Limit
- 3 oz / 85 gm Retraction Force
- 48" / 121.9 cm Max Extension
- Spectra/Nylon Line
- Stainless Steel Spring & Hardware

Complies With ANSI/ISEA



RRT-3253



2lb Tool Tether

- 2 lb / .9 kg Load Limit
- 7 oz / 198 gm Retraction Force
- 53" / 134.62 cm Max Extension
- Nylon/Spectra Line
- Stainless Steel Spring and Hardware

Complies With ANSI/ISEA



RRT-2440



Tablet/Radio Tether

- 24 oz / 680 gm Load Limit
- 12 oz / 340 gm Retraction Force
- 40" / 101.6 cm Max Extension
- Spectra/Nylon Line
- Stainless Steel Spring & Hardware

Complies With ANSI/ISEA



RRT-2038



Tool/Tape Measure Tether

- 20 oz / 567 gm Load Limit
- 6 oz / 170 gm Retraction Force
- 38" / 96.5 cm Max Extension
- Spectra/Nylon Line
- Stainless Steel Spring & Hardware

Complies With ANSI/ISEA



RRT-MLTLAN



Tool Lanyard Accessory

- 3 Pack Tool Lanyard Accessory
- Allows For Easily Switching Tools Connected To Retractor
- Fits Retractor Models:
 - RRT-2440
 - RRT-2038
 - RRT-1648

Complies With ANSI/ISEA



WARNING: Cancer and reproductive harm - www.P65warnings.ca.gov

Scan QR Code for Installation Instructions

