



Certificate of Compliance

Certificate: 2358468

Master Contract: 251419

Project: 80019397

Date Issued: 2020-03-31

Issued To: Ortal Ltd
14 Haharash St.
Hod Hasharon, ., 45240
Israel

Attention: Tal Gross

The products listed below are eligible to bear the CSA Mark shown with adjacent indicators 'C' and 'US' for Canada and US or with adjacent indicator 'US' for US only or without either indicator for Canada only.

Issued by: Parker Burrola
Parker Burrola



PRODUCTS

CLASS 2901 84 – DOMESTIC HEATERS (GAS) Vented Fireplace – Certified to US Standards

CLASS 2901 04 – DOMESTIC HEATERS (GAS) Vented Fireplace

CLASS 8805 04/05- P4.1-02, P4.1-09 Testing Method for Annual Fireplaces Efficiency

For Use With Natural and Propane Gas
Direct Vent Gas Fireplace Heater

2901-04 & 2901-84
Model Number

Trade Name: Ortal, Lyric



Certificate: 2358468
Project: 80019397

Master Contract: 251419
Date Issued: 2020-03-31

	Single Burner Maximum Input Rating NG	Single Burner Maximum Input Rating Propane	Dual Burner Maximum Input Rating NG	Dual Burner Maximum Input Rating Propane
<u>Burner 30</u>				
Clear - 40/RS/LS/TS/Tunnel	23,670	21,000	---	---
Clear - 4070H /RS/LS/TS/Tunnel	23,670	21,000	---	---
Clear - 4070H TS Base	23,670	21,000	---	---
Clear - 4090H /RS/LS/TS/Tunnel	23,670	21,000	---	---
Stand Alone 40TS	23,670	21,000	---	---
Small Square	23,670	21,000	---	---
Classic Corner	23,670	21,000	---	---
Classic Modern	23,670	21,000	---	---
<u>Burner 45 (1)</u>				
Clear - 75/RS/LS/TS	29,100	22,118	33,029	28,500
Clear 75 Base	29,100	22,118	33,029	28,500
Clear - 75TS Base	29,100	22,118	33,029	28,500
Stand Alone 75/TS	29,100	22,118	33,029	28,500
Space Creator 75	29,100	22,118	33,029	28,500
Minimal – 75	29,100	22,118	33,029	28,500
Clear 75x65/Tunnel	29,100	22,118	33,029	28,500
Clear 75x65H /Tunnel	29,100	22,118	33,029	28,500
Stand Alone 75x65 Curve/Tunnel	29,100	22,118	33,029	28,500
Clear - 60x80/Tunnel	29,100	22,118	33,029	28,500
Minimal – 60x80/Tunnel	29,100	22,118	33,029	28,500
Classic F 70/80	29,100	22,118	33,029	28,500
4 Glass Island	29,100	22,118	33,029	28,500
Clear - 80/RS/LS/TS	29,100	22,118	33,029	28,500
Clear - 8070H/RS/LS/TS	29,100	22,118	33,029	28,500
Clear - 75H/RS/LS/TS	29,100	22,118	33,029	28,500
Traditional 90	29,100	22,118	33,029	28,500
Traditional 110	29,100	22,118	33,029	28,500
<u>Burner 45 (2)</u>				
Clear 75/RS/LS/TS		<u>(Orifice 260)</u>		<u>(Orifice 220/160)</u>
Clear 75 Base		24,637		34,459
		24,637		34,459



Certificate: 2358468
Project: 80019397

Master Contract: 251419
Date Issued: 2020-03-31

Clear - 75TS Base	24,637	34,459
Stand Alone 75/TS	24,637	34,459
Space Creator 75	24,637	34,459
Minimal – 75	24,637	34,459
Clear 75x65/Tunnel	24,637	34,459
Clear 75x65H /Tunnel	24,637	34,459
Stand Alone 75x65 Curve/Tunnel	24,637	34,459
Clear - 60x80/Tunnel	24,637	34,459
Minimal – 60x80/Tunnel	24,637	34,459
Classic F 70/80	24,637	34,459
4 Glass Island	24,637	34,459
Clear - 80/RS/LS/TS	24,637	34,459
Clear - 8070H/RS/LS/TS	24,637	34,459
Clear - 75H/RS/LS/TS	24,637	34,459
Traditional 90	24,637	34,459
Traditional 110	24,637	34,459

<u>Burner 45 (3)</u>	<u>(Orifice 320)</u>	<u>(Orifice 220/220)</u>
Clear 75/RS/LS/TS	28,343	53,238
Clear 75 Base	28,343	53,238
Clear - 75TS Base	28,343	53,238
Stand Alone 75/TS	28,343	53,238
Space Creator 75	28,343	53,238
Minimal – 75	28,343	53,238
Clear 75x65/Tunnel	28,343	53,238
Clear 75x65H /Tunnel	28,343	53,238
Stand Alone 75x65 Curve/Tunnel	28,343	53,238
Clear - 60x80/Tunnel	28,343	53,238
Minimal – 60x80/Tunnel	28,343	53,238
Classic F 70/80	28,343	53,238
4 Glass Island	28,343	53,238
Clear - 80/RS/LS/TS	28,343	53,238
Clear - 8070H/RS/LS/TS	28,343	53,238
Clear - 75H/RS/LS/TS	28,343	53,238
Traditional 90	28,343	53,238
Traditional 110	28,343	53,238



Certificate: 2358468
Project: 80019397

Master Contract: 251419
Date Issued: 2020-03-31

Burner 70

Clear 90 RS/LS/TS/Tunnel (B70)	33,127	19,591	36,154	35,260
Clear 90H RS/LS/TS/Tunnel (B70)	33,127	19,591	36,154	35,260

Burner 100

Clear - 110/RS/LS/TS/Tunnel	37,167	28,500	42,185	33,400
Clear - 110 Base	37,167	28,500	42,185	33,400
Clear - 110TS Base	37,167	28,500	42,185	33,400
Stand Alone 110 /TS	37,167	28,500	42,185	33,400
Minimal – 110/Tunnel	37,167	28,500	42,185	33,400
Island 130	37,167	28,500	42,185	33,400
Minimal – 130/Tunnel	37,167	28,500	42,185	33,400
Clear – 110H/HH RS/LS/TS/Tunnel	37,167	28,500	42,185	33,400
Clear 130H/HH RS/LS/TS	37,167	28,500	42,185	33,400
Clear - 130/RS/LS/TS/Tunnel/Top	37,167	28,500	42,185	33,400
Space Creator 120 / Mini / Midi	37,167	28,500	42,185	33,400
Space Creator 120H	37,167	28,500	42,185	33,400

Burner 100

Clear - 110/RS/LS/TS/Tunnel	
Clear - 110 Base	
Clear - 110TS Base	
Stand Alone 110 /TS	
Minimal – 110/Tunnel	
Island 130	
Minimal – 130/Tunnel	
Clear – 110H/HH RS/LS/TS/Tunnel	
Clear 130H/HH RS/LS/TS	
Clear - 130/RS/LS/TS/Tunnel/Top	
Space Creator 120 / Mini / Midi	
Space Creator 120H	

Orifice 380

35,316
35,316
35,316
35,316
35,316
35,316
35,316
35,316
35,316
35,316
35,316
35,316
35,316
35,316

Burner 135

Clear 140 RS/LS/TS/Tunnel	43,715	36,850	49,616	37,400
Clear – 150/H/RS/LS/TS/Tunnel	43,715	36,850	49,616	37,400
Space Creator 150	43,715	36,850	49,616	37,400
Space Creator 150H	43,715	36,850	49,616	37,400
Stand Alone 150	43,715	36,850	49,616	37,400



Certificate: 2358468
Project: 80019397

Master Contract: 251419
Date Issued: 2020-03-31

Clear 150H/HH RS/LS/TS/Tunnel	43,715	36,850	49,616	37,400
Clear 170/RS/LS/TS/Tunnel	43,715	36,850	49,616	37,400
Clear 170H/HH RS/LS/TS/Tunnel	43,715	36,850	49,616	37,400

Burner 135

Clear 140 RS/LS/TS/Tunnel		49,704		
Clear – 150/H/RS/LS/TS/Tunnel		49,704		
Space Creator 150		49,704		
Space Creator 150H		49,704		
Stand Alone 150		49,704		
Clear 150H/HH RS/LS/TS/Tunnel		49,704		
Clear 170/RS/LS/TS/Tunnel		49,704		
Clear 170H/HH RS/LS/TS/Tunnel		49,704		

Orifice 500

Burner 160

Clear – 200H/HH RS/LS/TS/Tunnel	51,277	36,659	58,200	37,500
Space Creator 200	51,277	36,659	58,200	37,500
Space Creator 200H	51,277	36,659	58,200	37,500
Clear - 250/RS/LS/TS/Tunnel	51,277	36,659	58,200	37,500
Clear – 250H/HH RS/LS/TS/Tunnel	51,277	36,659	58,200	37,500

Burner 160

Clear – 200H/HH RS/LS/TS/Tunnel		51,011		
Space Creator 200		51,011		
Space Creator 200H		51,011		
Clear - 250/RS/LS/TS/Tunnel		51,011		
Clear – 250H/HH RS/LS/TS/Tunnel		51,011		

Orifice 500

Burner 180

Clear 200 RS/LS/TS/Tunnel	52,700	57,045		
Clear 200H/HH /RS/LS/TS/Tunnel	52,700	57,045		
Space Creator 200	52,700	57,045		
Space Creator 200H	52,700	57,045		
Clear - 250/RS/LS/TS/Tunnel	52,700	57,045		
Clear – 250H/HH RS/LS/TS/Tunnel	52,700	57,045		



Certificate: 2358468
Project: 80019397

Master Contract: 251419
Date Issued: 2020-03-31

	<u>(Orifice 6mm)</u>	
<u>Burner 180</u>		
Clear 200 RS/LS/TS/Tunnel	82,802	
Clear 200H/HH /RS/LS/TS/Tunnel	82,802	
Space Creator 200	82,802	
Space Creator 200H	82,802	
Clear - 250/RS/LS/TS/Tunnel	82,802	
Clear – 250H RS/LS/TS/Tunnel	82,802	
Clear – 250HH RS/LS/TS/Tunnel	82,802	
<u>Two Burners (2x100)</u>		
Clear 250 DB F/RS/LS/TS/ Tunnel	81,509	70,890
Clear 250H/HH DB F/RS/LS/TS/ Tunnel	81,509	70,890
<u>Log Burner – Dark Brown/Chopped Wood</u>		
Wilderness Traditional 28i/36/36S/42	29,861	24,130
Wilderness 30 FR/RS/LS/TS	29,861	24,130
Wilderness 31	29,861	24,130
Wilderness Front 30H FR/RS/LS/TS	29,861	24,130
Wilderness Curve/Tunnel	29,861	24,130
<u>Log Burner – Driftwood</u>		
Wilderness 44H/HH FR/RS/LS/TS	32,163	31,426
Wilderness 51H/HH FR/RS/LS/TS	32,163	31,426
Wilderness 60H/HH FR/RS/LS/TS	32,163	31,426
Wilderness Traditional 28i/36/36S/42/51	32,163	31,426
Wilderness 36H	32,163	31,426
<u>Log Burner – Horizontal Driftwood</u>		
Wilderness 44H/HH FR/RS/LS/TS	36,467	
Wilderness 51H/HH FR/RS/LS/TS	36,467	
Wilderness 60H/HH FR/RS/LS/TS	36,467	
<u>Ember Bed</u>		
Wilderness 44H/HH FR/RS/LS/TS	64,461	
Wilderness 51H/HH FR/RS/LS/TS	64,461	
Wilderness 60H/HH FR/RS/LS/TS	64,461	



Certificate: 2358468
Project: 80019397

Master Contract: 251419
Date Issued: 2020-03-31

Wilderness Traditional 28i/36/36S/42/51 64,461
 Wilderness 36H 64,461

	Single Burner Minimum Input Rating NG	Single Burner Minimum Input Rating Propane	Dual Burner Minimum Input Rating NG	Dual Burner Minimum Input Rating Propane
<u>Burner 30</u>				
Clear - 40/RS/LS/TS/Tunnel	10,419	12,841	---	---
Clear - 4070H /RS/LS/TS/Tunnel	10,419	12,841	---	---
Clear - 4070H TS Base	10,419	12,841	---	---
Clear - 4090H /RS/LS/TS/Tunnel	10,419	12,841	---	---
Standalone 40TS	10,419	12,841	---	---
Small Square	10,419	12,841	---	---
Classic Corner	10,419	12,841	---	---
Classic Modern	10,419	12,841	---	---
<u>Burner 45 (1)</u>				
Clear 75/RS/LS/TS	16,147	13,811	18,327	17,796
Clear 75 Base	16,147	13,811	18,327	17,796
Clear - 75TS Base	16,147	13,811	18,327	17,796
Stand Alone 75/TS	16,147	13,811	18,327	17,796
Space Creator 75	16,147	13,811	18,327	17,796
Minimal – 75	16,147	13,811	18,327	17,796
Clear 75x65/Tunnel	16,147	13,811	18,327	17,796
Clear 75x65H /Tunnel	16,147	13,811	18,327	17,796
Stand Alone 75x65 Curve/Tunnel	16,147	13,811	18,327	17,796
Clear - 60x80/Tunnel	16,147	13,811	18,327	17,796
Minimal – 60x80/Tunnel	16,147	13,811	18,327	17,796
Classic F 70/80	16,147	13,811	18,327	17,796
4 Glass Island	16,147	13,811	18,327	17,796
Clear - 80/RS/LS/TS	16,147	13,811	18,327	17,796
Clear - 8070H/RS/LS/TS	16,147	13,811	18,327	17,796
Clear - 75H/RS/LS/TS	16,147	13,811	18,327	17,796
Traditional 90	16,147	13,811	18,327	17,796



Certificate: 2358468
Project: 80019397

Master Contract: 251419
Date Issued: 2020-03-31

Traditional 110	16,147	13,811	18,327	17,796
-----------------	--------	--------	--------	--------

Burner 45 (2)

(Orifice 260)

(Orifice 220/160)

Clear 75/RS/LS/TS		18,312		16,742
Clear 75 Base		18,312		16,742
Clear - 75TS Base		18,312		16,742
Stand Alone 75/TS		18,312		16,742
Space Creator 75		18,312		16,742
Minimal – 75		18,312		16,742
Clear 75x65/Tunnel		18,312		16,742
Clear 75x65H /Tunnel		18,312		16,742
Stand Alone 75x65 Curve/Tunnel		18,312		16,742
Clear - 60x80/Tunnel		18,312		16,742
Minimal – 60x80/Tunnel		18,312		16,742
Classic F 70/80		18,312		16,742
4 Glass Island		18,312		16,742
Clear - 80/RS/LS/TS		18,312		16,742
Clear - 8070H/RS/LS/TS		18,312		16,742
Clear - 75H/RS/LS/TS		18,312		16,742
Traditional 90		18,312		16,742
Traditional 110		18,312		16,742

Burner 45 (3)

(Orifice 320)

(Orifice 220/220)

Clear 75/RS/LS/TS		15,627		17,265
Clear 75 Base		15,627		17,265
Clear - 75TS Base		15,627		17,265
Stand Alone 75/TS		15,627		17,265
Space Creator 75		15,627		17,265
Minimal – 75		15,627		17,265
Clear 75x65/Tunnel		15,627		17,265
Clear 75x65H /Tunnel		15,627		17,265
Stand Alone 75x65 Curve/Tunnel		15,627		17,265
Clear - 60x80/Tunnel		15,627		17,265
Minimal – 60x80/Tunnel		15,627		17,265
Classic F 70/80		15,627		17,265
4 Glass Island		15,627		17,265



Certificate: 2358468
Project: 80019397

Master Contract: 251419
Date Issued: 2020-03-31

Clear - 80/RS/LS/TS	15,627	17,265
Clear - 8070H/RS/LS/TS	15,627	17,265
Clear - 75H/RS/LS/TS	15,627	17,265
Traditional 90	15,627	17,265
Traditional 110	15,627	17,265

Burner 70

Clear 90 RS/LS/TS/Tunnel	14,461	14,104	14,461	14,104
Clear 90H RS/LS/TS/Tunnel	14,461	14,104	14,461	14,104

Burner 100

Clear - 110 Base	22,800	22,900	28,878	26,837
Clear - 110TS Base	22,800	22,900	28,878	26,837
Stand Alone 110 /TS	22,800	22,900	28,878	26,837
Minimal 110 /Tunnel	22,800	22,900	28,878	26,837
Island 130	22,800	22,900	28,878	26,837
Minimal 130 /Tunnel	22,800	22,900	28,878	26,837
Clear – 110H RS/LS/TS/Tunnel	22,800	22,900	28,878	26,837
Clear – 110HH RS/LS/TS/Tunnel	22,800	22,900	28,878	26,837
Clear 130H RS/LS/TS Tunnel	22,800	22,900	28,878	26,837
Clear 130HH RS/LS/TS Tunnel l	22,800	22,900	28,878	26,837
Clear - 130/RS/LS/TS/Tunnel/Top	22,800	22,900	28,878	26,837
Space Creator 120 / Mini / Midi	22,800	22,900	28,878	26,837
Space Creator 120H	22,800	22,900	28,878	26,837

Burner 100

Clear - 110 Base	25,113
Clear - 110TS Base	25,113
Stand Alone 110 /TS	25,113
Minimal 110 /Tunnel	25,113
Island 130	25,113
Minimal 130 /Tunnel	25,113
Clear – 110H RS/LS/TS/Tunnel	25,113
Clear – 110HH RS/LS/TS/Tunnel	25,113
Clear 130H RS/LS/TS Tunnel	25,113
Clear 130HH RS/LS/TS Tunnel l	25,113
Clear - 130/RS/LS/TS/Tunnel/Top	25,113
Space Creator 120 / Mini / Midi	25,113

Orifice 380



Certificate: 2358468
Project: 80019397

Master Contract: 251419
Date Issued: 2020-03-31

Space Creator 120H 25,113

Burner 135

Clear 140 RS/LS/TS/Tunnel	23,300	27,100	28,878	27,467
Clear – 150/H/RS/LS/TS/Tunnel	23,300	27,100	28,878	27,467
Space Creator 150	23,300	27,100	28,878	27,467
Space Creator 150H	23,300	27,100	28,878	27,467
Stand Alone 150	23,300	27,100	28,878	27,467
Clear 150H-RS/LS/TS/Tunnel	23,300	27,100	28,878	27,467
Clear 150HH-RS/LS/TS/Tunnel	23,300	27,100	28,878	27,467
Clear 170/RS/LS/TS/Tunnel	23,300	27,100	28,878	27,467
Clear 170H-RS/LS/TS/Tunnel	23,300	27,100	28,878	27,467
Clear 170HH-RS/LS/TS/Tunnel	23,300	27,100	28,878	27,467

Burner 135

Clear 140 RS/LS/TS/Tunnel		Orifice 500		
Clear – 150/H/RS/LS/TS/Tunnel		34,008		
Space Creator 150		34,008		
Space Creator 150H		34,008		
Stand Alone 150		34,008		
Clear 150H-RS/LS/TS/Tunnel		34,008		
Clear 150HH-RS/LS/TS/Tunnel		34,008		
Clear 170/RS/LS/TS/Tunnel		34,008		
Clear 170H-RS/LS/TS/Tunnel		34,008		
Clear 170HH-RS/LS/TS/Tunnel		34,008		

Burner 160

Clear – 200H /RS/LS/TS/Tunnel	27,467	26,400	27,454	37,500
Clear – 200HH /RS/LS/TS/Tunnel	27,467	26,400	27,454	37,500
Space Creator 200	27,467	26,400	27,454	37,500
Space Creator 200H	27,467	26,400	27,454	37,500
Clear - 250/RS/LS/TS/Tunnel	27,467	26,400	27,454	37,500
Clear – 250H RS/LS/TS/Tunnel	27,467	26,400	27,454	37,500
Clear – 250HH RS/LS/TS/Tunnel	27,467	26,400	27,454	37,500

Burner 160

Clear – 200H /RS/LS/TS/Tunnel		Orifice 500		
		24,329		



Certificate: 2358468
Project: 80019397

Master Contract: 251419
Date Issued: 2020-03-31

Clear – 200HH /RS/LS/TS/Tunnel		24,329
Space Creator 200		24,329
Space Creator 200H		24,329
Clear - 250/RS/LS/TS/Tunnel		24,329
Clear – 250H RS/LS/TS/Tunnel		24,329
Clear – 250HH RS/LS/TS/Tunnel		24,329

Burner 180

Clear 200 RS/LS/TS/Tunnel	21,700	42,640
Clear 200H /RS/LS/TS/Tunnel	21,700	42,640
Clear 200HH /RS/LS/TS/Tunnel	21,700	42,640
Space Creator 200	21,700	42,640
Space Creator 200H	21,700	42,640
Clear - 250/RS/LS/TS/Tunnel	21,700	42,640
Clear – 250H RS/LS/TS/Tunnel	21,700	42,640
Clear – 250HH RS/LS/TS/Tunnel	21,700	42,640

**(Orifice
6mm)**

Burner 180

Clear 200 RS/LS/TS/Tunnel	40,548	
Clear 200H /RS/LS/TS/Tunnel	40,548	
Clear 200HH /RS/LS/TS/Tunnel	40,548	
Space Creator 200	40,548	
Space Creator 200H	40,548	
Clear - 250/RS/LS/TS/Tunnel	40,548	
Clear – 250H RS/LS/TS/Tunnel	40,548	
Clear – 250HH RS/LS/TS/Tunnel	40,548	

Two Burners (2x100)

Clear 250 DB F/RS/LS/TS/ Tunnel	47,872	34,008
Clear 250H DB F/RS/LS/TS/ Tunnel	47,872	34,008
Clear 250HH DB F/RS/LS/TS/ Tunnel	47,872	34,008

**Log Burner – Dark Brown/Chopped
Wood**

Wilderness Traditional 28i/36/36S/42	12,613	18,120
Wilderness 30 FR/RS/LS/TS	12,613	18,120



Certificate: 2358468
Project: 80019397

Master Contract: 251419
Date Issued: 2020-03-31

Wilderness 31	12,613	18,120
Wilderness Front 30H FR/RS/LS/TS	12,613	18,120
Wilderness Curve/Tunnel	12,613	18,120

Log Burner – Driftwood

Wilderness 44H/HH FR/RS/LS/TS	15,696	21,391
Wilderness 51H/HH FR/RS/LS/TS	15,696	21,391
Wilderness 60H/HH FR/RS/LS/TS	15,696	21,391
Wilderness Traditional 28i/36/36S/42/51	15,696	21,391
Wilderness 36H	15,696	21,391

Log Burner – Horizontal Driftwood

Wilderness 44H/HH FR/RS/LS/TS	23,862
Wilderness 51H/HH FR/RS/LS/TS	23,862
Wilderness 60H/HH FR/RS/LS/TS	23,862

Ember Bed

Wilderness 44H/HH FR/RS/LS/TS	42,566
Wilderness 51H/HH FR/RS/LS/TS	42,566
Wilderness 60H/HH FR/RS/LS/TS	42,566
Wilderness Traditional 28i/36/36S/42/51	42,566
Wilderness 36H	42,566

May employ outer glass extender kit, may be used on exterior walls

APPLICABLE REQUIREMENTS

ANSI Z21.88-2016/CSA 2.33-2016 - Vented Gas Fireplace Heaters
EEV P4.1-02, P4.1-09 Testing Method for Annual Fireplaces Efficiency



Supplement to Certificate of Compliance

Certificate: 2358468

Master Contract: 251419

The products listed, including the latest revision described below, are eligible to be marked in accordance with the referenced Certificate.

Product Certification History

Project	Date	Description
80019397	2020-03-31	Update Report to add Baoamac electrical lights system.
80009732	2020-02-28	May employ trade name Lyric and outer glass extension kit for exterior wall installation. Tested Model Clear 6575 Front with alternate larger orifice sizes for the size 45 burner on propane, and with new Log Burner DB on both natural and propane, Model Traditional 110 with alternate larger orifice size on the 45 size semi double burner on propane, Model Traditional 110 using Log Burner EB on natural, Model Clear 150HH Front with Log Burner MD on both natural and propane and Log Burner OM on natural, Model Clear 250HH Front with a single 180 burner with larger orifice size on natural and propane, and Model Clear 250HH Front with 2 1 meter burners on natural and propane.
000070186010	2018-06-05	Continuation of 70145247 for review of missing documentation and to finalize certification
000070031531	2015-08-21	Updated Gas Fireplaces to Gas Notice 329 to ANSI Z21.88/CSA 2.33-2014
0002758663	2014-11-21	Tested glass barriers to Gas Fireplaces requirement to (Gas Notices 294 & 329). Updated report to ANSI Z21.88/CSA 2.33-2014 and added Class Nos. 8805-05 P4.1-02 Testing Method for Annual Fireplace Efficiency.
0002605464	2013-09-25	Add alternate model nos. 4 Glass Island, Clear-250, 350, 400-RS,LS,TS, Tunnel and Power Vent System-Dura Vent and added gas components.
0002503686	2012-04-25	Corrected Factory Inspection Report.
0002440619	2011-08-11	Efficiency Testing CSA P.4.1-02 for Canadian Certification.
0002395268	2011-02-15	Address corrected to Certificate of Compliance.
0002358468	2011-01-14	Original Certification