




THE WILDERNESS COLLECTION


51H Corner (RS/LS) Double Glass/Protective Screen - Flush





Front View





Model	(H) Height	(W) Width	(D) Depth	HZ	C1	C2 L	C2 R	СЗ	Glass Opening	
									(GF) Front	(GS) Side
51H	41 ¹ / ₁₆ "	57 ⁵ %"	21 %"	10 ½6"	7 %"	29 ¹³ / ₁₆ "	28 ½ ₁₆ "	12 ¹⁵ / ₁₆ "	52 %" W X 21 %" H	_


Note: 1. Drawings are not to Scale

- 2. All dimensions are in inches
- 3. The dimensions are both for Double Glass and Protective Screen




THE WILDERNESS COLLECTION

51H Corner (RS/LS) Double Glass/Protective Screen - Flush



Model	Α	В	С	D
51H	41 ¹ / ₁₆ "	57 ⁵ %"	21 %"	Refer to pipe manufacturer's firestop dimensions



Note: 1. Drawings are not to Scale


- 2. All dimensions are in inches
- 3. The dimensions are both for Double Glass and Protective Screen


5/8" Type X Drywall Placement



THE WILDERNESS COLLECTION

51H Corner (RS/LS) Double Glass/Protective Screen - Flush





Top View

Note: 1. Drawings are not to Scale

- 2. All dimensions are in inches
- 3. The dimensions are both for Double Glass and Protective Screen

The valve can be moved 36" - 40" from the center of the fireplace in any direction.