



THE WILDERNESS COLLECTION


60 H RS/LS Double Glass/Protective Screen - Flush




Front View



Side View



Top View




Model	(H) Height	(W) Width	(D) Depth	HZ	C1	C2 L	C2 R	C3	Glass Opening	
									(GF) Front	(GS) Side
60 H	41 11/16"	67 1/2"	21 5/8"	10 7/16"	7 7/8"	34 3/4"	33 1/4"	12 13/16"	62 3/4" W X 21 5/8" H	—


- Note :
1. Drawings are not to Scale
 2. All dimensions are in inches
 3. The dimensions are both for
Double Glass and Protective Screen

THE WILDERNESS COLLECTION

60 H RS/LS Double Glass/Protective Screen - Flush



Model	A	B	C	D
60 H	41 $\frac{1}{16}$ "	67 $\frac{1}{2}$ "	21 $\frac{5}{8}$ "	Refer to pipe manufacturer's firestop dimensions




Note : 1. Drawings are not to Scale
2. All dimensions are in inches
3. The dimensions are both for
Double Glass and Protective Screen

5/8" Type X Drywall Placement

THE WILDERNESS COLLECTION

60 H RS/LS Double Glass/Protective Screen - Flush



- Note :
1. Drawings are not to Scale
 2. All dimensions are in inches
 3. The dimensions are both for Double Glass and Protective Screen

The valve can be moved 36" - 40" from the center of the fireplace in any direction.