





## THE WILDERNESS COLLECTION

# 60 H Front Double Glass/Protective Screen - Flush









Model	(H) Height	(W) Width	(D) Depth	HZ	C1	C2	C3	Glass Opening	
								(GF) Front	(GS) Side
60H	41 11/16"	69 ¾ <sub>6</sub> "	21 %"	10 7/16"	7 %"	34 <sup>1</sup> / <sub>16</sub> "	12 <sup>15</sup> / <sub>16</sub> "	60 ½" W X 21 ½" H	


Note: 1. Drawings are not to Scale

- 2. All dimensions are in inches
- 3. The dimensions are both for Double Glass and Protective Screen




## ITHE WILDERNESS COLLECTION

# 60 H Front Double Glass/Protective Screen - Flush



Model	Α	В	С	D
60H	41 <sup>1</sup> / <sub>16</sub> "	69 ½ <sub>16</sub> "	21 %"	Refer to pipe manufacturer's firestop dimensions



Note: 1. Drawings are not to Scale


- 2. All dimensions are in inches
- 3. The dimensions are both for Double Glass and Protective Screen


5/8" Type X Drywall Placement



#### THE WILDERNESS COLLECTION

# 60 H Front Double Glass/Protective Screen - Flush





Top View

Note: 1. Drawings are not to Scale

- 2. All dimensions are in inches
- 3. The dimensions are both for Double Glass and Protective Screen

The valve can be moved 36" - 40" from the center of the fireplace in any direction.