

**Installation Requirements** 

# DefendX Software Product Suite Installation Requirements Checklist



# **Table of Contents**

Web Server Requirements	3
Product Applicability:	3
Machine Specifications:	3
Required Server Roles and Features:	3
SQL Server Requirements	3
Product Applicability:	3
Machine Specifications:	3
SQL Specifications:	3
Application Server Requirements	4
Product Applicability:	4
Machine Specifications:	4
Component recommendations:	4
Domain Connected Service Account Requirements	4
Product Applicability:	4
Administrative rights:	4
File Server Requirements	4
Product Applicability:	4
	-
Windows:	5
Windows:	
	5
NetApp 7mode/CDOT:	5 5
NetApp 7mode/CDOT: EMC VNX/Unity:	5 5 5
NetApp 7mode/CDOT: EMC VNX/Unity: EMC Isilon:	5 5 5 5
NetApp 7mode/CDOT: EMC VNX/Unity: EMC Isilon: Hitachi:	5 5 5 5 6



## Web Server Requirements

#### Product Applicability:

DefendX Mobility	DefendX Vision	DefendX Control – Audit	DefendX Control – QFS	DefendX Control – FSR
YES	YES	YES	NO	YES

## Machine Specifications:

- Windows Server 2008 x64 and newer (x86 not supported)
- 3 CPU cores (<500TB); 4 CPU (<2PB); 6 CPU (>2PB)
- 4GB RAM (<500TB); 8GB RAM (<2PB); 12GB RAM (>2PB)
- Minimum 80 GB disk allocated

## Required Server Roles and Features:

- IIS Server Role enabled (IIS 6.x and newer)
- .Net Extensibility 3.5 and 4.6
- ASP.NET, ASP 3.5, ASP 4.6
- Windows and Basic authentication enabled

## **SQL Server Requirements**

#### **Product Applicability:**

DefendX Mobility	DefendX Vision	DefendX Control – Audit	DefendX Control – QFS	DefendX Control – FSR
YES	YES	YES	NO	YES

## Machine Specifications:

- Windows Server 2008 x64 and newer (x86 not supported)
- 4 CPU cores (<500TB); 8 CPU (<2PB); 16 CPU (>2PB)
- 8GB RAM (<500TB); 16GB RAM (<2PB); 32GB RAM (>2PB)
- 500GB Disk (<500TB); 1000GB Disk (<2PB); 2000GB Disk (>2PB)

## SQL Specifications:

- MS SQL 2008 and higher
- SQL Standard or Enterprise
- Mixed authentication mode enabled (SQL and Windows logons)
- SSRS installed and configured (Vision and Control-Audit products only)



# **Application Server Requirements**

## **Product Applicability:**

DefendX Mobility	DefendX Vision	DefendX Control – Audit	DefendX Control – QFS	DefendX Control – FSR
YES	YES	YES	YES	YES

## Machine Specifications:

- Windows Server 2008 x64 and newer (x86 not supported)
- Minimum of 2 CPU cores
- Minimum of 4 GB of RAM
- Minimum 80 GB disk allocated

## Component recommendations:

• Latest Microsoft SQL OLE DB Driver installed if using TLS 1.2

## **Domain Connected Service Account Requirements**

## **Product Applicability:**

DefendX Mobility	DefendX Vision	DefendX Control – Audit	DefendX Control – QFS	DefendX Control – FSR
YES	YES	YES	YES	YES

## Administrative rights:

- Local admin on app server and web server
- Sysadmin role in SQL database server
- Local admin on all file servers being managed (see below for specific platform information)
- (Optional) The ability to communicate with mail system for notifications

## **File Server Requirements**

## **Product Applicability:**

DefendX Mobility	DefendX Vision	DefendX Control – Audit	DefendX Control – QFS	DefendX Control – FSR
YES	YES	YES	YES	YES

Note: ALL managed servers must be connected to your domain (if applicable)



#### Windows:

• Windows Server 2008 and newer

## NetApp 7mode/CDOT:

- OnTap 8.1 or newer
- F-policy enabled
- Service account is local admin of filers/vfilers or SVMs being managed
- A cluster account with ontapi privilege (CDOT only)
- Low latency connection to filer
- Commvault exception for NAS Connector service (7mode only, and if running Commvault)

## EMC VNX/Unity:

- DART 5.6.36.2 or later
- Account nasadmin rights with access to control station/Unisphere
- Service account is local admin of CIFS server
- One CIFS server present on physical data mover for management purposes
- Server\_CEPP service enabled and CEPP.CONF configured to specs listed in install guide
- CEE and MMC installed in environment
- Low latency connection to server

## EMC Isilon:

- Service account is local admin on Isilon
- Low latency connection to server

## Hitachi:

- Service account member of AV and Backup Operators groups
- File filtering must be enabled
- (Mobility only, when using Mobility Mirroring) HCP Versioning Disabled
- Low latency connection to server



## About DefendX Software

DefendX Software helps organizations secure their critical business files and maximize the value of their enterprise file storage resources. From comprehensive intelligence, modeling, costing and chargeback to seamless file movement, protection and archiving, DefendX provides industry-leading capabilities to eliminate waste and align the value of files with the storage resources they consume. With DefendX, important file locations and the users who access them can be monitored to provide governance, protect against theft and enforce compliance policies. For more than 20 years, DefendX Software has been helping public and private sector customers around the world save money and eliminate risk every day.

## **DefendX Software Professional Services**

DefendX Software's Professional Services offers consulting, training, and design services to help customers with their storage management challenges. We have helped hundreds of customers to implement cost-effective solutions for managing their storage environments. Our services range from a simple assessment to in-depth financial analyses.

For further assistance in creating the most cost-effective Storage Management Infrastructure, please contact your DefendX Software Representative at 800-390-6937.



# Legal & Contact Information

The information contained in this document is believed to be accurate as of the date of publication. Because DefendX Software must constantly respond to changing market conditions, what is here should not be interpreted as a commitment on the part of DefendX Software, and DefendX Software cannot guarantee the accuracy of any information presented after the date of publication.

This user manual is for informational purposes only. DEFENDX SOFTWARE MAKES NO WARRANTIES, EXPRESS OR IMPLIED, IN THIS DOCUMENT.

DefendX Software and other marks are either registered trademarks or trademarks of DefendX Software in the United States and/or other countries. Other product and company names mentioned herein may be the trademarks of their respective owners.

DefendX Software products and technologies described in this document may be protected by United States and/or international patents.

DefendX Software 119 Drum Hill Road, #383 Chelmsford MA 01824 Phone: 1-800-390-6937 E-mail: <u>info@DefendX.com</u> Web Site: <u>https://www.DefendX.com</u>

Copyright © 2019 DefendX Software. All rights reserved. All trademarks and registered trademarks are the property of their respective owners. Doc#DFX1260EF

