



Provider Checklist-Outpatient -Imaging

Checklist: Magnetic Resonance Imaging (MRI) Ankle (CPT Code: 73721, 73722, 73723)

All Indications [*One has to be present]

*Chronic monarticular joint pain [All have to be present]

Symptoms at ankle [One has to be present]

Joint pain Locking Giving way by Hx

Findings at ankle [Two have to be present]

Pain with passive ROM Limited ROM Crepitus Tenderness Joint effusion/swelling

Ankle x-ray nondiagnostic for etiology of pain Continued Sx/findings after Rx [**Both have to be present**]

NSAID [One has to be present]

- -1 Rx ≥ 4 wks
- -2 Contraindicated/not tolerated

 $PT \ge 6 \text{ wks}$

*Suspected intra-articular loose body [All have has to be present]

Symptoms at ankle [One has to be present]

Joint pain Locking Giving way by Hx

Updated 8/2021 Page 1





Findings at ankle [Two have to be present]

Pain with passive ROM Limited ROM Clicking

Ankle x-ray nondiagnostic for loose body

*Suspected avascular necrosis (osteonecrosis), talus [All have has to be present]

Ankle pain
Pain with passive ROM
Talus fracture/nonunion of fracture by imaging
Ankle x-ray nondiagnostic for avascular necrosis
Continued pain after immobilization ≥ 6 wks

*Suspected acute posterior tibial tendon rupture [All have has to be present]

Injury to the area by $Hx \le 3$ wks Symptoms at ankle [**Both have to be present**]

Pain in medial ankle
Pain increased by weight bearing/inversion

Findings at ankle [Two have to be present]

Pain with passive ROM Limited ROM Crepitus Tenderness Joint effusion/swelling

Ankle x-ray nondiagnostic for etiology of pain

*Suspected chronic posterior tibial tendon rupture [All have has to be present]

Injury to the area by Hx Symptoms at ankle [**Both have to be present**]

Pain in medial ankle
Pain increased by weight bearing/inversion

Updated 8/2021 Page 2





Findings at ankle [Both have to be present]

Weakness of tibialis posterior muscle Tenderness of posterior tibial tendon

No fracture by x-ray Continued pain after Rx [**Both have to be present**]

NSAID [One has to be present]

- -1 Rx ≥ 4 wks
- -2 Contraindicated/not tolerated

 $PT \ge 6 \text{ wks}$

*Suspected osteomyelitis [Both have to be present]

Findings [One has to be present]

ESR > 30 mm/hr Temperature > 100.4 F(38.0 C) WBC > 10,000/cu.mm(10x109/L) Blood culture positive C-reactive protein > 10 mg/L

Ankle x-ray nondiagnostic for osteomyelitis

Updated 8/2021 Page 3