

MATCON[®]

POWDERS, HANDLED.

IBC SOLUTIONS FOR TABLET HANDLING

EFFICIENTLY HANDLING TABLETS.
GENTLY.

www.matconibc.com

Efficient handling of tablets and capsules in bulk

Matcon's gentle Tablet Handling system enables efficient handling of tablets and capsules.

Whilst, at the same time, the effectiveness of tablet coating, printing, inspection and packing processes are optimised.

Central to this system is the Tablet IBC with its polyethylene construction, tablet spiral and gentle opening Cone Valve - all designed to avoid tablet damage.



The gentle Tablet Handling system enables efficient handling of tablets and capsules.



The Matcon Tablet IBC gives our customers the ability to handle coated and uncoated tablets in quantities of up to 750Kg in one single IBC.



Handling tablets in an IBC offers significant benefits including:

- Reduced movements of tablet containers
- Reduced number of connections/disconnections
- Reduced operator handling time
- Less containers required per batch
- Closed and contained connections
 - Fully automatic operation
 - Improved inventory control & traceability.



Also in the gentle Tablet Handling range is the Matcon Gentle Transfer Chute. This enables damage-free transfer of tablets between floors.

THE MATCON ADVANTAGE


Reduce operator handling time

Avoid tablet damage or breakage

Improve the OEE of coaters and packers

Improve Inventory control and traceability

Increase productivity and product quality



COATING

PRIMARY PACKING

TABLET INSPECTION

CLEANING

MATCON®

POWDERS, HANDLED.

We specialise in providing complete materials handling solutions in the Food, Nutrition, Pharmaceutical and Chemical sectors.

We're not just an IBC provider, but a true partner helping you accomplish the right system for your needs.



THE POWDER HANDLING EXPERTS

www.matconibc.com

IDEX

TEKEMAS

OUR SCANDINAVIAN PARTNER

Tekemas A/S ♦ Afd. Øst. Naverland 2, 2600 Glostrup ♦
Tekemas AB ♦ Varlabergsvägen 16F, 434 39 Kungsbacka ♦

Afd. Vest. Nydamsvej 45, 8362 Hørning ♦
Sweden ♦ www.tekemas.com ♦

Tel +45 3670 6000 ♦
tekemas@tekemas.com ♦